


EXPANDED SITE INSPECTION OF THE ELKTON FARM FIREHOLE SITE OU-2



June 20, 2005

Prepared by: Maryland Department of the Environment Waste Management Administration

1800 Washington Blvd. Baltimore, MD 21230

Prepared for: U.S. Environmental Protection Agency

Region III

1650 Arch Street

Philadelphia, PA 19103-2029




Table of Contents

Section	<u>n</u>	<u>Page</u>
1.0	INTRODUCTION	1
1.2	Scope of Work	1
1.3	Executive Summary and Conclusions	1
2.0	SITE DESCRIPTION	3
2.1		
2.2	Permitting and Regulatory Actions	5
2.3	Remedial Actions	6
3.0	ENVIRONMENTAL SETTING	6
3.1	Water Supply	6
3.2	Water Supply Surface Waters	6
3.3	Soils	7
3.4	SoilsGeology and GroundwaterMeteorology	7
3.6	Meteorology	9
3.7	Nearby Land Use and Population Distribution	9
4.0	WASTE DESCRIPTION	10
5.0	PREVIOUS STUDIES	10
6.0	MDE Contract Laboratory Program (CLP) Sampling	
6.1	Groundwater Sampling Results	13
6.2	Surface Water Sampling Results	14
6.3	Sediment Sampling Results	• 1.4
6.4	Soil Sampling Results	14
7.0	FINDINGS AND CONCLUSIONS	A
8.0	REFERENCES	В

TABLES

- Table 1 Domestic Water Sources within a Four-Mile Radius of Site
- Table 2 Population Distribution
- Table 3 Sample Summary Table
- Table 4 Inorganic Data for Surface Soils
- Table 5 Inorganic Data for Subsurface Soils
- Table 6 VOC Data for Subsurface Soil Samples
- Table 7 Nitroaromatic Compound Results for Soil Samples

FIGURES

- Figure 1 Regional and Local Map
- Figure 2 Topographic Map with Highlighted Area of Concern
- Figure 3 Generalized Geological Map of the Elkton Area
- Figure 4 Topographic Map
- Figure 5 Sample Location Map

<u>APPENDIXES</u>

- Appendix A Photographs
- Appendix B Toxicological Evaluation
- Appendix C Geophysical Survey
- Appendix D Geophysical Logs
- Appendix E Laboratory Data

1.0 INTRODUCTION

1.1 Authorization

This Expanded Site Inspection (ESI) was performed by the Maryland Department of the Environment, Waste Management Administration (MDE/WAS), Environmental Restoration and Redevelopment Program (ERRP), Federal Superfund Division under the Preremedial Cooperative Agreement with the U.S. Environmental Protection Agency (EPA).

1.2 Scope of Work

MDE was contracted to perform an ESI of the Elkton Farm Firehole Site (MD-433). The purpose of the ESI is to assess the actual and potential release of hazardous substances from the site by way of groundwater, surface water, soil exposure and air pathways on sites that were owned and/or operated by the Federal Government. The scope of the ESI included reviewing the available file information, site reconnaissance and sampling under the U.S. EPA Contract Laboratory Program (CLP).

1.3 Executive Summary and Conclusions

The Elkton Farm Firehole site is located two miles northwest of Elkton, Maryland near the intersection of Routes 40 and 279 (Figure 1). The Firehole property occupies approximately 32 acres of the 400-acre Elkton Farm and is located just south of Zeitler Road between Little Elk Creek and Laurel Run. The most recent use of the site has been as a working farm. During the decade before and during World War II, the parcel had been the site of activity related to the manufacture of fireworks and munitions.

After being identified as a potentially responsible party, the U.S. Army Corps of Engineers (the Corps) contracted with TechLaw, Inc. to conduct an investigation of the site operations and ownership history of the Elkton, Maryland site of Triumph Explosives, Inc. (TEI). TechLaw completed this investigation in February 1992, and submitted a final report to the Corps. This report identified an area on the current Elkton Farm as the Firehole. The Firehole was documented as an area for the disposal of waste explosives material. This waste was reportedly collected in drums and kept wetted with alcohol or ether. This waste was then carried to a shallow pit off Zeitler Road, spread thinly and allowed to burn. Plant personnel monitored the burn until the waste explosive was ostensibly consumed. Photographs in the TEI newsletter from the period of concern show the operation of this Firehole burn pit.

The total quantity of hazardous waste disposed of in the Firehole is unknown. There is no estimate of fill thickness for the Firehole. A geophysical survey conducted for MDE by NAEVA Geophysics, Inc. (NAEVA) indicated several distinct anomalies on the portion of the

property east of Laurel Run and south of Zeitler Road. Observations indicate that the Firehole is not one discrete area but rather a series of burn pits located across the property in an approximate 32-acre area.

The Firehole area was reportedly the subject of a cleanup that saw the removal of tens of tons of contaminated soil. According to two separate sources, Mr. Patrick Herron and Mr. Richard Herron, soil was removed from an area where crops would not grow, and clean soil was brought in to fill the excavation. The removed soil was said to have contained scraps of brass shell casing and metallic slag.

A sampling plan to characterize the four anomalies found on the 32-acre site, as defined by the NAEVA geophysical survey, was prepared by MDE. On December 14, 2004 and January 11 & 12, 2005, as part of the ESI, MDE collected twelve surface soil samples, and twelve subsurface soil samples by remote geoprobe. The samples were analyzed for the presence of metals and cyanide, volatile organic compounds (VOC), perchlorates and nitroaromatic compounds.

A Toxicological evaluation was prepared for the Firehole site, assuming residential future use scenario for the site. EPA recognizes an acceptable Hazard Index of values less than or equal to one (noncarcinogenic chemicals) and a lifetime cancer risk less than or equal to 10^{-6} to 10^{-4} . MDE recognizes threshold Hazard Index values equal to one and lifetime cancer risk threshold values less than or equal to 1×10^{-5} . Risk estimates exceeded EPA and MDE recommended levels for the child resident population for incidental ingestion of surface soils, with the risk drivers of arsenic, copper, iron, thallium and 2,4,6-trinitrotoluene (TNT). Risk estimates exceeded EPA and MDE recommended levels for the child resident population for dermal contact with surface and subsurface soils, with the risk drivers of chromium and vanadium. Concentrations detected exceeded the EPA and MDE recommended levels for ingestion of surface soil for the youth resident, adult resident, and construction worker with the risk drivers of 2,4,6-TNT. Lead was detected in elevated levels across the site. The subsurface sample collected at SS5 contained 2860 mg/kg of lead, which may pose a threat to sensitive populations and the environment.

Samples S/SS1, S/SS2, S/SS3, S/SS5 and S/SS12, were collected from Pit A, the northernmost firehole anomaly defined by the NAEVA geophysical survey. Subsurface soil samples from Pit A were collected at 18 to 24 inches below the ground surface in a layer of dark vitrified material with entrained waste explosive devices. Sample analysis for soils collected from Pit A showed elevated concentrations of lead, zinc, mercury, and arsenic, trichloroethene (TCE), and TNT and associated daughter products. Samples S/SS 6 and S/SS7 were obtained from Pit T located on the northeast corner of the Thiokol Motor Recovery Area (TMRA). Sample analysis for soils collected from Pit T showed elevated concentrations of heavy metals and TNT and its associated daughter products. Samples S/SS8 and S/SS9 were collected from Pit N, an anomaly documented by the NAEVA survey in the southern extreme of the Firehole acreage. Samples from Pit N were relatively free from the volatile and nitroaromatic contaminants documented in Pits A and T. Samples S/SS10 and S/SS11 were collected from Pit C, an anomaly on the eastern edge of the gravel access road midway between Zeitler Road and

the TMRA. Samples collected from Pit C showed elevated concentrations of a number of heavy metals, but were relatively free from the volatile and nitroaromatic contaminants documented in Pits A and T.

The Elkton Farm property is for sale on the real estate market. The tillable acreage of the farm is currently leased to Spry Brothers Farming for seasonal crops; however, in all likelihood, the entire 400-acre farm will be developed for residential use in the future, rather than continue to be farmed. The presence of waste ordnance, TNT and daughter products, elevated concentrations of heavy metals, and TCE detected in site soils, and the presence of ordnance-related debris easily observable on the ground surface all suggest that further action is necessary in order to mitigate human health risks to future residential populations.

2.0 SITE DESCRIPTION

The Elkton Farm site is located at 183 Zeitler Road, Elkton, Cecil County, Maryland (Figure 1). The farm itself consists of approximately 400 acres and is situated in a rural setting just north of Triumph Industrial Park. MARVA Limited Partnership currently owns the farm, however Windsor Management, Inc. has optioned the farm for future developement. The property has historically been a working farm. For a brief period between 1943 and 1947, the property was impacted by military operations. MARVA Limited Partnership, the current owner, leases the property to a commercial farming operation that continues to rotate several seasonal crops through the Elkton Farm's fields. There are no access limitations to this property.

The "Firehole" is the result of military-directed operations in the 1940s, where waste explosives were disposed through open burning.




Figure 1 - Regional and Local Map

This report addresses Operational Unit Two of the Firehole investigation. The Firehole parcel is located on the U. S. Geological Survey (USGS) Bayview/Newark West quadrangles at approximately 39°38' north latitude and 75°53' west longitude and has a Maryland grid coordinate of 655,000 N and 1,117,500 E. The roughly triangular 32-acre site is bounded on the west by Laurel Run, to the north by Zeitler Road, and to the east by Little Elk Creek (Figure 2). A gravel access road bisects the western quadrant of the site. The Firehole is in this western quadrant west of the gravel road. Land use surrounding the site is primarily agricultural/residential, with an area of medium to light industry property to the southeast across Little Elk Creek.




Figure 2 - Topographical Map with Highlighted Area of Concern.

2.1 Site Ownership and Use

Throughout most of its history, Elkton Farm has been used as a livestock farm with much of the surrounding fields under cultivation. During the early 1940s, Triumph Explosives Inc. acquired ownership of the Elkton Farm. During the period between the end of World War II and the 1970s, hazardous material was stored and/or disposed of on the farm.

TEI purchased the Elkton Farm property in the early 1940s. The current owners, the Herron Family/MARVA Ltd. Partnership, acquired the property in 1948. In the late 1950s and early 1960s, the Thiokol Corporation leased a one-acre plot of the property. The farm property is currently leased to a commercial farming operation that rotates seasonal crops through the fields.

2.2 Permitting and Regulatory Actions

There are no permits on file with MDE for the disposal of waste material at the Elkton Farm site, however as a working farm, they were at one time allowed to operate a dump for farm-related debris.

2.3 Remedial Actions

There have been no remedial actions conducted in the area of the Firehole.

3.0 ENVIRONMENTAL SETTING

3.1 Water Supply

Drinking water for the Elkton area is obtained from an intake on Big Elk Creek and two municipal production wells. The total amount of municipal water withdrawn from these three sources is estimated to be 1.7 million gallons per day. The two municipal production wells are within the four-mile radius of the site. One production well is within the one-half to one-mile ring and the other is within the one to two-mile ring. These two wells are estimated to serve the population within four miles of the site; 800 and 22,700 people respectively. The estimated number of domestic wells and non-transient non-community wells and populations they serve is represented in the following table. The closest well to the Firehole site is located at the Elkton Farm farmhouse, 1300 feet northeast of the intersection of Zeitler Road and Fisher Lane, at 183 Zeitler Road.

Table 1 - Domestic Water Sources within a Four-Mile Radius of Site.

ESTIMATE NUMBER OF DOMESTIC WELLS	ESTIMATED POPULATION SERVED*	RING DISTANCE FROM THE SITE	COMMUNITY AND NONTRANSIENT NONCOUMMUNITY SYSTEMS	ESTIMATED POPULATION SERVED
5	15	$0 - \frac{1}{4}$ mile	31312.43	
25	65	$\frac{1}{4} - \frac{1}{2}$ mile	1	800
70	183	½ - 1 mile		
237	621	1 – 2 miles	1	22700
176	461	2 – 3 miles		
287	752	3 – 4 miles		
800	2096	Total	2	23500

^{*}According to 1998 U.S. Census data, the average population per household is 2.62.

3.2 Surface Waters

The Elkton Farm property lays at the confluence of Little Elk Creek with Laurel Run. Natural drainage on the site is in a generalized north to south direction. There is a slight drainage divide on the property which directs surface runoff to either Laurel Run or Little Elk Creek. Surface water infiltrates the soil to groundwater, or is discharged via overland flow to Laurel Run or Little Elk Creek. Laurel Run discharges into Little Elk Creek which flows southward into Big Elk Creek and eventually to the Chesapeake Bay.

The farthest upstream probable point of entry for the surface water route originates at the on-site drainage ditch on the Zeitler Road border of the site. The drainage ditch travels west for approximately 500 feet before emptying into Laurel Run, a perennial freshwater stream and a fishery. Laurel Run flows 0.625 mile to its confluence with Little Elk Creek. The area of the confluence of Laurel Run and Little Elk Creek is classified as Palustrine Aquatic Bed wetlands. Little Elk Creek flows south southeast for approximately four miles before emptying into the Big Elk Creek. Big Elk Creek flows approximately 2.25 miles to the point where it empties into Elk River. Elk River flows approximately 12 miles to its confluence with the Chesapeake Bay. The 15-mile surface migration pathway ends in the Elk River three miles from the confluence of Elk River with the Chesapeake Bay. The Elk River is classified as Estuarine intertidal wetlands and is a fishery.

3.3 Soils


Elkton Farm's soils are characterized as having been formed in the soft unconsolidated, water-lain Cretaceous and Pleistocene sediment of the Atlantic Coastal Plain. The soil series found on the Elkton Farm are a combination of Elsinboro, Mattapex, and Othello silt loams all having slopes of less than five percent. Eisenboro series soils are deep, well drained soils found on terraces above the flood plains of major streams. Eisenboro soils are formed in old alluvium and contain considerable amounts of fine mica flakes. Mattapex soils consist of deep moderately well drained loamy soils that formed in silty material laid down on older, coarser sediment. Othello series soils are poorly drained loamy soils on upland flats. These soils were formed in silty material underlain by coarser sediment. Most of the hardwood vegetation native to these three soil series are noted to have been cleared for use as cropland.


3.4 Geology and Groundwater

Elkton Farm lies in the erosional remnants of the Coastal Plain Physiographic Province, near the Fall Line. The unconsolidated sediments of the Coastal Plain extend eastward from the Fall Line, dipping eastward and becoming progressively thicker with distance, eventually reaching over 8,000 feet in thickness at Ocean City.

The quaternary strata at the Elkton Farm Firehole site (Figure 3) is classified as Uplands Deposits, which includes the Pamlico, Talbot, Wicomico and Sunderland Formations of earlier reports. The Uplands Deposits consists of a floodplain deposited formation comprising lenses of micaceous sand and gravel interbedded with thin layers of silt and fine sand. The coarse-grained sands and gravels at the base of the formation can range in size to boulders eight feet in diameter.

The groundwater component at the Firehole was defined in an earlier sampling. Four 2-inch monitoring wells set at between 20 to 30 feet below ground surface were installed in March 2003 to monitor groundwater at the site. These wells defined the localized groundwater flow as being to the south-southwest.





sand and gravel; cobbles and boulders near base; commonly contains reworked Eocene glauconite; varicolored silts and clays; brown to dark gray lignitic silty clay; contains estuarine to marine fauna in some areas (includes in part Pamlico, Talbot, Wicomico and Sunderland Formations of earlier reports); thickness 0 to 150 feet

Qu Upland Deposits (Eastern Shore) - Gravel, sand, silt, and clay. Mostly cross-bedded, poorly sorted, medium- to coarse-grained white to red sand and gravel, boulders near base; minor pink and yellow silts and clays; (Wicomico Formation of earlier reports); thickness 0 to 90 feet, locally thicker in paleochannels.

QTu

Kp

Pzpd

Upland Deposits (Western Shore) - Gravel and sand, commonly orangebrown, locally limonite-cemented; minor silt and red, white, or gray clay; (includes Brandywine, Bryn Mawr, and Sunderland Formations of earlier reports); lower gravel member and upper loam member in Southern Maryland; thickness 0 to 50 feet

Potomac Group - Interbedded quartzose gravels; protoquartzitic to orthoquartzitic argillaceous sands; and white, dark gray and multicolored silts and clays; thickness 0 to 800 feet.

Port Deposit Gneiss - Moderately to strongly deformed intrusive complex composed of gneissic biotite quartz diorite, hornblende-biotite quartz diorite, and biotite granodiorite; all rocks foliated and some strongly sheared; age 550 +/- 50 m.y.* by radiogenic dating.




Figure 4 - Topographic Map

3.6 Meteorology

The climate is temperate and humid with an average of 180 freeze-free days. The average temperatures range from 74.1 degrees Fahrenheit in the Summer to 34 degrees Fahrenheit in the Winter. The mean annual precipitation is about 45.3 inches with an average snowfall on the order of 18 inches per year.

3.7 Nearby Land Use and Population Distribution

Land use surrounding the site is primarily agricultural/residential, with an area of medium to light industry situated to the southeast across Little Elk Creek. There are four residences located along Zeitler road. The two closest to the study area, which were directly associated with the historic farming operation, are currently occupied. The Triumph Industrial Park is located a short distance south of the intersection of Zeitler Road and Blue Ball Road (MD RT-545). Triumph Industrial Park is located on the site of, but is unrelated to, the former TEI operation. Several industrial and chemical operations, including GE Railcar, and Thiokol Corporation, now occupy space in the industrial park.

Table 2 - Population Distribution

Radius (miles)	Population
0 - 0.25	134
0.25 - 0.5	217
0.5 - 1.0	672
1.0-2.0	5001
2.0 - 3.0	9581
3.0 - 4.0	11,451
Total	27,056

The resident population distribution around the site was determined using Maryland census figures for the year 2000.

4.0 WASTE DESCRIPTION

After being identified as a potentially responsible party, the Corps contracted with TechLaw, Inc. to conduct an investigation of the site operations and ownership history of the Elkton, Maryland site of TEI. In February 1992, the final report for this project was prepared by TechLaw, Inc. This report identified an area on the Elkton Farm as the Firehole. This Firehole was documented as an area for the disposal of waste material from the manufacture of explosive ordnance. This waste material was reportedly collected in drums and kept wetted with alcohol or ether. The waste was then carried to a shallow pit off Zeitler Road, spread thinly and allowed to burn. Plant personnel monitored the burn until the waste explosive was ostensibly consumed. The TEI newsletter from the period of shows photographs of the operation of this Firehole burn pit and reports on an explosion and resulting injuries at the Firehole.

The total quantity of hazardous waste disposed of in the Firehole is unknown. There is no estimate of fill thickness for the Firehole. A geotechnical survey conducted by NAEVA indicated several distinct anomalies on the portion of the property east of Laurel Run and south of Zeitler Road. Field observations indicate that the Firehole is not one discrete area but rather a series of burn pits located across the property in an approximate 32-acre area.

The Firehole was reportedly the subject of a cleanup that saw the removal of tens of tons of contaminated soil. According to two separate sources, cousins Patrick and Richard Herron, soil was removed from an area where crops would not grow, and clean soil was brought in to fill the excavation. The removed soil was said to have contained scraps of brass shell casing and metallic slag. Recyclable metal was recovered and sold to a scrap dealer; soil was removed to an unknown location.

5.0 PREVIOUS STUDIES

In April 2001, MDE performed a Site Survey of the Elkton Farm site to determine whether further action was necessary. The survey recommended further action in order to

document potential hazards associated with a release of site contaminants to the ground and surface waters of the State of Maryland.

In July 2002, MDE contracted Environmental Science and Technology (ENSAT) to provide for a geophysical assessment of an area of the Elkton Farm to document the location of the Firehole. NAEVA was contracted to perform the analysis. ENSAT transmitted the NAEVA final report (Appendix C) to MDE on September 3, 2002. This report identified areas that are likely to be locations of the Firehole. All anomalies were delineated and tagged to a global positioning sensor (GPS) grid.

MDE personnel conducted an Expanded Site Investigation (ESI) sampling of the site in the Fall of 2002 and Spring of 2003. Sampling began on October 8, 2002 with the collection of soil, sediment and surface water and concluded on May 21, 2003 with the collection of groundwater. All samples were analyzed for Target Analyte List (TAL) inorganics, Target Compound List (TCL) organics, and nitroaromatic compounds. The results of this sampling are documented in the MDE Report, Formerly Used Defense Site Inspection Of The Elkton Farm Firehole Site (MD-433).


6.0 MDE Contract Laboratory Program (CLP) Sampling


MDE proposed a further investigation of the Elkton Farm Firehole site in its Preremedial Cooperative Agreement with EPA in Fiscal Year 2004. Accordingly, a sampling plan proposal was submitted to the EPA Region III office in June 2004 for the proposed collection of additional surface and subsurface soil at the site. The purpose of the sampling was to evaluate areas within suspected Firehole areas for munitions-related contamination. EPA gave verbal approval to the sampling proposal in July 2004.

MDE personnel conducted the sampling according to procedures outlined in EPA's CLP Routine Analytical Services as Case Number 33696/DAS R32050. Sampling began on December 14, 2004 and concluded on January 12, 2004. All samples were analyzed for TAL inorganics, TCL organics, perchlorates and nitroaromatic compounds (Appendix D). MDE collected the samples in three matrices: one organic solid, one inorganic solid and one DAS solid. Sampling procedures are fully outlined in MDE's Standard Operating Procedures. Each matrix included the collection of a field duplicate sample and a matrix spike sample. MDE prepared trip blanks consisting of deionized water in 40 ml vials preserved with hydrochloric acid. The trip blank was shipped and analyzed along with samples for volatile organic compounds. The sampling locations are shown on Figure 5 and the sampling summary table is shown in Table 3.

Table 3 - Sample Summary Table

Sample Identification	Sample Type	Sample Location	Rationale
S/SS-1	Soil	Test Pit A – at firehole located just south of Zeitler Road and West of the access road	Characterize waste source Matrix Spike Sample
S/SS-2	Soil	Test Pit A – at firehole located just south of Zeitler Road and West of the access road	Characterize waste source
S/SS-3	Soil	Test Pit A – at firehole located just south of Zeitler Road and West of the access road	Characterize waste source
S/SS-5	Soil	Test Pit A – at firehole located just south of Zeitler Road and West of the access road	Characterize waste source
S/SS-4	Soil	Woods NW of Site Across Laurel Run	Area background
S/SS-6	Soil	Test Pit T – at the TMRA west of the access road	Characterize waste source
S/SS-7	Soil	Test Pit T – at the TMRA west of the access road.	Characterize waste source
S/SS-8	Soil	Test Pit N – no grow zone between power line and access road	Characterize waste source
S/SS-9	Soil	Test Pit N – no grow zone between power line and access road	Characterize waste source
S/SS-10	Soil	Test Pit C – no grow zone East of access road	Characterize waste source
S/SS-11	Soil	Test Pit C - no grow zone East of access road	Characterize waste Source
S/SS-12	Soil	Duplicate of S/SS-5	Duplicate sample of S/SS-5





6.1 Groundwater Sampling Results

No groundwater was collected for this phase of the investigation.

6.2 Surface Water Sampling Results

Surface water was not collected for this phase of the Elkton Farm Firehole investigation.

6.3 Sediment Sampling Results

Sediment was not collected for this phase of the Elkton Farm Firehole investigation.

6.4 Soil Sampling Results

MDE collected twelve surface soil samples (including one duplicate) and twelve subsurface soil samples (including one duplicate) for a total of twenty-four soil samples from four areas designated as potential Fireholes by the NAEVA geophysical study. Contaminants detected were screened against MDE Cleanup Standards for Residential Soils and EPA Region III Risk Based Concentrations (RBCs) for Residential Soils. VOC analysis was performed on subsurface samples only. Due to the proximity of the Firehole to the surface, 14 to 18 inches below ground surface, a composite of the top 18 inches of soil was collected for full analysis at locations S1, S2, and S3. Soil samples SS1, SS2 and SS3 were collected at a depth of 14 to 18 inches and analyzed for VOCs only. All other soil samples were analyzed for TAL metals, perchlorates and nitroaromatic compounds.

The metals barium, cadmium, calcium, chromium, copper, lead, manganese, mercury, silver, sodium, thallium, and zinc exceeded 3X background in the surface soil data documented in the inorganic data package. Most of the exceedances, and the highest concentrations, were in samples S1, S2, S3, S5 and S12, which were collected directly in the Firehole. Concentrations of aluminum, arsenic, barium, cadmium, copper, iron, lead, manganese, mercury, thallium and zinc exceeded screening levels in multiple samples. Trichloroethene was detected in SS1, SS3, SS5, and SS12, and benzene was detected in SS2. Concentrations detected for these VOCs did not exceed the screening levels. Nitroaromatic compounds were detected in five of the nine sample locations for this phase of the study. The four samples that did not contain nitroaromatic compounds included the background sample, S4X, and samples S8X and S9X, which were collected in test pit N in the far south of the Firehole field, and sample S11X which was collected in test pit C east of the gravel access road. All sites west of the gravel access road contained levels of nitroaromatic compounds. 2,4,6-TNT varied from a low detection of 0.017 mg/kg at S2X to a site high of 1300 mg/kg at S7X. Two samples, S7X and S12X, contained TNT at levels above the EPA risk-based concentration for residential soils of 21 mg/kg. MDE does not have a clean-up level for nitroaromatic compounds.

In the subsurface soil samples, aluminum, antimony, arsenic, barium, beryllium, calcium, chromium, cobalt, copper, cyanide, iron, lead, manganese, nickel, potassium, sodium, vanadium and zinc exceeded 3X background. Concentrations of arsenic, cadmium, iron, and manganese exceeded either one or both of the screening levels for inorganics. 2,4,6-TNT, 4-amino 2,6-

ELKTON FARM FIREHOLE ESI Revision Number 1 Revision Date: 06/20/05 Page 15 of 21

Dinitrotoluene and 2-amino 4,6-Dinitrotoluene were detected in SS5X, SS6X, SS7X, and SS12X but only one concentration exceeded any screening benchmark. 2,4,6-TNT was detected in SS7X at 30.5 mg/kg exceeding the EPA RBC of 21 mg/kg.

Table 4 - Inorganic Data for Surface Soils

Analyte mg/kg	S4 Bgrd	SI	S2	S3 .	S5 DUP S12	S6	S7	S8	S9	S10	S11	S12 Dup S5	EPA ¹ RBC	MDE ² Cleanup Stnd.
ALUMINUM	12000	10700	16500	12900	11800	12100	13100	11800	17800	19800	18600	9540	78,000	7,800
ANTIMONY	ND	ND	ND	ND	2.9 J	ND	ND	ND	ND	ND	ND	2.4 J	31	12
ARSENIC	3.7 J	5.5	9.5	4.5	4.4 J	3 J	3.5 J	3.4 J	5 J	4.4 J	4.7 J	3.3 J	0.43	2
BARIUM	80.9 J	611 J	1960 J	570 J	717 J	97.2 J	576 J	26.4 J	52.9 J	709 J	992 J	377 J	5,500	550
BERYLLIUM	0.81	0.46·J	0.65 J	0.8	0.51 J	0.76	0.79	0.34 J	0.59 J	0.6 J	0.57 J	0.42 J	160	16
CADMIUM	ND	5.7	13.6	6.5	5 J	ND	2.4 J	ND	ND	0.36 J	0.27 J	2.8 J	39	3.9
CALCIUM	922	1130	5010	2630	3690	536 J	1360	492 J	880	2040	1700	3290		
TOTAL CHROMIUM	17.4 J	50.8 L	289 L	30.6 L	155 J	15 J	18.7 J	21.6 J	28.4 J	29.1 J	29 J	73.9 J	230 (Cr+6)	23 (Cr+6)
COBALT	7.1	5.3 J	14.3 J	7.1 J	4.9 J	6.3	5.7 J	2.7 J	4.1 J	5.5 J	5.6 J	4.5 J	1,600	160
COPPER	9.2 L	407 J	+10200.	J 319 J	137 L	6.2 L	59.6 L	7.8 L	11.4 L	120 L	60.2 L	223 L	3,100	310
IRON	13900 J	20200	57200	16000	20000 J	12000 J	13300 J	18300 J	24600 J	24400 J	24600 J	19700 J	23,000	2,300
LEAD	13.4 J	726 J	852 J	295 J	459 J	10.3 J	105 J	5.9 J	11.2 J	136 J	122 J	541 J		400
MAGNESIUM	1440	1420	2440	1780	3220	1660	2320	1230	1620	3050	2430	2690		
MANGANESE	479 J	730 J	1260 J	742 J	453 J	208 J	337 J	50.4 J	121 J	182 J	167 J	381 J	1,600	160
MERCURY	0.028 J	0.22 K	0.41 K	0.098 J	0.19	0.013 J	0.077 J	0.034 J	0.06 J	0.12 J	0.029 J	0.12 J	-	0.1
NICKEL	9.7 J	13.4 J	30.2 J	12.6 J	18.2 J	8.8 J	10.8 J	6.1 J	9.4 J	14 J	12.8 J	13.3 J	1,600	160
POTASSIUM	408 J	504 J	1040	574 J	581 J	332 J	446 J	429 J	583 J	869	729	514 J	-	
SELENIUM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.38 J	390	39
SILVER	0.13 J	0.43 J	2.2	0.45 J	0.44 J	ND	0.069 J	0.072 J	1	0.24 J	0.2 J	0.26 J	390	39
SODIUM	ND	ND	195 J	ND	ND	ND	ND	ND	ND	ND	ND	ND		
THALLIUM	ND	4.5	15.6	3.2	ND	ND	ND	ND	ND	ND	ND	ND	5.5	2
VANADIUM	23.4	27.2	30.9	23.8	29.5	20.6	21.5	29.2	39.5	41.6	37.8	24.2	550	. 55
ZINC	33.2	568	+4560	736	657	30.2	1530	20.2	32.1	144	110	552	23,000	2,300
CYANIDE	ND	0.21 J	0.95 J	0.42 J	0.73 J	ND	2.1 J	ND	ND	ND	ND	0.85 J	1600	160

Qualifiers: J = analyte present, reported value may not be accurate or precise; L=Analyte present, reported value may be biased low, actual value is expected to be higher; K = analyte present, reported value may be biased high., actual value is expected to be lower; + = results reported from dilution analysis [] = analyte present, as values approach the instrument detection limit the quantitation may not be accurate. Green box indicates levels that exceed 3X background; Yellow highlight indicates levels that exceed MDE cleanup standards; Blue highlight indicates levels that exceed 3X background and MDE cleanup standards; Red highlight indicates levels that exceed both MDE cleanup standards and RBCs. Gray highlight indicates levels that exceed 3X background, MDE cleanup standards and RBCs.

1 – EPA Region III Risk Based Concentrations for Residential Soils.

^{2 -} MDE Cleanup Standards for Residential Soils.

Table 5 - Inorganic Data for Subsurface Soils

Analyte mg/kg	SS4 Bgrd	SS5 DUP SS12	SS6	SS7	SS8	SS9	SS10	SS11	SS12 Dup SS5	EPA RBC ¹	MDE Cleanup Stnd ²
ALUMINUM	3850	16300	4400	17800	989	1050	17100	15100	32000	78,000	7,800
ANTIMONY	ND	17.1 L	ND	ND	ND	ND	ND	ND	12.6 L	31	12
ARSENIC	0.98 J	22.4 J	1.2 J	4.3 J	0.36 J	0.85 J	3.7 J	4 J	16.4 J	0.43	2
BARIUM	12.7 J	2780 J+	11.3 J	53.1 J	3.3 J	3.2 J	52 J	53 J	1970 J	5,500	550
BERYLLIUM	0.18 J	1.5	0.27 J	0.66	ND	0.14 J	0.73	0.59 J	0.79	160	16
CADMIUM	ND	64.6 J	ND	ND	ND	ND	ND	ND	49.3 J	39	3.9
CALCIUM	289 J	11500	168 J	544 J	6539	ND	747	616 J	7640		
TOTAL CHROMIUM	12.7 J	206 J	12.1 J	24.8 J	11.3 J	14.6 J	23.7 J	25.1 J	170 J	230 (Cr+6)	230 (Cr+6)
COBALT	1.5 J	8.3	1.8 J	5 J	2 J	1.5 J	7.1	4.8 J	12.1	1,600	160
COPPER	3.7 L	2810 L	5.4 L	12.6 L	3.3 L	3.9 L	13.3 L	11.9 L	871 L	3,100	310
IRON	6170 J	73400 J+	9520 J	21700 J	5170 J	7850 J	21900 J	23400 J	80800 J+	23,000	2,300
LEAD	3.8 J	2860 J	2.8 J	8.7 J	1.3 J	1.3 J	8 J	7.9 J	2620 J		400
MAGNESIUM	573 J	5270	523 J	3050	90.4 J	107 J	3190	2460	3920		
MANGANESE	40.4 J	1720 J	54.4 J	132 J	65.9 J	54.4 J	166 J	107 J	1740 J	1,600	160
MERCURY	ND	0.25	ND	ND	0.031 J	0.1 J	0.021 J	ND	0.33		0.1
NICKEL	3 J	41.9 J	3 J	12.7 J	1.1 J	1.1 J	13.1 J	10.8 J	60.8 J	1,600	160
POTASSIUM	135 J	763	172 J	831	30.9 J	34.3 J	1000	789	634 J		
SELENIUM	ND	2.6 J	ND	ND	ND	ND	ND	ND	2.2 J	390	39
SILVER	ND	3.3	ND	ND	ND	ND	ND	ND	3	390	39
SODIUM	ND	261 J	ND	ND	ND	ND	ND	ND	159 J		1000
THALLIUM	ND	1.7 J	ND	ND	ND	ND	ND	ND	1.3 J	5.5	
VANADIUM	10.8	28.5	14.6	41.2	6.9	10.6	41	39	26.9	78	55
ZINC	10	4280+	19.9	36.1	ND	ND	34.2	27.6	4050 +	23,000	2,300
CYANIDE	ND	3.8	ND	ND	ND ·	ND	ND	ND	0.73 J	1600	160

Qualifiers: J = analyte present, reported value may not be accurate or precise; B = not detected substantially above the level reported in laboratory or field blanks; [] = analyte present, as values approach the instrument detection limit the quantitation may not be accurate; L=Analyte present, reported value may be biased low, actual value is expected to be higher; K = analyte present, reported value may be biased high., actual value is expected to be lower. + = results reported from dilution analysis

Green box indicates levels that exceed 3X background; Yellow highlight indicates levels that exceed MDE cleanup standards; Blue highlight indicates levels that exceed 3X background and MDE cleanup standards; Red highlight indicates levels that exceed both MDE cleanup standards and RBCs. Gray highlight indicates levels that exceed 3X background and RBCs

^{1 -} EPA Region III Risk Based Concentrations for Residential Soils.

^{2 -} MDE Cleanup Standards for Residential Soils.

Table 6 - VOC Data for Subsurface Soil Samples

Analyte μg/kg	SS4 Bkgrnd	SS1	SS2	SS3	SS5	SS6	SS7	SS8	SS9	SS10	SS11	SS12 Dup of SS5	EPA RBC ¹	MDE Cleanup Stnd. ²
ACETONE	2J	ND	ND	ND	ND	4J	4J	4J	3J	ND	ND	ND	7.0E+07	7.8E+05
CIS-1,2-DICHLOROETHENE	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3J	7.8E+05	7.8E+04
BENZENE	ND	ND	ND	7J	ND	ND	ND	ND	ND	ND	ND	ND	1.2E+04	1.2E+04
TRICHLOROETHENE	ND	37	ND	17	62	ND	ND	ND	ND	ND	ND	140	1600	5.8E+04

Qualifiers: J = analyte present, reported value may not be accurate or precise; B = not detected substantially above the level reported in laboratory or field blanks.

1 - EPA Region III Risk Based Concentrations for Residential Soils.

2 - MDE Cleanup Standards for Residential Soils

Table 7 - Nitroaromatic Compound Results for Surface Soil Samples

Analyte mg/kg	S4X BG	S1X	S2X	S3X	S5X	S6X	S7X	S8X	S9X	S10X	S11X		EPA RBC ¹	MDE Cleanup Stnd. ²
4-AMINO 2,6-DINITROTOLUENE	ND	0.065	0.062	0.108	0.961	0.233	9 J	ND	ND	ND	ND	0.731	160	
2-AMINO 4,6-DINITROTOLUENE	ND	0.042	0.045	0.105	1.12	0.438	16 J	ND	ND	ND	ND	0.714	160	<u>-</u>
1,3-DINITROBENZENE	ND	ND	ND	ND	ND	ND	0.919	ND	ND	ND	ND.	ND	7.8	- Marie 1981
DINITROTOLUENE MIX	ND	0.105	ND	ND	ND	ND	5.4 J	ND	ND	ND	ND	0.0545	0.94	-
1,3,5-TRINITROBENZENE	ND	ND	ND	ND	0.152	ND	48 J	ND	ND	ND	ND	0.121	2,300	
2,4,6-TRINITROTOLUENE	ND	0.046	0.017 J	0.345	2.92	0.0593	1300	0.0730	ND	ND	ND	192	21	

Red highlight indicates levels that exceed RBCs

1 - EPA Region III Risk Based Concentrations for Residential Soils.

2 - MDE Cleanup Standards for Residential Soils.

Table 8 - Nitroaromatic Compound Results for Subsurface Soil Samples

Analyte mg/kg	SS4X	SS5X	SS6X	SS7X	SS8X	SS9X	SS10X	SS11X	SS12X	EPA RBC ¹	MDE Cleanup Stnd. ²
4-AMINO 2,6-DINITROTOLUENE	ND	7.08	ND	0.38	ND	ND	ND	ND	4.86	160	-
2-AMINO 4,6-DINITROTOLUENE	ND	8.04	0.0547	0.846	ND	ND	ND	ND	6.35	160	-
1,3-DINITROBENZENE	ND	0.03 J	ND	ND	ND	ND	ND	ND	ND	7.8	-
DINITROTOLUENE MIX	ND	0.219	ND	0.144	ND	ND	ND	ND	0.173	0.94	-
1,3,5-TRINITROBENZENE	ND	0.296	0.02	1.2 J	ND	ND	ND	ND	0.203	2,300	-
2,4,6-TRINITROTOLUENE	ND	10.1	0.358	30.5	ND	ND	0.0483	ND	3.84	21	-

Red highlight indicates levels that exceed RBCs

1 - EPA Region III Risk Based Concentrations for Residential Soils.
 2 - MDE Cleanup Standards for Residential Soils.

7.0 FINDINGS AND CONCLUSIONS

A toxicological evaluation was prepared for the Firehole site, assuming a residential future use scenario for the site (Appendix B). Risk estimates exceeded EPA and MDE recommended levels for the child resident population for incidental ingestion of surface soils, with the risk drivers of arsenic, copper, iron, thallium and 2,4,6-TNT. Risk estimates exceeded EPA and MDE recommended levels for the child resident population for dermal contact with surface and subsurface soils, with the risk drivers of chromium and vanadium. Concentrations detected exceeded the EPA and MDE recommended levels for ingestion of surface soil for the youth resident, adult resident, and construction worker with the risk drivers of 2,4,6-TNT. Lead was detected in SS5 at 2860 mg/kg, which may pose a threat to sensitive populations and the environment.

All samples were collected in areas identified by MDE's geophysical survey, (Appendix C) as the most likely Firehole areas. Sample analysis showed elevated concentrations of lead, mercury, and arsenic as well as TCE, 2,4,6-TNT and associated daughter products in two of four anomaly areas on the Firehole site; labeled Test Pit A and Test Pit T on the sample plan map. Test Pit A is near the intersection of Fisher Lane, the gravel access road, and Zeitler Road. Test Pit T is at the TMRA. Both areas show as anomalies in the geophysical report and in the historical air photos, circa 1947. The highest levels of nitroaromatic compounds were detected in the TMRA area. This may be the result of TEI disposal activity, or it may be from the Thiokol operation at the TMRA, or a combination of both.

In addition to operating the remote geoprobe for Firehole soil sample collection, UXB's ordnance expert identified various ordnance-related components and debris. Components identified from ordnance specification diagrams included 20-mm detonators, 40-mm explosive shells, float light charges, and miscellaneous other components of military ordnance.

The Elkton Farm property is for sale. It is currently leased to an area farmer for crop rotation; however, in all likelihood, the entire farm will be developed for residential use in the future, rather than continued use for farming. The presence of TNT and daughter products, elevated concentrations of metals, and TCE detected in site soils and the presence of ordnance-related debris easily observable on the ground surface all suggest that action is necessary in order to mitigate human health risks to future residential populations.

8.0 REFERENCES

- 1. December 14, 2004 January 12, 2005 CLP Sampling Event.
- 2. Alexandria Drafting Company, Map of Cecil County, Maryland. 2000
- 3. Maptech Digital USGE Topographic Maps North East. 2001
- 4. MERLIN Environmental Mapping Database, Maryland Department of Natural Resources, 2004.
- 5. Maryland Department of the Environment Well Database
- 6. Maryland Department of Natural Resources.

 http://www.dnr.state.md.us/criticalarea/10percent_rule.html
- 7. U.S. Environmental Protection Agency Enviromapper http://www.epa.gov/enviro.html
- 8. U.S. Department of Agriculture, Soil Conservation Service, Soil Survey of Cecil County, Maryland, December 1973.
- 9. University of Maryland, Department of Meteorology. http://www.atmos.umd.edu/~climate/balto.html
- 10. MDE Waste Management Administration Solid Waste Program, Environmental Restoration and Redevelopment Program (ERRP) and Geographical Information System files.
- 11. Maryland Department of Assessment and Taxation, http://www.dat.state.md.us.
- 12. State of Maryland Department of Geology, Mines and Water Resources, *The Geology of Cecil County, Maryland*, Bulletin 37, 1990.
- 13. State of Maryland Department of Geology, Mines and Water Resources, *The Water Resources of Cecil, Kent & Queen Annes County*, Bulletin 21, 1958.
- 14. U.S. Geological Survey, Hydrogeological Framework of the Coastal Plain of Maryland, Delaware, and the District of Columbia, Vroblesky and Fleck. January 1, 1991.
- 15. Maryland Geological Survey, http://www.mgs.state.md.us/
- 16. http://ocs.orst.edu/pub/maps/Precipitation/Total/States/MD/md.gif
- 17. U.S. Department of the Interior Geological Survey, Characteristics of Streamflow in Maryland, Report of Investigations No. 35, 1983.

Appendix A – Photographs



Fisher Lane from TMRA



TMRA Staging Area



TMRA Sample Area



TMRA Sample Location



View South towards Test Pit N



TNT Test Kit



Soil Sampling



Setting Remote Geoprobe on S/SS3

Appendix B - Toxicological Evaluation.

Appendix C – Geophysical Survey

Appendix D – Geophysical Logs

Appendix E – Laboratory Data

/ / / 2 DATE	MDE-ERRP BORING LOG AND	SAMPLE DATA	SITE CODE
SAMPLE 1	LOCATION 5-9		
SURFACE	E CONDITIONS:	LOCATION:	
	· · · · · · · · · · · · · · · · · · ·		
WEATHE!	R:		
	E:)	
	NAME: KKYON FIRFHOR	5.9	
	•		
ORSEVAT	ER/GEOLOGIST:	Tanana Tanana Tana	
	AROUN SNT	GRAVEL SAND SILT	CLAY Silv
l			
		GRAVEL SAND SILT	CLAY ISHW
2	V		
-		GRAVEL SAND SILT	CLAY [S][W]
3	SAND WIGHAURL		
3		GRAVEL SAND SILT	CLAY [S] [W
4		The same The same The Hart	CT 11 (CT 19)
		GRAVEL SAND SILT	CLAY S!!W
5	RED DISH TINT		
		GRAVEL SAND SIL1	CLAY [S] [W]
6		·	
1	WET DEANLIF CAND W/S, GEDITEL	GRAVEL SAND SHIT	CLAY [S] [W]
7	WET DRANGE SAND \$1/S. GROUTE		
		GRAVEL SAND SILT	CLAY [S][W]
8	SAPROLITE	GRAVEL SAND SILT	CLAY [S)[W]
9			
		GRAVEL SAND SILT	CLAY [S] [W]
		GRAVEL SAND SILT	CLAY [S] [W]
		GRAVEL SAND SILT	CLAY [S][W]
1 1			<u></u>

1/11/05			SITE CODE
DATE	MDE-ERRP BORING LOG AND	SAMPLE DATA	BITECODE
SAMPLE LOCATION		LOCATION:	
SURFACE CONDIT	TIONS:	LOCATION	
· · · · · · · · · · · · · · · · · · ·			
WEATHER:			
PCA CODE:			
PROJECT NAME: _	ELKTON FIREHOLE	37	
OBSERVER/GEOLO	OGIST:		
		GRAVEL SAND S	SILT CLAY ISHW.
	BROWN 31174 SAND	-	
	CK (ASDANOT)	GRAVEL SAND	SILT CLAY [S](W)
320	ow snt		
2 /	· .	CON A LUES CAMES	ON THE COLAR TOURS
bean	NOR SAT	GRAVEL SAND	SILT CLAY [S] [W]
3 1			
6	POSSIBLE BUEN LAYER	GRAVEL SAND	SILT CLAY [S] [W]
, 4	(BLACK MATTERIAL)		
		GRAVEL SAND	SILT CLAY S W
5			
3		GRAVEL SAND	SILT CLAY [S] [W]
6 OR	ANGE SAND	GRAVEL SAND	SILT CLAY [S][W]
NE	T BROWN SILT		
7			
on	ANCE SAND W/ORACE	GRAVEL SAND	SILT CLAY [S] [W]
8			
		GRAVEL SAND	SILT CLAY [S] [W]
9			
		GRAVEL SAND	SELT CLAY [S] [W]
		GRAVEL SAND	SILT CLAY [S][W]
	<u> </u>	GRAVEL SAND	SILT CLAY [S] [W]
		CIRAVEL JOING	are Cert folial
RILLER	START DAT	ΓΕ: / / END DAT	ГЕ://

/ / ½/ / 05 DATE MDE-ERRP I	BORING LOG AND SA	MPLE DATA	CODE
SAMPLE LOCATION ≤-6			
SURFACE CONDITIONS:		CATION:	
			Andreich - proble man manne bonkel mie tee Seljester
WEATHER:			
PCA CODE:			
PROJECT NAME: ELKTON FI	RÉ140CE		
OBSERVER/GEOLOGIST:	المائية المائية المائية المائية		
BROWN SAND W/GR	PAUEL	GRAVEL SAND SIL (L.4	77 [8][W]
BROWN SILT			
ORANGE SILT		GRAVEL SAND SILT (14	AY (S)(W)
7 1	6-18"		
		GRAVEL SAND SILT CL	AY [S] [W]
3			
		GRAVEL SAND SILT CL	AV [S] (W)
4	,		
		GRAVEL SAND SILT CL	AY S W:
		GRAVEL SAND SILT CL	AY [S][W]
6 SAND WIGHARL	Sample SS-1		-
1	6-8 FRAT	GRAVEL SAND SILT CL	AY- [S] [W]
4			
		GRAVEL SAND SILT CL	AY [S] [W]
8			
		GRAVEL SAND SILT CL	AY [8] [W]
			
$ \mathcal{G} $		GRAVEL SAND SILT CL	AY (S) (W)
		GRAVEL SAND SILT CL	AY [S] [W]
		GRAVEL SAND SILT CL	AY [S] [W]
DRILLER	START DATE:	_// END DATE:/_	

DATE MDE-ERRP BORING LOG AN	D SAMPLE DATA SITE CODE
SAMPLE LOCATION 5-11 85' 50074 OF5-10	
SURFACE CONDITIONS:	LOCATION:
WEATHER:	
PCA CODE:	5-70
	5-7/
PROJECT NAME: FUNTOW FIREMOUR	
OBSERVER/GEOLOGIST:	
DARK BROWN SNT	GRAVEL SAND SILT CLAY (SITE)
	GRAVEL SAND SHIT CLAY . [S] (W)
BRANGR SILT	
7 /	GRAVEL SAND SILT CLAY [S] (W)
3 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
BROWN SILT	GRAVEL SAND SILT CLAY (5) (W)
4	
	GRAVEL SAND SLT CLAY ISHW:
5	
	GRAVEL SAND SILT CLAY [S] [W]
6	
	GRAVEL SAND SILT CLAY [S] [W]
7	
	GRAVEL SAND SILT CLAY [8] [W]
3	
	GRAVEL SAND SILT CLAY S] W)
9	
7	GRAVEL SAND SILT CLAY [S] [W]
	GRAVEL SAND SILT CLAY [S] (W)
	GRAVEL SAND SILT CLAY [S] [W]
DRILLER START DATE:/_ / END DATE://	

1/1/105	ID CAMPIE DATA SITE CODE
MDE-ERRP BORING LOG AN	ID SAMPLE DATA
SAMPLE LOCATION <u>S-/0</u>	LOCATION
SURFACE CONDITIONS:	
, se	
WEATHER:	
PCA CODE:	• Linkshall palatalahan palatahan penjada bahasan palatahan penjada bahasan pe
PROJECT NAME: <u>ELKTON FIRE HOLE</u>	
OBSERVER/GEOLOGIST:	
	GRAVEL SAND SILT (2.4) (8.19)
1 MR	
DACK BROWN SILT	GRAVEL SAND SET CTAY (S)(W.
2	
	GRAVEL SAND SILT CLAY (SI(W)
3 DRANGESUT	
	GRAVEL SAND SILT CLAY [ST(W)
1-4-1	GRAVEL SAND SILT, CLAY ISHW
5 ORANGE SAND	GRAVEL SAND SLT CLAY [S][W]
Brown Brown 510	To are Total
WE SIL	GRAVEL SAND SILT CLAY [S][W]
7 BOOMER SAND	
y orange sand w/ crave	GRAVEL SAND SILT CLAY [S][W]
8 A TANI SAND	,**F
RED-ORANGE SILT	GRAVEL SAND SELT CLAY (S)(W)
9 SAPROLITE	
	GRAVEL SAND SILT CLAY [S][W]
	GRAVEL SAND SULT CLAY [S][W]
	GRAVEL SAND SILT CLAY [S][W]
DRILLER START DA	ATE:/ END DATE://

12 / 14 / d DATE MDE-ERRP BORING LO	OG AND SAMPLE DATA SITE CODE
SAMPLE LOCATION ≤-	
SURFACE CONDITIONS: MOIST	LOCATION
WEATHER:	
PCA CODE:	
PROJECT NAME:	
OBSERVER/GEOLOGIST:	
DARK BLOWN SILT WERAG	GRAVEL SAND SILT CLAY (SILW)
. 1	
YELLOW SILT	GRAVEL SAND SH.T CLAY [S] (W)
2	
	GRAVEL SAND SILT CLAY [S] [W]
3	
	GRAVEC SAND SILT CLAY [S] [W]
4	
	GRAVEL SAND SILT CLAY S1 W:
5 5/-	
	GRAVEL SAND SILT CLAY [S] [W]
6	
	GRAVEL SAND SILT CLAY [S] [W]
7	
	GRAVEL SAND SILT CLAY [S] [W]
8	
	GRAVEL SAND SILT CLAY [S] [W]
9	
	GRAVEL SAND SILT CLAY [S] [W]
10	
	GRAVEL SAND SILT CLAY [S][W]
	GRAVEL SAND SILT CLAY [S][W]
DRILLER ST	ART DATE:/_ / END DATE:/_ /

DATE MDE-ERRP BC	RING LOG A	ND SAMPLE DATA	SITE CODE
SAMPLE LOCATION 5-4			
SURFACE CONDITIONS:		LOCATION: sou	
WEATHER:PCA CODE:			
PROJECT NAME: <u>FLKTOM FIRA</u>			
OBSERVER/GEOLOGIST:			
BROWN SILT	<u> </u>	GRAVEL SAND	SHIT CLAY ISOM
LIGHT BROWN SIC	T	GRAVEL SAND	SHIT CLAY (S) (W
MOTTLED GRAY + D		GRAVEL SAND	SILT CLAY [S] [W
3		GRAVEL SAND	SILT GLAY LSH(
			SILT CLAY (SH)
5 WET DRANGE SAND	WIGEAURL	GRAVEL SAND	SILT CLAY S1 V
		GRAVEL SANT	SILT CLAY: [S1 [V
		GRAVEL SAND	SHIT CHAY 1894A
15 14 16 17 17			
		GRAVEL SAND	STET CLAY COLFT
		GRAVEL SAND	SILT CLAY ISTIN
		,	
		GRAVEL SAND	SULT CLVA [22] [7
		GRAVEL SAND	SILT CLAY (S) [
		GRAVEL SAND	SILT C
			 ′

<u>/ / /2 / 6.5</u> DATE MDE-ERRF	BORING LOG AND	SAMPLE DATA	SITE CODE
SAMPLE LOCATION	- 2		
SURFACE CONDITIONS:	'	LOCATION:	
	· .		
WEATHER:			
PCA CODE:			
PROJECT NAME: FLICTON	TINEHOLE		
DBSERVER/GEOLOGIST:			
		GRAVEL SAND	1931 CALO LIBE
GRAY SILT			
	+= 1	GRAVEL SAND	SELT CLAY: [S]:
TAN SILT			
<u>' </u>		GRAVEL SAND	SILT CLAY [S]
	^		<u> </u>
Original SAM Original COARSF GRIPM	<u> </u>	GRAVEL SAND	SILT CLAY (S) (
COARSE GRIPM	51123		,
 		GRAVEL SAND	SILT CLAY (S)
5		GRAVEL SANT	ZILI CLAY [S]!
,			
O SAPAOLITIF -	IRON STAINTED	GRAVEL SAND	SILT CLAY [S)
		GRAVEL SAND	SILT CLAY [S]
		GRAVEL SAND.	SILT CLAY [S]
		GRAVEL SAND	SBJT CLAY [S]
		GRAVEL SAND	SILT CLAY [S]
		GRAVEL SAND	SILT CLAY [S]
			<u> </u>

٠.

Maryland Department of the Environment Waste Management Administration Environmental Restoration and Redevelopment Program

MEMORANDUM

TO:

Alex Cox, Project Manager

Brownfields/Site Assessment Division

THROUGH:

Patti Davis, Project Manager

Brownfields/Site Assessment Division

FROM:

Mark A. Mank, Toxicologist

Environmental Restoration and Redevelopment Program

SUBJECT:

Toxicological Data Screen - Elkton Farm Firehole, Operable Unit 2 (OU2),

Elkton, Cecil County, Maryland

DATE:

April 26, 2005

The toxicological data screen for the Elkton Farm Firehole, OU2 site is attached. For the purposes of this evaluation a residential use scenario was assumed for estimating risk to potentially exposed populations. Soil samples were analyzed for VOCs, metals, explosives and perchlorate. No groundwater samples were collected on site.

The estimated risks from the incidental ingestion of detected noncarcinogenic surface soil contaminants exceeded MDE and EPA recommended risk levels for all residential populations utilizing both the maximum detected concentrations and the 95% UCL concentrations as the sitewide average concentrations. Risk estimates for the incidental ingestion of detected carcinogenic surface soil contaminants exceeded MDE recommended risk levels for the child resident, youth resident and adult resident residential populations utilizing the maximum detected concentration as the site-wide average concentrations. Carcinogenic risk estimates for the incidental ingestion of detected surface soil contaminants were within MDE recommend risk ranges for the construction worker residential population and EPA recommended risk ranges for all residential populations utilizing the maximum detected concentration as the site-wide average concentrations. Carcinogenic risk estimates for the incidental ingestion of detected surface soil contaminants exceeded MDE recommended risk ranges for child and adult resident populations utilizing the 95% UCL concentrations as the site-wide average concentrations. Carcinogenic risk estimates for the incidental ingestion of detected surface soil contaminants were within MDE recommended risk ranges for the youth resident and construction worker residential populations and EPA recommended risk ranges for all residential populations utilizing the 95% UCL concentrations as the site-wide average concentrations.

95% UCL concentrations were not calculated for the subsurface soil data set due to insufficient sampling size. The estimated risks from the incidental ingestion of detected noncarcinogenic subsurface soil contaminants exceeded MDE and EPA recommended risk levels for the child resident, youth resident and construction worker residential populations utilizing the maximum detected concentration as the site-wide average concentration. The estimated risks from the incidental ingestion of detected noncarcinogenic subsurface soil contaminants were below MDE and EPA recommended risk thresholds for the adult resident population utilizing the maximum detected concentration as the site-wide average concentration. The estimated risks from the incidental ingestion of detected carcinogenic subsurface soil contaminants exceeded MDE recommended risk ranges for the child, youth, and adult residential populations utilizing the maximum detected concentration as the site-wide average concentration. The estimated risks from the incidental ingestion of detected carcinogenic subsurface soil contaminants were within MDE recommended risk ranges for the construction worker residential population and EPA recommended risk ranges for all residential populations utilizing the maximum detected concentrations as the site-wide average concentrations.

The estimated noncarcinogenic and carcinogenic risks from the inhalation of detected and nondetected volatiles and fugitive dust from surface and subsurface soils were within acceptable levels as recommended by MDE and EPA for all residential populations utilizing the 95% UCL concentrations and maximum detected concentrations as the site-wide average concentrations.

Risk estimates for dermal exposure to detected noncarcinogenic surface soil contaminants exceeded MDE and EPA recommended risk levels for the child resident population utilizing both the maximum detected concentrations and the 95% UCL concentrations as the site-wide average concentrations. Risk estimates for dermal exposure to detected noncarcinogenic surface soil contaminants were below MDE and EPA recommended risk levels for the youth resident, adult resident and construction worker residential populations. Risk estimates for dermal exposure to detected carcinogenic surface soil contaminants were within MDE and EPA recommended risk ranges for all residential populations utilizing the maximum detected concentrations and 95% UCL concentrations as the site-wide average concentrations. Risk estimates for dermal exposure to detected noncarcinogenic subsurface soil contaminants exceeded MDE and EPA recommended risk levels for the child resident population utilizing the maximum detected concentrations as the site-wide average concentrations. Risk estimates for dermal exposure to detected carcinogenic subsurface soil contaminants were within MDE and EPA recommended risk ranges for all residential populations utilizing the maximum detected concentrations as the site-wide average concentrations.

The maximum concentration of lead detected in soils on site exceeded the 400 mg/kg residential soil screening value. The maximum detected surface and subsurface soil concentrations on site were 852 and 2860 mg/kg, respectively. The mean surface and subsurface soil lead concentrations on site were 297 and 689 mg/kg, respectively. Based on the available data the concentrations of lead in soils on site may pose a threat to the health of sensitive populations and the environment.

Vapor intrusion from mercury contamination in soil exceeded a hazard index (HI) of 1 for residential populations, however, the anticipated typical concentration (ATC) for mercury in this region of the State was greater than the maximum detected concentration on site. Based upon this fact the potential for mercury vapor intrusion to indoor air was not considered further on site. One detected contaminant (benzene) in subsurface soil exceeded a HI of 1 and two detected subsurface soil contaminants (benzene and trichloroethene) exceeded a cancer risk of greater than 1×10^{-5} for residential populations from vapor intrusion to indoor air.

Twelve detected surface and subsurface soil contaminants exceeded their recommended MDE residential soil cleanup standard. Multiple explosive related contaminants detected on site have no soil MDE cleanup standards.

Refer to the attached toxicological evaluation for details regarding specific risk drivers for each exposure pathway.

Please contact me (x3436) if you have any questions. /MAM attachment

Elkton Farm Firehole OU2, Elkton, Maryland Toxicological Evaluation

Summary

This toxicological evaluation examines the human health risks associated with the Elkton Farm Firehole, Operable Unit 2 (OU2) property, located in Elkton, Cecil County, Maryland. This site was evaluated for child resident (1-6 years), youth resident (6-17), adult resident and construction worker populations under a residential future use scenario. This toxicological evaluation evaluates risks to residential use populations only. The United States Environmental Protection Agency (EPA) has recommended default exposure parameters that were used to estimate cumulative risk from all chemicals (1, 2, and 3). EPA recognizes as an acceptable Hazard Index (HI) values less than or equal to 1 (noncarcinogenic chemicals) and excess lifetime cancer risk (CR) less than or equal to 10^{-6} to 10^{-4} . The Maryland Department of the Environment (MDE) recognizes as an acceptable HI values less than or equal to 1 and excess lifetime cancer risk less than or equal to 10^{-6} to 10^{-5} . Based on these exposures, estimated risks at the site were compared to MDE and EPA recommended levels, and the following conclusions were reached:

Summary table of Hazard Indices (HI) values and Cancer Risk (CR) values for residential populations using maximum detected concentrations

N	Noncarcinogenic Endpoints Detected Contaminants Only										
Population	Pathway	Hazard Index	Risk Drivers								
Child resident	Ingestion-surface soil	48	Copper, iron, thallium 2,4,6-TNT								
Youth resident	Ingestion-surface soil	9	2,4,6-TNT								
Adult resident	Ingestion-surface soil	5	2,4,6-TNT								
Construction worker	Ingestion-surface soil	18	2,4,6-TNT								
Child resident	Ingestion-subsurface soil	12	Iron								
Youth resident	Ingestion-subsurface soil	2	Potential additive effects								
Construction worker	Ingestion-subsurface soil	5	Potential additive effects								
Child resident	Dermal contact-surface soil	11	Chromium, vanadium								
Child resident	Dermal contact-subsurface soil	11	Cadmium, chromium, vanadium								
	Carcinogenic Endpoints Detected C	ontaminants	o Only								
Population	Pathway	Cancer Risk	Risk Drivers								
Child resident	Ingestion-surface soil	5.8 x10 ⁻⁵	Arsenic, 2,4,6-TNT								
Youth resident	Ingestion-surface soil	2.2 x10 ⁻⁵	2,4,6-TNT								
Adult resident	Ingestion-surface soil	3.1 x10 ⁻⁵	2,4,6-TNT								
Child resident	Ingestion-subsurface soil	3.8 x10 ⁻⁵	Arsenic								
Youth resident	Ingestion-subsurface soil	1.4 x 10 ⁻⁵	Arsenic								
Adult resident	Ingestion-subsurface soil	2.0 x10 ⁻⁵	Arsenic								
Youth resident	Dermal contact-subsurface soil	1.3 x10 ⁻⁵	Arsenic								
Adult resident	Dermal contact-subsurface soil	2.5 x10 ⁻⁵	Arsenic								

Summary table of Hazard Indices (HI) values and Cancer Risk (CR) values for residential populations utilizing 95% UCL concentrations (surface soil only)

ľ	Noncarcinogenic Endpoints Det	ected Contami	nants Only		
Population	Pathway	Hazard Index	Risk Drivers		
Child resident	Ingestion-surface soil	15	2,4,6-TNT		
Youth resident	Ingestion-surface soil	3	2,4,6-TNT		
Adult resident	Ingestion-surface soil	2	2,4,6-TNT		
Construction worker	Ingestion-surface soil	6	2,4,6-TNT		
Child resident	Dermal Contact-surface soil	6	Chromium		
	Carcinogenic Endpoints Detec	ted Contamina			
Population	Pathway	Cancer Risk	Risk Drivers		
Child resident	Ingestion-surface soil	2.1 x10 ⁻⁵	2,4,6-TNT		
Adult resident	Ingestion-surface soil	1.1 x10 ⁻⁵	Potential additive effects		

Site Description

The Elkton Farm Firehole site is located at 183 Zeitler Road, Elkton, Maryland. The farm site consists of approximately 328 acres and is situated in a rural setting just north of the Triumph Industrial Park. The firehole portion of the property is a 100-acre parcel located on the USGS Bayview/Newark West quadrangles. OU2 is a 1-acre parcel located within the firehole portion of the site. The firehole was defined as an area for the disposal of waste explosive material. TEI collected waste explosive material from their manufacture of explosive ordinance and placed it in drums. This accumulated waste was kept wetted with alcohol or ether to prevent spontaneous ignition and carried to a shallow pit off Zeitler Road, spread thinly and allowed to burn. During the early 1940's, TEI owned Elkton Farm. The Herron family, the current owners, acquired the property in 1948. In the late 1950s and early 1960s, the Thiokol Corporation leased a one-acre plot of the farm property to combust and clean rocket motors. The structures remaining from this test area are located on the west side of the property. Throughout most of its history, the Elkton farm site has been used as a livestock farm with much of the surrounding fields under cultivation. However, during the period between the end of World War II and the 1970s, hazardous material was stored and /or disposed of on the farm. In the early 1980s, the owner of the farm attempted to dispose of 53 drums of hazardous waste but was refused and consequently stored them in two farm buildings until he reported them to MDE almost ten years ago. An additional area of concern is centered on a one-acre parcel of the farm along Laurel Run approximately 1400 feet south of Zeitler Road. During a period in the late 1950's to mid 1960's, Thiokol Corporation leased this property and constructed several small buildings, undefined underground structures and a network of steel gantries. Thiokol Corporation used the facility to combust residual fuel and clean rocket motors for reuse. The depth to groundwater is estimated to be 20 feet. Surface water drains from the site to Laurel Run, located approximately 500 feet from the site. According to the MDE Well Completion Database, there are multiple drinking water wells within a ½ mile radius of the site.

1.0 Method

In evaluating risk to human health, maximum concentrations of all chemicals detected in soil were compared to medium-specific screening levels (EPA Region III Risk Based Concentration values and Maryland Department of the Environment Cleanup Standards). Chemicals that exceeded human health Risk Based Concentration (RBC) values were then evaluated quantitatively. Relevant toxicological data and RBC values from surrogate compounds (structurally similar analogues) were used for some of the chemicals with no corresponding RBC value. Soil samples were collected from locations on the site. Groundwater was collected during previous investigations of the site. This investigation focused on OU2 and potential contaminants associated with the soil.

1.1 Human Health

Maximum concentrations of all chemicals detected in soils (dry weight values) were compared to the EPA Region III Risk Based Concentrations (RBC) for residential soil (4). Comparison of dry weight analytical values to the RBCs is recognized as a conservative

measure but provides consistency in risk assessments across sites (with variable soil moisture content) and sampling time. Prior to comparison with each chemical concentration, noncarcinogenic RBCs were multiplied by 0.1, in order to account for any additivity of systemic effects. Carcinogenic RBC values were not adjusted and represent a target risk level of 10⁻⁶. Carcinogenic and noncarcinogenic risk levels for all contaminants that exceeded their respective RBC screening level were evaluated quantitatively. The quantitative evaluation was based on expected future use and development scenarios and includes populations typically expected to frequent the site based on this proposed future use.

Date: April 26, 2005

The future land use at the site was assumed to be residential; therefore, the residential exposure scenario was used to evaluate risk at the site. The contaminants identified at the site at concentrations that exceeded residential RBCs were further evaluated with regard to risk to relevant populations under the following scenarios (1, 2, 3, and 7):

Residential Development:

Adult Resident: 30-year exposure duration, 70 kg body weight, 5700 cm² skin surface area (soil), 350 days per year exposure for soil ingestion, 100 mg soil ingested per day, 24 hours inhalation, 0.07 mg/cm²-event soil to skin adherence factor. 0.833 m³/hour inhalation rate, 70-year lifetime.

Construction Worker: 70 kg body weight, 3280 cm² skin surface area (soil), 0.08mg/cm²-event soil to skin adherence factor, 250 days per year exposure for soil ingestion, 480 mg soil ingested per day, 1.5 m³/hour inhalation rate, 8 hour exposure time (inhalation soil), 1 year exposure duration, 70 year lifetime.

Youth (6 - 17 years) Resident: 40 kg body weight, 4320 cm² skin surface area (soil), 0.07mg/cm²-event soil to skin adherence factor, 350 days per year soil ingestion, 100 mg soil ingested per day, 0.56 m³/hour inhalation rate, 24 hours inhalation exposure, 12 year exposure duration, 70 year lifetime.

Child (1 - 6 years) Resident: 15 kg body weight, 2350 cm² skin surface area (soil), 0.5mg/cm²-event soil to skin adherence factor, 350 days per year soil ingestion, 200 mg soil ingested per day, 0.32 m³/hour inhalation rate, 24 hour inhalation exposure, 6 year exposure duration, 70 year lifetime.

2.0 Human Health Evaluation

Soil samples were analyzed for VOCs, metals, explosives and perchlorate. Chemicals that were detected on site were compared to medium-specific screening levels (EPA Region III RBC values). Chemicals that were not detected at the site and exceeded RBC values (at an assumed concentration of one half the detection level) were carried through the quantitative risk assessment and were included in the summation of noncarcinogenic hazard quotients and carcinogenic cancer risk values for comparative purposes only. Chemicals detected at the site that exceeded human health RBC values were evaluated quantitatively using the

maximum detected concentration as the site-wide average concentration. 95% upper confidence level (95 % UCL) concentrations were calculated for those chemicals identified as risk drivers in the quantitative evaluation and an additional quantitative evaluation performed utilizing the 95% UCL concentration as the site-wide average concentrations. 95% UCL concentrations were only calculated for the surface soil sampling data set. 95% UCL concentrations were not calculated for the subsurface soil data set due to insufficient sampling size.

No RBC values were available for the dintrotoluene isomers (2,4-&2,6-) and perchlorate. Perchlorate was not detected at the site but limited toxicological data was available for this compound. The lack of toxicological data adds a degree of uncertainty to the risk analysis. Magnesium, calcium, potassium, iron and sodium are essential nutrients that may be present on site and are toxic only at very high concentrations. These compounds are found naturally in the soil of this geographic region; therefore, they were included in the quantitative risk estimates for comparative purposes only.

The EPA has issued a directive for lead that recommends a soil screening level of 400 mg/kg for residential scenarios at RCRA facilities and CERCLA sites; the 400-mg/kg soil screening level was used in this evaluation for soil (5).

2.1 Soil

Soil samples were analyzed for VOCs, metals, explosives and perchlorate. Contaminants that were detected above their respective residential soil RBCs (i.e. failed the initial screening process, see Attachment A) were evaluated quantitatively. Surface and subsurface soil exposures were evaluated via the ingestion, inhalation, dermal contact and vapor intrusion of volatiles to indoor air pathways. Reference dose (RfD) and cancer slope factor (CSF) values were obtained from EPA Region III and IRIS (4, 6). Estimates of noncarcinogenic and carcinogenic risks from dermal contact were calculated when sufficient data (permeability constants (8), oral absorption efficiencies and dermal absorption factors (9)) were available.

2.2 Groundwater

Groundwater samples were not collected in OU2.

2.3 Vapor Intrusion

All volatile and semivolatile contaminants detected in soil samples at the site were quantitatively evaluated for vapor intrusion using the Johnson and Ettinger Tier I vapor intrusion model (10).

2.4 MDE Cleanup Standards Screen

All soil samples collected on site were compared to the MDE State of Maryland Department of the Environment Cleanup Standards for Soil and Groundwater Interim Final Guidance, August 2001 (11).

3.0 Conclusion

3.1 Soil

The estimated risks from the incidental ingestion of detected noncarcinogenic surface soil contaminants exceeded MDE and EPA recommended risk levels for all residential populations (Tables 1 and 1UCL) utilizing both the maximum detected concentrations and the 95% UCL concentrations as the site-wide average concentrations. Copper, iron, thallium and 2,4,6-trinintrotoluene (2,4,6-TNT) were the noncarcinogenic risk drivers using the maximum detected concentrations as the site-wide average concentrations and 2,4,6-TNT was the noncarcinogenic risk driver using the 95% UCL concentrations as the site-wide average concentrations. Iron is a naturally occurring element whose concentrations on site were considered to result from naturally occurring parent rocks. Risk estimates for the incidental ingestion of detected carcinogenic surface soil contaminants exceeded MDE recommended risk levels for the child resident, youth resident and adult resident residential populations (Table 2) utilizing the maximum detected concentration as the site-wide average concentrations. Arsenic and 2,4,6-TNT were the carcinogenic risk drivers for the affected populations. Carcinogenic risk estimates for the incidental ingestion of detected surface soil contaminants were within MDE recommend risk ranges for the construction worker residential population and EPA recommended risk ranges for all residential populations utilizing the maximum detected concentration as the site-wide average concentrations. Carcinogenic risk estimates for the incidental ingestion of detected surface soil contaminants exceeded MDE recommended risk ranges for child and adult resident populations utilizing the 95% UCL concentrations as the site-wide average concentrations (Table 2UCL). 2,4,6-TNT was the carcinogenic risk driver for the affected populations. Carcinogenic risk estimates for the incidental ingestion of detected surface soil contaminants were within MDE recommended risk ranges for the youth resident and construction worker residential populations and EPA recommended risk ranges for all residential populations utilizing the 95% UCL concentrations as the site-wide average concentrations.

95% UCL concentrations were not calculated for the subsurface soil data set due to insufficient sampling size. The estimated risks from the incidental ingestion of detected noncarcinogenic subsurface soil contaminants exceeded MDE and EPA recommended risk levels for the child resident, youth resident and construction worker residential populations (Table 3) utilizing the maximum detected concentration as the site-wide average concentration. Iron was the noncarcinogenic risk driver for incidental ingestion of subsurface soil. As stated previously, iron is a naturally occurring element whose concentrations on site were considered to result from naturally occurring parent rocks. The estimated risks from the incidental ingestion of detected noncarcinogenic subsurface soil contaminants were below MDE and EPA recommended risk thresholds for the adult resident

population utilizing the maximum detected concentration as the site-wide average concentration. The estimated risks from the incidental ingestion of detected carcinogenic subsurface soil contaminants exceeded MDE recommended risk ranges for the child, youth, and adult residential populations (Table 4) utilizing the maximum detected concentration as the site-wide average concentration. Arsenic was the carcinogenic risk driver for incidental ingestion of subsurface soil. The estimated risks from the incidental ingestion of detected carcinogenic subsurface soil contaminants were within MDE recommended risk ranges for the construction worker residential population and EPA recommended risk ranges for all residential populations utilizing the maximum detected concentrations as the site-wide average concentrations.

The estimated noncarcinogenic and carcinogenic risks from the inhalation of detected and nondetected volatiles and fugitive dust from surface and subsurface soils were within acceptable levels as recommended by MDE and EPA for all residential populations (Tables 5 through 8) utilizing the 95% UCL concentrations and maximum detected concentrations as the site-wide average concentrations.

Risk estimates for dermal exposure to detected noncarcinogenic surface soil contaminants exceeded MDE and EPA recommended risk levels for the child resident population (Table 9 and 9UCL) utilizing both the maximum detected concentrations and the 95% UCL concentrations as the site-wide average concentrations. Chromium, conservatively evaluated as hexavalent chromium, and vanadium were the noncarcinogenic risk drivers using the maximum detected concentrations as the site-wide average concentrations and chromium was the noncarcinogenic risk driver using the 95% UCL concentrations as the site-wide average concentrations. Risk estimates for dermal exposure to detected noncarcinogenic surface soil contaminants were below MDE and EPA recommended risk levels for the youth resident, adult resident and construction worker residential populations. Risk estimates for dermal exposure to detected carcinogenic surface soil contaminants were within MDE and EPA recommended risk ranges for all residential populations (Table 10 and 10UCL) utilizing the maximum detected concentrations and 95% UCL concentrations as the site-wide average concentrations. Risk estimates for dermal exposure to detected noncarcinogenic subsurface soil contaminants exceeded MDE and EPA recommended risk levels for the child resident population (Table 11) utilizing the maximum detected concentrations as the site-wide average concentrations. Chromium, conservatively evaluated as hexavalent chromium, and vanadium were the noncarcinogenic risk drivers using the maximum detected concentrations as the site-wide average concentrations. Risk estimates for dermal exposure to detected carcinogenic subsurface soil contaminants were within MDE and EPA recommended risk ranges for all residential populations (Table 12) utilizing the maximum detected concentrations as the site-wide average concentrations.

The maximum concentration of lead detected in soils on site exceeded the 400 mg/kg residential soil screening value. The maximum detected surface and subsurface soil concentrations on site were 852 and 2860 mg/kg, respectively. The mean surface and subsurface soil lead concentrations on site were 297 and 689 mg/kg, respectively. Based on the available data the concentrations of lead in soils on site may pose a threat to the health of sensitive populations and the environment.

3.2 Groundwater

Groundwater samples were not collected in OU2.

3.3 Vapor Intrusion

The risk from surface and subsurface vapor intrusion of detected volatile and semivolatile contaminants in groundwater and soil into buildings was evaluated using the Johnson and Ettinger vapor intrusion model (Attachment B). Vapor intrusion from mercury contamination in soil exceeded a hazard index (HI) of 1 for residential populations, however, the anticipated typical concentration (ATC) for mercury in this region of the State was greater than the maximum detected concentration on site. Based upon this fact the potential for mercury vapor intrusion to indoor air was not considered further on site. One detected contaminant (benzene) in subsurface soil exceeded a HI of 1 and two detected subsurface soil contaminants (benzene and trichloroethene) exceeded a cancer risk of greater than 1 x 10⁻⁵ for residential populations from vapor intrusion to indoor air.

Date: April 26, 2005

3.4 MDE Cleanup Standards Screen

The concentrations of all chemicals analyzed in soil were compared to their corresponding MDE residential cleanup standards (Attachment A). Twelve detected surface and subsurface soil contaminants exceeded their recommended MDE residential soil cleanup standard. Multiple explosive related contaminants detected on site have no soil MDE cleanup standards.

3.5 Evaluation Assumptions

When determining whether an increased risk to human health exists at this site, it is important to understand that this evaluation was prepared as a first level screening evaluation. Many conservative assumptions are included in this evaluation, which were developed with the understanding that if the estimated risk, using the conservative assumptions, does not exceed EPA's recommended levels, then the risk estimated using more realistic scenarios will not exceed these levels.

Since this evaluation includes many conservative assumptions, a risk that exceeds EPA's recommended level of risk does not necessarily indicate an increased risk to human health. When this situation occurs, it is necessary to consider several points when determining if the risk actually does represent a threat to human health. For example, the quantitative risk estimate in this evaluation assumes people will be exposed to a contaminant at the maximum concentration all throughout the site and for the entire exposure duration. These assumptions do not take into account whether the maximum concentration is anomalous or characteristic of the site, or that biodegradation, dispersion, dilution, or other factors may decrease the contaminant concentration throughout the time of exposure.

Date: April 26, 2005

Elkton Farm Firehole OU2-Residential 65554

This evaluation also assumes that the bioavailability of each contaminant is 100 percent, and that all of the contaminant taken into the body is absorbed across the digestive tract into the body. A chemical is harmful to human health only if it is absorbed into the body. Assuming complete bioavailability does not consider the fact that it is common for a fraction of the chemical taken into the body to be excreted rather than absorbed into the body. The bioavailability of a contaminant is dependent on many factors, such as the state or form of the contaminant and if the actual size of the contaminant particle would permit incidental ingestion. These issues must be considered when evaluating the appropriateness of assuming total bioavailability of a contaminant.

4.0 References

1. EPA. 1989. Risk Assessment Guidance for Superfund Volume I Human Health Evaluation Manual (Part A) Interim Final. Office of Emergency and Remedial Response. EPA/540/1-89/002.

Date: April 26, 2005

- 2. EPA. 1991. Risk Assessment Guidance for Superfund Volume I: Human Health Evaluation Manual Supplemental Guidance "Standard Default Exposure Factors" Interim Final. Office of Emergency and Remedial Response. OSWER Directive: 9285.6-03.
- 3. EPA. 1991. Risk Assessment Guidance for Superfund: Volume I Human Health Evaluation Manual (Part B, Development of Risk/based Preliminary Remediation Goals) Interim. Office of Emergency and Remedial Response. EPA/540/R-92/003.
- 4. EPA, Region III. Risk-Based Concentration Table, April 14, 2004.
- 5. EPA. Memorandum: Revised Interim Soil Lead Guidance for CERCLA Sites and RCRA Corrective Action Facilities. Office of Solid Waste and Emergency Response. OSWER Directive # 9355.4-12.
- 6. EPA. Integrated Risk Information System. 2000.
- 7. EPA. 1997. Exposure Factors Handbook, Volume I, General Factors. Office of Research and Development. EPA/600/P-95/002Fa.
- 8. EPA. 1992. Dermal Exposure Assessment: Principles and Applications. EPA/600/8-91/011B.
- 9. EPA. Region III, 1995. Technical Guidance Manual, Risk Assessment, Assessing Dermal Exposure from Soil. EPA/903-K-95-003.
- 10. EPA. User's Guide for the Johnson and Ettinger (1991) Model for subsurface Vapor Intrusion into Buildings. June, 2003.
- 11. Maryland Department of the Environment. State of Maryland Department of the Environment Cleanup Standards for Soil and Groundwater. Interim Final Guidance. August 2001.

TABLES

Table 1. Quantitative Risk Assessment - Noncarcinogenic
Residential Use - Incidental Ingestion/Surface Soil
For Elkton Farm Firehole OU2, Route 40 and 279 Elkton, Cecil County, Maryland.

	Company to the contract of the	Concentration		Adult R	Lesident	Construction	on Worker	Youth R	esident	Child R	esident
Analyte	Concentration (mg/kg)	Qualifier	Dose (mg/kg/d)	ADD	HQ	ADD	HQ	ADD	НQ	ADD	HQ
ALUMINUM	19800		1E+00	3E-02	3E-02	9E-02	9E-02	5E-02	5E-02	3E-01	3E-01
ANTIMONY	9.4	L	4E-04	1E-05	3E-02	4E-05	1E-01	2E-05	6E-02	1E-04	3E-01
	9.5	L	3E-04	1E-05	4E-02	4E-05	1E-01	2E-05	8E-02	1E-04	4E-01
ARSENIC		_					1E-01	5E-03	7E-02	3E-02	4E-01
BARIUM	1960	J	7E-02	3E-03	4E-02	9E-03		-			
CADMIUM	13.6		1E-03	2E-05	2E-02	6E-05	6E-02	3E-05	3E-02	2E-04	2E-01
CHROMIUM	289	L	3E-03	4E-04	1E-01	1E-03	5E-01	7E-04	2E-01	4E-03	1E+00
COPPER	10200	J+	4E-02	1E-02	3E-01	5E-02	1E+00	2E-02	6E-01	1E-01	3E+00 *
IRON	57200	•	3E-01	8E-02	3E-01	3E-01	9E-01	1E-01	5E-01	7E-01	2E+00 *
MANGANESE	1260	J	2E-02	2E-03	9E-02	6E-03	3E-01	3E-03	2E-01	2E-02	8E-01
THALLIUM	15.6		7E-05	2E-05	3E-01	7E-05	1E+00	4E-05	5E-01	2E-04	3E+00 *
VANADIUM	41.6		1E-03	6E-05	6E-02	2E-04	2E-01	1E-04	1E-01	5E-04	5E-01
ZINC	4560	+	3E-01	6E-03	2E-02	2E-02	7E-02	1E-02	4E-02	6E-02	2E-01
2,4,6-TRINITROTOLUENE	1300	•	5E-04	2E-03	4E+00 *	6E-03	1E+01 *	3E-03	6E+00 *	2E-02	3E+01 *
2-AMINO-4,6-DINITROTOLUENE	16	J	2E-04	2E-05	1E-01	8E-05	4E-01	4E-05	2E-01	2E-04	1E+00
4-AMINO-2,6-DINITROTOLUENE	9	J	2E-04	1E-05	6E-02	4E-05	2E-01	2E-05	1E-01	1E-04	6E-01
1,3-dinitrobenzene	12:5	Ŭ	1E-04	2E-05	2E-01	6E-05	6E-01	3E-05	3E-01	2E-04	2E+00 *
	Hazard Index for	Detected Cor	npounds Only:	Sum =	5.1E+00 *	Sum =	1.8E+01 *	Sum =	8.9E+00 *	Sum =	4.8E+01 *
	Hazard Index for Nondetected Compounds Only:			Sum =	1.7E-01	Sum =	5.9E-01	Sum =	3.0E-01	Sum =	1.6E+00 *
	Hazard Index for Detected and Nondetected Compounds:					Sum =	1.8E+01 *	Sum =	9.2E+00 *	Sum =	4.9E+01 *

ADD = average daily dose (mg/kg/d). $HO = Hazard Quotient (unitless)$.	Compounds printed in lowercase letters were not detected in any sa	ımple.

^{*} Hazard quotient or hazard index exceeds 1.5.

Table 10CL. Quantitative Risk Assessment - Noncaremogenie

Residential Use - Incidental Ingestion/Surface Soil

	Concentration		Reference Dose	Adult R	lesident	Construction	on Worker	Youth R	lesident	Child R	esident
Analyte	(mg/kg)	Qualifier	(mg/kg/d)	ADD	HQ	ADD	НQ	ADD	·HQ	ADD	HQ
ALUMINUM	15963	UCL	1E+00	2E-02	2E-02	7E-02	7E-02	4E-02	4E-02	2E-01	2E-01
ANTIMONY	5.2	UCL	4E-04	7E-06	2E-02	2E-05	6E-02	1E-05	3E-02	7E-05	2E-01
ARSENIC	5.7	UCL	3E-04	8E-06	3E-02	3E-05	9E-02	1E-05	5E-02	7E-05	2E-01
BARIUM	1960	MAX	7E-02	3E-03	4E-02	9E-03	1E-01	5E-03	7E-02	3E-02	4E-01
CHROMIUM	147.8	UCL	3E-03	2E-04	7E-02	7E-04	2E-01	4E-04	1E-01	2E-03	6E-01
COPPER	2332	UCL	4E-02	3E-03	8E-02	1E-02	3E-01	6E-03	1E-01	3E-02	7E-01
IRON	29650	UCL	3E-01	4E-02	1E-01	1E-01	5E-01	7E-02	2E-01	4E-01	1E+00
MANGANESE	618.6	UCL	2E-02	8E-04	4E-02	3E-03	1E-01	1E-03	7E-02	8E-03	4E-01
THALLIUM	5.4	UCL	7E-05	7E-06	1E-01	3E-05	4E-01	1E-05	2E-01	7E-05	1E+00
VANADIUM	33.6	UCL	1E-03	5E-05	5E-02	2E-04	2E-01	8E-05	8E-02	4E-04	4E-01
ZINC	4560	MAX	3E-01	6E-03	2E-02	2E-02	7E-02	1E-02	4E-02	6E-02	2E-01
2,4,6-TRINITROTOLUENE	349.3	UCL	5E-04	5E-04	1E+00	2E-03	3E+00 *	8E-04	2E+00 *	4E-03	9E+00 *
2-AMINO-4,6-DINITROTOLUE	NE 4.3	UCL	2E-04	6E-06	3E-02	2E-05	1E-01	1E-05	5E-02	5E-05	3E-01
4-AMINO-2,6-DINITROTOLUE	NE 2.5	UCL	2E-04	3E-06	2E-02	1E-05	6E-02	6E-06	3E-02	3E-05	2E-01
1,3-dinitrobenzene	12.5	U	1E-04	2E-05	2E-01	6E-05	6E-01	3E-05	3E-01	2E-04	2E+00 *
	Hazard Index for	r Detected Con	npounds Only:	Sum =	1.6E+00 *	Sum =	5.5E+00 *	Sum =	2.8E+00 *	Sum=	1.5E+01 *
	Hazard Index for No	ndetected Con	npounds Only:	Sum =	1.7E-01	Sum=	5.9E-01	Sum =	3.0E-01	Sum =	1.6E+00 *
	Hazard Index for Detected	and Nondetect	ed Compounds:	Sum =	1.8E+00 *	Sum =	6.1E+00 *	Sum=	3.1E+00 *	Sum =	1.7E+01 *

ADD = average daily dose (mg/kg/d). HQ = Hazard Quotient (unitless). Compounds printed in lowercase letters were not detected in any sample.

^{*} Hazard quotient or hazard index exceeds 1.5.

Table 2. Quantitative Risk Assessment - Carcinogenic Residential Use - Incidental Ingestion/Surface soil.

	Concentration	Slope Factor	Adult Resident		Construction Worker		Youth Resident		Child Resident	
Analyte	(mg/kg)	Qualifier (1/mg/kg/d)	LADD	CR	LADD	, CR	LADD	CR	LADD	CR
ARSENIC	9.5	2E+00	6E-06	8E-06	6E-07	1E-06	4E-06	6E-06	1E-05	2E-05
2,4,6-TRINITROTOLUENE	1300	3E-02	8E-04	2E-05	9E-05	3E-06	5E-04	2E-05	1E-03	4E-05
	Cancer Risk fo	r Detected Compounds Only:	Sum =	3.1E-05	Sum =	3.6E-06	Sum =	2.2E-05	Sum =	5.8E-05
	Cancer Risk for Detected	Sum =	3.1E-05	Sum =	3.6E-06	Sum =	2.2E-05	Sum =	5.8E-05	

Table 2UCL. Quantitative Risk Assessment - Carcinogenic

Residential Use - Incidental Ingestion/Surface soil.

	Concentration		Slope Factor (1/mg/kg/d)	Adult Resident		Construction Worker		Youth Resident		Child Resident	
Analyte	(mg/kg)	Qualifier		LADD	CR	LADD	·CR	LADD	CR	LADD	CR
ARSENIC	5.7	UCL	2E+00	3E-06	5E-06	4E-07	6E-07	2E-06	4E-06	6E-06	9E-06
2,4,6-TRINITROTOLUENE	349.3	UCL	3E-02	2E-04	6E-06	2E-05	7E-07	1E-04	4E-06	4E-04	1E-05
	Cancer Risk for Detected Compounds Cancer Risk for Detected and Nondetected Comp		mpounds Only:	Sum =	1.1E-05	E-05 Sum =	1.3E-06	Sum =	7.8E-06	Sum =	2.1E-05
			ted Compounds:	Sum =	1.1E-05	Sum =	1.3E-06	Sum =	7.8E-06	Sum =	2.1E-05

Table 3. Quantitative Risk Assessment - Noncarcinogenic
Residential Use - Incidental Ingestion/Subsurface Soil
For Elkton Farm Firehole OU2, Route 40 and 279 Elkton, Cecil County, Maryland.

				Reference Dose	Adult R	esident	Construction	n Worker	Youth R	esident	Child Re	esident
Ana	lyte	Concentration (mg/kg)	Qualifier	(mg/kg/d)	ADD	HQ	ADD	HQ	ADD	HQ	ADD	HQ
	· · · · · · · · · · · · · · · · · · ·	•							05.00	OF 02	4E 01	4E-01
ALUMINUM		32000		1E+00	4E-02	4E-02	2E-01	2E-01	8E-02	8E-02	4E-01	
ANTIMONY		17.1	L	4E-04 .	2E-05	6E-02	8E-05	2E-01	4E-05	1E-01	2E-04	5E-01
ARSENIC		22.4	J	3E-04	3E-05	1E-01	.1E-04	4E-01	5E-05	∠ 2E-01	3E-04	1E+00
BARIUM	•	2780	J+	7E-02	4E-03	5E-02	1E-02	2E-01	7E-03	1E-01	4E-02	5E-01
CADMIUM		64.6	J	1E-03	9E-05	9E-02	3E-04	3E-01	2E-04	2E-01	8E-04	8E-01
CHROMIUM		206	J	3E-03	3E-04	9E-02	1E-03	3E-01	5E-04	2E-01	3E-03	9E-01
COPPER		2810	L	4E-02	4E-03	1E-01	1E-02	3E-01	7E-03	2E-01	4E-02	9E-01
IRON		80800	J+	3E-01	1E-01	4E-01	4E-01	1E+00	2E-01	6E-01	1E+00	3E+00 *
MANGANESE		1740	J	2E-02	2E-03	1E-01	8E-03	4E-01	4E-03	2E-01	2E-02	1E+00
THALLIUM		1.7	J	7E-05	2E-06	3E-02	8E-06	1E-01	4E-06	6E-02	2E-05	3E-01
VANADIUM		41.2		1E-03	6E-05	6E-02	2E-04	2E-01	1E-04	1E-01	5E-04	5E-01
ZINC		4280	+	3E-01	6E-03	2E-02	2E-02	7E-02	1E-02	3E-02	5E-02	2E-01
2,4,6-TRINITROTOLUI	ENE	30.5	,	5E-04	4E-05	8E-02	1E-04	3E-01	7E-05	1E-01	4E-04	8E-01
2-AMINO-4,6-DINITRO	OTOLUENE	8.04	•	2E-04	1E-05	6E-02	4E-05	2E-01	2E-05	1E-01	1E-04	5E-01
4-AMINO-2,6-DINITRO	OTOLUENE	7.08		2E-04	1E-05	5E-02	3E-05	2E-01	2E-05	8E-02	9E-05	5E-01
1,3-dinitrobenzene		2.5	U	1E-04	3E-06	3E-02	1E-05	1E-01	6E-06	6E-02	3E-05	3E-01
. [Hazard Index for Detected Compounds On		mpounds Only:	Sum =	1.3E+00	Sum =	4.5E+00 *	Sum =	2.3E+00 *	Sum =	1.2E+01 *	
•	Hazard Index for Nondetected Compounds Only:				Sum =	3.4E-02	Sum =	1.2E-01	Sum =	6.0E-02	Sum=	3.2E-01
-	Hazard Index for Detected and Nondetected Compounds:					1.4E+00	Sum =	4.7E+00 *	Sum=	2.4E+00 *	Sum =	1.3E+01 *

ADD = average daily dose (mg/kg/d). HQ = Hazard Quotient (unitless). Compounds printed in lowercase letters were not detected in any sample.

^{*} Hazard quotient or hazard index exceeds 1.5.

Table 4. Quantitative Risk Assessment - Carcinogenic

Residential Use - Incidental Ingestion/Subsurface soil.

	Concentration		Slope Factor	Adult F	Resident	Constructi	on Worker	Youth I	Resident	Child F	Resident
Analyte	(mg/kg)	Qualifier	(1/mg/kg/d)	LADD	CR	LADD	CR	LADD	CR	LADD	CR
ARSENIC	22.4	J ·	2E+00	1E-05	2E-05	2E-06	2E-06	9E-06	1E-05	2E-05	4E-05
2,4,6-TRINITROTOLUENE	30.5		3E-02	2E-05	5E-07	2E-06	6E-08	1E-05	4E-07	3E-05	1E-06
	Cancer Risk for	Detected Co	mpounds Only:	Sum =	2.0E-05	Sum =	2.3E-06	Sum =	1.4E-05	Sum =	3.8E-05
Can	ncer Risk for Detected a	r Risk for Detected and Nondetected Compounds:			2.0E-05	Sum =	2.3E-06	Sum=	1.4E-05	Sum =	3.8E-05

Table 5. Quantitative Risk Assessment - Noncarcinogenic Residential Use - Inhalation of Volatiles and Fugitive Dust (Surface Soil). For Elkton Farm Firehole OU2, Route 40 and 279 Elkton, Cecil County, Maryland.

	Concentration	•	Reference Dose		Adult R	esident	Construction	n Worker	Youth R		Child R	
Analyte	(mg/kg)	Qualifier	(mg/kg/d)	PEF/VF	ADD	НQ	ADD	HQ	ADD	HQ	ADD	HQ
Particulate Emission:				PEF						·		
ALUMINUM	19800		1E-03	9.63E+08	6E-06	6E-03	2E-06	2E-03	7E-06	7E-03	1E-05	1E-02
BARIUM	1960	J	1E-04	9.63E+08	6E-07	4E-03	2E-07	2E-03	7E-07	5E-03	1E-06	7E-03
CADMIUM	13.6		6E-05	9.63E+08	4E-09	7E-05	2E-09	3E-05	5E-09	8E-05	7E-09	1E-04
CHROMIUM	289	L	3E-05	9.63E+08	8E-08	3E-03	4E-08	1E-03	1E-07	3E-03	1E-07	5E-03
MANGANESE	1260	J	1E-05	9.63E+08	4E-07	3E-02	2E-07	1E-02	4E-07	3E-02	6E-07	4E-02
MERCURY	0.41	K	9E-05	9.63E+08	1E-10	1E-06	5E-11	6E-07	1E-10	2E-06	2E-10	2E-06
Volatilization:				VF								
ALUMINUM	19800	•	1E-03									
BARIUM	. 1960	J	1E-04									
CADMIUM	13.6		6E-05									
CHROMIUM	289	L	3E-05									
MANGANESE	1260	J	1E-05									
MERCURY	0.41	K	9E-05	3.20E+04	4E-06	4E-02	2E-06	2E-02	4E-06	5E-02	6E-06	7E-02
•	Particle H	azard Index	for Detected Co	mpounds Only:	Sum =	3.7E-02	Sum =	1.6E-02	Sum=	4.4E-02	Sum =	6.7E-0
	Volatile H	azard Index	for Detected Co	ompounds Only:	Sum =	4.1E-02	Sum=	1.7E-02	Sum =	4.8E-02	Sum =	7.3E-0
· .	Hazard Index via Inhaiat	ion (Detected	l and nondetect	ed compounds):	Sum =	7.8E-02	Sum =	3.4E-02	Sum =	9.2E-02	Sum =	1.4E-0

ADD = average daily dose (mg/kg/d). HQ = Hazard Quotient (unitless). Compounds printed in lowercase letters were not detected in any sample.

^{*} Hazard quotient or hazard index exceeds 1.5.

Table 30 CL. Quantitative Risk 11338 sme fonc from ogen

Residential Use - Inhalation of Volatiles and Fugitive Dust (Surface Soil).

For Elkton Farm Firehole OU2, Route 40 and 279 Elkton, Cecil County, Maryland.

	Concentration		Reference Dose		Adult R	.esident	Construction	on Worker	Youth R	lesident	Child R	esident
Analyte	(mg/kg)	Qualifier	(mg/kg/d)	PEF/VF	ADD	НQ	ADD	НQ	ADD	HQ	ADD	НQ
Particulate Emission:	·			PEF								
ALUMINUM	15963	UCL	1E-03	9.63E+08	5E-06	5E-03	2E-06	2E-03	5E-06	5E-03	8E-06	8E-03
BARIUM	1960	MAX	1E-04	9.63E+08	6E-07	4E-03	2E-07	2E-03	7E-07	5E-03	1E-06	7E-03
CHROMIUM	147.8	UCL	3E-05	9.63E+08	4E-08	1E-03	2E-08	6E-04	5E-08	2E-03	8E-08	3E-03
MANGANESE	618.6	UCL	1E-05	9.63E+08	2E-07	1E-02	8E-08	5E-03	2E-07	1E-02	3E-07	2E-02
MERCURY	0.41	K	9E-05	9.63E+08	1E-10	1E-06	5E-11	6E-07	1E-10	2E-06	2E-10	2E-06
Volatilization:				VF								
ALUMINUM	15963	UCL	1E-03									
BARIUM	1960	MAX	1E-04									
CHROMIUM	147.8	UCL	3E-05									
MANGANESE	618.6	UCL	1E-05									
MERCURY	0.41	K	9E-05	3.20E+04	4E-06	4E-02	2E-06	2E-02	4E-06	5E-02	6E-06	7E-02
	Particle H	azard Index	for Detected Co	mpounds Only:	Sum =	2.2E-02	Sum =	9.5E-03	Sum =	2.6E-02	Sum =	4.0E-02
	Volatile H	azard Index	for Detected Co	mpounds Only:	Sum =	4.1E-02	Sum =	1.7E-02	Sum =	4.8E-02	Sum =	7.3E-02
. •	Hazard Index via Inhala	tion (Detected	and nondetect	ed compounds):	Sum =	6.3E-02	Sum =	2.7E-02	Sum =	7.4E-02	Sum =	1.1E-01

ADD = average daily dose (mg/kg/d). HQ = Hazard Quotient (unitless). Compounds printed in lowercase letters were not detected in any sample.

^{*} Hazard quotient or hazard index exceeds 1.5.

Table 6. Quantitative Risk Assessment - Carcinogenic Residential Use - Inhalation of Volatiles and Fugitive Dust (Surface Soil). For Elkton Farm Firehole OU2, Route 40 and 279 Elkton, Cecil County, Maryland.

		•				•	Adult R	esident	Construction	on Worker	Youth P	Lesident	Child R	esident
	Analyte	• '	Concentration (mg/kg)	Qualifier	Slope Factor (1/mg/kg/d)	PEF/VF	LADD	CR	LADD	CR	LADD	CR	LADD	CR
Particulate Emissio	n: ·	-			÷.	PEF			•					
ARSENIC			9.5		2E+01	9.63E+08	1E-09	2E-08	2E-11	2E-10	5E-10	8E-09	4E-10	6E-09
CADMIUM			13.6		6E+00	9.63E+08	2E-09	1E-08	2E-11	1E-10	8E-10	5E-09	6E-10	4E-09
CHROMIUM			289	L	4E+01	9.63E+08	4E-08	1E-06	5E-10	2E-08	2E-08	7E-07	1E-08	5E-07
Volatilization:						VF								
ARSENIC			9.5		2E+01									
CADMIUM		_	13.6		6E+00									
CHROMIUM			289	L ·	4E+01						·,			
			Particle Cancer	Risk Totals	for Detected Co	mpounds Only:	Sum=	1.5E-06	Sum =	2.1E-08	Sum=	6.9E-07	Sum =	5.3E-07
•			Volatile Cancer	Risk Totals	for Detected Co	mpounds Only:	Sum =	_	Sum =	_	Sum =	-	Sum =	
		Total C	ancer Risk via Inhalat	ion (Detecte	d and nondetect	ed compounds):	Sum=	1.5E-06	Sum =	2.1E-08	Sum =	6.9E-07	Sum =	5.3E-07

LADD = lifetime average daily dose (mg/kg/d). CR = Cancer risk. Compounds printed in lowercase letters were not detected in any sample.

^{*} Cancer risk exceeds 10E-4.

Table oUCL. Quantitative Risk Assessment - Caremogenic

Residential Use - Inhalation of Volatiles and Fugitive Dust (Surface Soil).

For Elkton Farm Firehole OU2, Route 40 and 279 Elkton, Cecil County, Maryland.

	C		Clana Faintan		Adult R	esident .	Construction	on Worker	Youth R	esident	Child R	.esident
Analyte	Concentration (mg/kg)	Qualifier	Slope Factor (1/mg/kg/d)	PEF/VF	LADD	CR	LADD	CR	LADD	CR	LADD	CR
Particulate Emission:				PEF								
ARSENIC	5.7	UCL	2E+01	9.63E+08	7E-10	1E-08	1E-11	1E-10	3E-10	5E-09	2E-10	4E-09
CHROMIUM	147.8	UCL	4E+01	9.63E+08	2E-08	7E-07	3E-10	1E-08	8E-09	3E-07	6E-09	3E-07
Volatilization:				VF		•						
ARSENIC	5.7	UCL	2E+01									
CHROMIUM	147.8	UCL	4E+01									
	Particle Cancer	Risk Totals	for Detected Co	mpounds Only:	Sum =	7.5E-07	Sum =	1.1E-08	Sum =	3.5E-07	Sum =	2.7E-07
	Volatile Cancer	Risk Totals	for Detected Co	mpounds Only:	Sum =	-	Sum =		Súm =	_	Sum =	
·	Total Cancer Risk via Inhalat	ion (Detecte	d and nondetecte	ed compounds):	Sum =	7.5E-07	Sum =	1.1E-08	Sum =	3.5E-07	Sum =	2.7E-07

Table 7. Quantitative Risk Assessment - Noncarcinogenic
Residential Use - Inhalation of Volatiles and Fugitive Dust (Subsurface Soil).
For Elkton Farm Firehole OU2, Route 40 and 279 Elkton, Cecil County, Maryland.

	Concentration		Reference Dose		Adult P	Resident	Construction	on Worker	Youth F	Resident	Child R	esident
Analyte	(mg/kg)	Qualifier	(mg/kg/d)	PEF/VF	ADD	нQ	ADD	HQ	ADD	НQ	ADD	НQ
Particulate Emission:	•			PEF	•		• •		•			
ALUMINUM	32000		1E-03	9.63E+08	9E-06	9E-03	4E-06	4E-03	1E-05	1E-02	2E-05	2E-02
BARIUM	2780	J+	1E-04	9.63E+08	8E-07	6E-03	3E-07	2E-03	9E-07	7E-03	1E-06	1E-02
CADMIUM	64.6	J	6E-05	9.63E+08	2E-08	3E-04	8E-09	1E-04	2E-08	4E-04	3E-08	6E-04
CHROMIUM	206	J	3E-05	9.63E+08	6E-08	2E-03	3E-08	8E-04	7E-08	2E-03	1E-07	4E-03
MANGANESE	1740	J	1E-05	9.63E+08	5E-07	3E-02	2E-07	1E-02	6E-07	4E-02	9E-07	6E-02
MERCURY	0.33		9E-05	9.63E+08	9E-11	1E-06	4E-11	5E-07	1E-10	1E-06	2E-10	2E-06
Volatilization:				VF				e.	,			
ALUMINUM	32000		1E-03			*						
BARIUM	2780	J+	1E-04					٠.				
CADMIUM	64.6	J	6E-05									
CHROMIUM	206	J	3E-05									
MANGANESE	1740	J	1E-05	•			•					
MERCURY	0.33		9E-05	3.20E+04	3E-06	3E-02	1E-06	1E-02	3E-06	4E-02	5E-06	6E-02
•	Particle H	azard Index 1	for Detected Co	mpounds Only:	Sum =	5.2E-02	Sum =	2.2E-02	Sum =	6.1E-02	Sum=	9.3E-02
	Volatile H	azard Index i	or Detected Co	mpounds Only:	Sum=	3.3E-02	Sum=	1.4E-02	Sum=	3.9E-02	Sum =	5.9E-02
н	azard Index via Inhalat	ion (Detected	and nondetect	ed compounds):	Sum =	8.4E-02	Sum =	3.6E-02	Sum =	9.9E-02	Sum =	1.5E-01

ADD = average daily dose (mg/kg/d). HQ = Hazard Quotient (unitless). Compounds printed in lowercase letters were not detected in any sample.

^{*} Hazard quotient or hazard index exceeds 1.5.

abre 8. Quantitative kisk Assessment Carcinogodic

Residential Use - Inhalation of Volatiles and Fugitive Dust (Subsurface Soil). For Elkton Farm Firehole OU2, Route 40 and 279 Elkton, Cecil County, Maryland.

	Concentration		Slope Factor		Adult R	esident	Construction	n Worker	Youth R	Resident	Child R	esident	
Analyte	<u> </u>	(mg/kg)	Qualifier	(1/mg/kg/d)	PEF/VF	LADD	CR	LADD	CR	LADD	CR	LADD	CR
Particulate Emission:					PEF				•		•		
ARSENIC		22.4	J	2E+01	9.63E+08	3E-09	4E-08	4E-11	6E-10	1E-09	2E-08	1E-09	1E-08
CADMIUM		64.6	J	6E+00	9.63E+08	8E-09	5E-08	1E-10	7E-10	4E-09	2E-08	3E-09	2E-08
CHROMIUM		206	J	4E+01	9.63E+08	3E-08	1E-06	4E-10	1E-08	1E-08	5E-07	9E-09	4E-07
Volatilization:					VF		•						
ARSENIC		22.4	Ţ	2E+01									
CADMIUM		64.6	J _.	6E+00				·					
CHROMIUM		206	J	4E+01		*,							
		Particle Cancer	Risk Totals	for Detected Co	mpounds Only:	Sum =	1.1E-06	Sum =	1.6E-08	Sum =	5.3E-07	Sum=	4.0E-07
		Volatile Cancer	Risk Totals	for Detected Co	mpounds Only:	Sum =		Sum =		Sum =		Sum =	_
	Total Canc	er Risk via Inhalati	lon (Detecte	d and nondetecte	ed compounds):	Sum =	1.1E-06	Sum=	1.6E-08	Sum =	5.3E-07	Sum =	4.0E-07
			,				****	- · · · · · · · · · · · · · · · · · · ·		1		1	

LADD = lifetime average daily dose (mg/kg/d). CR = Cancer risk. Compounds printed in lowercase letters were not detected in any sample.

^{*} Cancer risk exceeds 10E-4.

Table 9. Quantitative Risk Assessment - Noncarcinogenic
Residential Use - Dermal Contact/Surface Soil
For Elkton Farm Firehole OU2, Route 40 and 279 Elkton, Cecil County, Maryland.

	Concentration		Reference Dose	Adult F	Resident	Construction	on Worker	Youth I	Resident	Child R	esident
Analyte	(mg/kg)	Qualifier	(mg/kg/d)	ADD	НQ	ADD	HQ	ADD	НQ	ADD	НQ
ALUMINUM	19800	•	3E-01	1E-03	4E-03	5E-04	2E-03	1E-03	5E-03	1 E-02	6E-02
ANTIMONY	9.4	L	4E-05	5E-07	1E-02	2E-07	6E-03	7E-07	2E-02	7E-06	2E-01
ARSENIC	9.5		3E-04	2E-06	5E-03	7E-07	2E-03	2E-06	7E-03	2E-05	7E-02
BARIUM	1960	J	7E-02	1E-04	2E-03	5E-05	7E-04	1E-04	2E-03	1E-03	2E-02
CADMIUM	13.6		3E-05	7E-07	3E-02	3E-07	1E-02	1E-06	4E-02	1E-05	4E-01
CHROMIUM	289	L	3E-05	2E-05	5E-01	7E-06	2E-01	2E-05	7E-01	2E-04	7E+00 *
COPPER	10200	J+	4E-02	6E-04	1E-02	3E-04	7E-03	7E-04	2E-02	8E-03	2E-01
IRON	57200		6E-02	3E-03	5E-02	1E-03	2E-02	4E-03	7E-02	4E-02	7E-01
MANGANESE	1260	J	1E-03	7E-05	6E-02	3E-05	3E-02	9E-05	8E-02	9E-04	8E-01
THALLIUM	15.6	•	7E-05	9E-07	1E-02	4E-07	6E-03	1E-06	2E-02	1E-05	2E-01
VANADIUM	41.6		2E-05	2E-06	1E-01	1E-06	5E-02	3E-06	2E-01	3E-05	2E+00 *
ZINC	4560	+	7E-02	2E-04	3E-03	1E-04	2E-03	3E-04	4E-03	3E-03	5E-02
2,4,6-TRINITROTOLUENE	1300										
2-AMINO-4,6-DINITROTOLUENE	16	J									
4-AMINO-2,6-DINITROTOLUENE	9	J	ě								
1,3-dinitrobenzene	12.5	U	•								

Hazard Index for Detected Compounds Only:	Sum =	8.3E-01	Sum =	3.9E-01	Sum =	1.1E+00	Sum =	1.1E+01 *
Hazard Index for Nondetected Compounds Only:	Sum =	_	Sum=	-	Sum =	-	Sum =	_
Hazard Index for Detected and Nondetected Compounds:	Sum=	8.3E-01	Sum =	3.9E-01	Sum =	1.1E+00	Sum =	1.1E+01 *

ADD = average daily dose (mg/kg/d). HQ = Hazard Quotient (unitless). Compounds printed in lowercase letters were not detected in any sample.

^{*} Hazard quotient or hazard index exceeds 1.5.

Table 9UCL. Quantitative Risk Assessment - Noncarcinogenic Residential Use - Dermal Contact/Surface Soil

	Concentration	,	Reference Dose	Adult R	Lesident	Constructi	on Worker	Youth 1	Resident	Child I	Resident
Analyte	(mg/kg)	Qualifier	(mg/kg/d)	ADD	HQ ·	ADD	НQ	ADD	НQ	ADD	HQ
ALUMINUM	15963	·UCL	3E-01	9E-04	3E-03	4E-04	2E-03	1E-03	4E-03	1E-02	4E-02
ANTIMONY	5.2	UCL	4E-05	3E-07	7E-03	1E-07	3E-03	4E-07	9E-03	4E-06	1E-01
ARSENIC	5.7	UCL	3E-04	9E-07	3E-03	4E-07	1E-03	1E-06	4E-03	1E-05	4E-02
BARIUM	1960	MAX	7E-02	1E-04	2E-03	5E-05	7E-04	· 1E-04	2E-03	1E-03	2E-02
CHROMIUM	147.8	UCL	3E-05	8E-06	3E-01	4E-06	1E-01	1E-05	4E-01	1E-04	4E+00 *
COPPER	2332	UCL	4E-02	1E-04	3E-03	6E-05	1E-03	2E-04	4E-03	2E-03	4E-02
IRON	29650	UCL	6E-02	2E-03	3E-02	8E-04	1E-02	2E-03	4E-02	2E-02	4E-01
MANGANESE	618.6	UCL	1E-03	3E-05	3E-02	2E-05	1E-02	4E-05	4E-02	5E-04	4E-01
THALLIUM	5.4	UCL	7E-05	3E-07	4E-03	1E-07	2E-03	4E-07	6E-03	4E-06	6E-02
VANADIUM	33.6	UCL	2E-05	2E-06	9E-02	9E-07	4E-02	2E-06	1E-01	3E-05	1E+00
ZINC	4560	MAX	7E-02	2E-04.	3E-03	1E-04	2E-03	3E-04	4E-03	3E-03	5E-02
2,4,6-TRINITROTOLUENE	349.3	UCL									
2-AMINO-4,6-DINITROTOLUENE	4.3	UCL	•	,							
4-AMINO-2,6-DINITROTOLUENE	2.5	UCL									
1,3-dinitrobenzene	12.5	U									
	TT 17 1 6			l _							

Hazard Index for Detected Compounds Only:	Sum =	4.4E-01	Sum =	2.1E-01	Sum =	5.9E-01	Sum =	6.1E+00 *
Hazard Index for Nondetected Compounds Only:	Sum =	-	Sum =		Sum =	-	Sum =	_
Hazard Index for Detected and Nondetected Compounds:	Sum =	4.4E-01	Sum =	2.1E-01	Sum =	5.9E-01	Sum =	6.1E+00 *

ADD = average daily dose (mg/kg/d). HQ = Hazard Quotient (unitless). Compounds printed in lowercase letters were not detected in any sample.

^{*} Hazard quotient or hazard index exceeds 1.5.

Table 10. Quantitative Risk Assessment - Carcinogenic Residential Use - Dermal Contact/Surface soil.

Analyte	. Companient on	Clara Fastan	Adult F	Resident	Constructi	on Worker	Youth F	Resident	Child F	Resident
	Concentration (mg/kg) Qualifie	Slope Factor (1/mg/kg/d)	LADD	ÇR	LADD	CR	LADD	CR	LADD	CR
ARSENIC	9.5	2E+00	7E-07	1E-06	1E-08	2E-08	4E-07	5E-07	2E-06	3E-06
2,4,6-TRINITROTOLUENE	1300									
	Cancer Risk for Detected (Compounds Only:	Sum =	1.0E-06	Sum =	1.6E-08	Sum =	5.3E-07	Sum =	2.8E-06
	Cancer Risk for Detected and Nondet	ected Compounds:	Sum =	1.0E-06	Sum =	1.6E-08	Sum=	5.3E-07	Sum=	2.8E-06

Table 10UCL. Quantitative Risk Assessment - Carcinogenic

Residential Use - Dermal Contact/Surface soil.

	Concentration		Slope Factor Qualifier (1/mg/kg/d)	Adult Resident		Construction Worker		Youth Resident		Child Resident	
Analyte	(mg/kg)	Qualifier		LADD	CR	LADD	CR	LADD	CR	LADD	CR
ARSENIC	5.7	UCL	2E+00	4E-07	6E-07	6E-09	9E-09	2E-07	3E-07	1E-06	2E-06
2,4,6-TRINITROTOLUENE	349.3	UCL									
	Cancer Risk for	Cancer Risk for Detected Compounds Only:		Sum=	6.0E-07	Sum =	9.4E-09	Sum =	3.2E-07	Sum =	1.7E-06
	Cancer Risk for Detected a	Cancer Risk for Detected and Nondetected Compounds:			6.0E-07	Sum =	9.4E-09	Sum =	3.2E-07	Sum =	1.7E-06

Table 11. Quantitative Risk Assessment - Noncarcinogenic
Residential Use - Dermal Contact/Subsurface Soil
For Elkton Farm Firehole OU2, Route 40 and 279 Elkton, Cecil County, Maryland.

	Concentration	Qualifier	Reference Dose (mg/kg/d)	Adult Resident		Construction Worker		Youth Resident		Child R	Resident
Analyte	(mg/kg)			ADD	HQ	ADD	HQ	ADD	HQ	ADD	HQ
ALUMINUM	32000	_	3É-01	2E-03	6E-03	8E-04	3E-03	2E-03	9E-03	2E-02	9E-02
ANTIMONY	17.1	L	4E-05	9E-07	2E-02	4E-07	1E-02	1E-06	3E-02	1E-05	3E-01
ARSENIC	22.4	J	3E-04	4E-06	1E-02	2E-06	6E-03	5E-06	2E-02	5E-05	2E-01
BARIUM	2780	J+ ·	7E-02	2E-04	2E-03	7E-05	1E-03	2E-04	3E-03	2E-03	3E-02
CADMIUM	64.6	J	3E-05	4E-06	1E-01	2E-06	7E-02	5E-06	2E-01	5E-05	2E+00 *
CHROMIUM	206	J	3E-05	1E-05	4E-01	5E-06	2E-01	1E-05	5E-01	2E-04	5E+00 *
COPPER	2810	L	4E-02	2E-04	4E-03	7E-05	2E-03	2E-04	5E-03	2E-03	5E-02
IRON	80800	J+	6E-02	4E-03	7E-02	2E-03	3E-02	6E-03	1E-01	6E-02	1E+00
MANGANESE	1740	J	1E-03	1E-04	8E-02	4E-05	4E-02	1E-04	1E-01	1E-03	1E+00
THALLIUM	1.7	J	7E-05	9E-08	1E-03	4E-08	6E-04	1E-07	2E-03	1E-06	2E-02
VANADIUM	41.2		2E-05	2E-06	1E-01	1E-06	5E-02	3E-06	1E-01	3E-05	2E+00 *
ZINC	4280	+	7E-02	2E-04	3E-03	1E-04	1E-03	3E-04	4E-03	3E-03	4E-02
2,4,6-TRINITROTOLUENE	30.5					1	•				
2-AMINO-4,6-DINITROTOLUENE	8.04										
4-AMINO-2,6-DINITROTOLUENE	7.08										
1,3-dinitrobenzene	2.5	U			-						

	Hazard Index for Detected Compounds Only:	Sum =	8.3E-01	Sum =	3.9E-01	Sum =	1.1E+00	Sum =	1.1E+01 *
	Hazard Index for Nondetected Compounds Only:	Sum =		·Sum =		Sum =	_	Sum =	
H	azard Index for Detected and Nondetected Compounds:	Sum =	8.3E-01	Sum=	3.9E-01	Sum =	1.1E+00	Sum =	1.1E+01 *

ADD = average daily dose (mg/kg/d). HQ = Hazard Quotient (unitless). Compounds printed in lowercase letters were not detected in any sample.

^{*} Hazard quotient or hazard index exceeds 1.5.

Table 12. Quantitauve Risk Assessment - Carcinogenic

Residential Use - Dermal Contact/Subsurface soil.

	Concentration	Qualifier	Slope Factor (1/mg/kg/d)	Adult Resident		Construction Worker		Youth Resident		Child Resident	
Analyte	(mg/kg)			LADD	CR	LADD	CR	LADD	CR ·	LADD	CR
ARSENIC	22.4	J	2E+00	2E-06	2E-06	2E-08	4E-08	8E-07	1E-06	4E-06	6E-06
2,4,6-TRINITROTOLUENE	30.5										
	Cancer Risk for	Detected Co	mpounds Only:	Sum=	2.4E-06	Sum =	3.7E-08	Sum =	1.3E-06	Sum =	6.5E-06
	Cancer Risk for Detected a	nd Nondetect	ted Compounds:	Sum =	2.4E-06	Sum=	3.7E-08	Sum =	1.3E-06	Sum=	6.5E-06

ATTACHMENT A

Attachment A. Identification of Chemicals of Concern: Elkton Farm Firehole OU2, Elkton, Cecil County, Maryland; PCA Code: 65554-2

Sample ID	Analyte	CAS	Matrix	Concentration	Qual.	Units	MDE Groundwater Standard	Pass Tier 1 Screen ?	MDE Soil Standard (Residential)	Pass Tier 1 Screen ?
<u>'oil</u>										
urface:	•									
No Standar	ds Available									
S2 '	CALCIUM		Soil	5010		MG/KG	 .			?
S7	DINITROTOLUENE ISOMERS (2,4- & 2,6-)		Soil	5.4	J	mg/kg				?
S5	MAGNESIUM		Soil	3220		MG/KG				?
S12	PERCHLORATE		Soil	0.0025	U	mg/kg		 ,		?
S2	POTASSIUM		Soil	1040		MG/KG	·	<u></u>		?
S2	SODIUM		Soil	195	J	MG/KG		•••		?
Inorganics:										
S2 .	ALUMINUM	7429905	Soil	15963	UCL	MG/KG			7.80E+03	Fail
S2	ANTIMONY	7440360	Soil	5.2	UCL	MG/KG			1.20E+01	Pass
S2	ARSENIC	7440382	Soil	5.7	UCL	MG/KG			2.00E+00	Fail
S2	BARIUM	7440393	Soil	1960	MAX	MG/KG	·		5.50E+02	Fail
S3	BERYLLIUM	7440417	Soil	0.8		MG/KG			1.60E+01	Pass
S2	CADMIUM	7440439	Soil	5.7	UCL	MG/KG			3.90E+00	Fail
S5	CHROMIUM	18540299	Soil	147.8	UCL	MG/KG		~~	2.30E+01	Fail
S2	COBALT	7440484	Soil	14.3	J	MG/KG			1.60E+02	Pass
S2	COPPER	7440508	Soil	2332	UCL	MG/KG			3.10E+02	Fail
S 7	CYANIDE (FREE)	57125	Soil	2.1	J	MG/KG	**		1.60E+02	Pass
· S2	IRON	7439896	Soil	29650	UCL	MG/KG	**		2.30E+03	Fail
S2	LEAD		Soil	852	J	MG/KG			4.00E+02	Fail
S1	MANGANESE	7439965	Soil	618.6	UCL	MG/KG			1.60E+02	Fail
S2	MERCURY	7439976	Soil	0.41	K	MG/KG			1.00E-01	Fail
S2	NICKEL .	7440020	Soil	30.2	j	MG/KG		•	1.60E+02	Pass
S 5	SELENIUM	7782492	Soil	1.75	UL	MG/KG			3.90E+01	Pass
S2	SILVER	7440224	Soil	2.2		MG/KG			3.90E+01	Pass
S2	THALLIUM	7440280	Soil	5.4	UCL	MG/KG		<u>'</u>	2.00E+00	Fail
S9	VANADIUM	7440622	Soil	33.6	UCL	MG/KG			5.50E+01	Pass
S2	ZINC	7440666	Soil	4560	MAX				2.30E+03	Fail

^{*} RBC adjusted for non-carcinogenic additive effects; N = non-carcinogenic; C = carcinogenic. Note: no RBC value exists for inorganic mercury; the screening value was arbitrarily set at 1E-6 for soil and water.

Attachment A (cont.). Identification of Chemicals of Concern: Elkton Farm Firehole OU2, Elkton, Cecil County, Maryland; PCA Code: 65554-2

Sample ID	Analyte	CAS	Matrix	Concentration	Oual.	Units	MDE Groundwater Standard	Pass Tier 1 Screen ?	MDE Soil Standard (Residential)	Pass Tier 1 Screen ?
<u>Soil</u>	S									
Surface:				•						
Organics:		•							•	
S 7	1,3,5-TRINITROBENZENE		Soil	48	J	mg/kg				?
S12	1,3-DINITROBENZENE		Soil	12.5	U	mg/kg	·			?
S 7	2,4,6-TRINITROTOLUENE		Soil	349.3	UCL	mg/kg			•	?
S3	2,4-DINITROTOLUENE	121142	Soil	0.025	Ú:	mg/kg	· .		1.60E+01	Pass
S10	2,6-DINITROTOLUENE	606202	Soil	0.025	U	mg/kg	<u></u>		7.80E+00	Pass
S 3	2-6-DINITROTOLUENE	606202	Soil	0.025	U	mg/kg	· · ·		7.80E+00	Pass
S6	2-AMINO-2,6-DINITROTOLUENE	• •	Soil	0.233	•	mg/kg	· 			?
S 7	2-AMINO-4,6-DINITROTOLUENE	•	Soil	4.3	UCL	mg/kg				?
S3	2-NITROTOLUENE		Soil	0.025	U	mg/kg			-	?
S 3	3-NITROTOLUENE		Soil	0.025	U	mg/kg				?
S 7	4-AMINO-2,6-DINITROTOLUENE	•.	Soil	2.5	UCL	mg/kg	 ,.			?
S12	4-NITROTOLUENE	· · · · · · · · · · · · · · · · · · ·	Soil	0.025	U	mg/kg				?
S9	нмх		Soil	0.05	· U	mg/kg	•			?
S9	NITROBENZENE	98953	Soil	0.025	U	mg/kg			3.90E+00	Pass
S9	RDX		Soil	0.05	U	mg/kg				?
S9	TETRYL		Soil	0.05	U	mg/kg	·			?
Subsurface:				٠					•	
No Standar	ds Available				•					
SS9	2-DINITROTOLUENE		Soil	0.025	Ų	mg/kg				?
SS9	3-DINITROTOLUENE	* .	Soil	0.025	U	mg/kg				?
SS9	4-DINITROTOLUENE		Soil	0.025	U	mg/kg	» ,			? .
SS5	CALCIUM		Soil	11500		MG/KG				?
SS5	DINITROTOLUENE ISOMERS (2,4- & 2,6-)		Soil	0.219		mg/kg				?
SS5	MAGNESIUM		Soil	5270	,	MG/KG				?
SS8	PERCHLORATE		Soil	0.0025	U	mg/kg	,		,	?
SS10	POTASSIUM		Soil	1000		mg/kg	,	'		?
SS5	SODIUM		Soil	261	1	MG/KG				?

^{*} RBC adjusted for non-carcinogenic additive effects; N = non-carcinogenic; C = carcinogenic. Note: no RBC value exists for inorganic mercury; the screening value was arbitrarily set at 1E-6 for soil and water.

Attachment A (cont.). Identification of Chemicals of Concern: Elkton Farm Firehole OU2, Elkton, Cecil County, Maryland; PCA Code: 65554-2

Sample	Analyte	CAS	Matrix	Concentration	Oual.	Units	MDE Groundwater Standard	Pass Tier 1 Screen ?	MDE Soil Standard (Residential)	Pass Tier 1 Screen ?
	Anuivie	CAS	Mairix	Concentration	Ouul	Onus			(
<u>Soil</u>										
Subsurface:				ş ·						
Inorganics: SS12	ALUMINUM	7429905	Soil	32000	•	MG/KG			7.80E+03	Fail
SS5	ANTIMONY	7440360	Soil	17.1	L	MG/KG	·		1.20E+01	Fail
SS5	ARSENIC	7440382	Soil	22.4	J	MG/KG			2.00E+00	Fail
SS5	BARIUM	7440393	Soil	2780	J+	MG/KG	·		5.50E+02	Fail
SS5	BERYLLIUM	7440417	Soil	1.5		MG/KG	- 		1.60E+01	Pass
SS5	CADMIUM	7440439	Soil	64.6	J	MG/KG			3.90E+00	Fail
SSS	CHROMIUM	18540299	Soil	206	J	MG/KG			2.30E+01	Fail
SS12	COBALT	7440484	Soil	12.1		MG/KG			1.60E+02	Pass
SS5	COPPER	7440508	Soil	2810	L.	MG/KG			3.10E+02	Fail
SS5	CYANIDE (FREE)	57125	Soil	3.8		MG/KG			1.60E+02	Pass
SS12	IRON	7439896	Soil	80800	∵ J+	MG/KG			2.30E+03	Fail
SS5	LEAD		Soil	2860	J	MG/KG			4.00E+02	Fail
SS12	MANGANESE	7439965	Soil	1740	J	MG/KG			1.60E+02	Fail
\$S12	MERCURY	7439976	Soil	0.33		MG/KG			1.00E-01	Fail
SS12	NICKEL	7440020	Soil	60.8	J	MG/KG			1.60E+02	Pass
SS5	SELENIUM	7782492	Soil	2.6	J	MG/KG			3.90E+01	Pass
SS5	SILVER	7440224	Soil	3.3		MG/KG			3.90E+01	Pass
SS5	THALLIUM	7440280	Soil	1.7	J	MG/KG			2.00E+00	Pass
SS7	VANADIUM	7440622	Soil	41.2		MG/KG			5.50E+01	Pass
SS5	ZINC	7440666	Soil	4280	+	MG/KG			2.30E+03	Fail
Organics:					•					
SS6	1,1,1-TRICHLOROETHANE	71556	Soil	0.005	U .	mg/kg			2.20E+03	Pass
SS6	1,1,2,2-TETRACHLOROETHANE	79345	Soil	0.005	U	mg/kg			3.20E+00	Pass
SS6	1,1,2-TRICHLORO-1,2,2-		Soil	0.005	U	mg/kg				?
•	TRIFLUOROETHANE								1 100:01	Daga
SS6	1,1,2-TRICHLOROETHANE	79005	Soil	0.005	· U	mg/kg			1.10E+01	Pass
SS6	1,1-DICHLOROETHANE	75343	Soil	0.005	U	mg/kg			7.80E+02	Pass
SS6	1,1-DICHLOROETHENE	75354	· Soil	0.005	U	mg/kg			1.10E+00	Pass

^{*} RBC adjusted for non-carcinogenic additive effects; N = non-carcinogenic; C = carcinogenic. Note: no RBC value exists for inorganic mercury; the screening value was arbitrarily set at 1E-6 for soil and water.

Attachment A (cont.). Identification of Chemicals of Concern: Elkton Farm Firehole OU2, Elkton, Cecil County, Maryland; PCA Code: 65554-2

Sample 111	Analvte	CAS	Matrix	Concentration	Oual.	Units	MDE Groundwater Standard	Pass Tier 1 Screen ?	MDE Soil Standard (Residential)	Pass Tier 1 Screen ?
<u>Soil</u>	'									
Subsurface: Organics:										
SS6	1,2,4-TRICHLOROBENZENE	120821	Soil	0.005	U	mg/kg			7.80E+01	Pass
SS6	1,2-DIBROMO-3-CHLOROPROPANE	96128	Soil	0.005	U	mg/kg	·		4.60E-01	Pass
SS6	1,2-DIBROMOETHANE	106934	Soil	0.005	U	mg/kg			7.50E-03	Pass
SS6	1,2-DICHLOROBENZENE	95501	Soil	0.005	U	mg/kg			7.00E+02	Pass
SS6	1,2-DICHLOROETHANE	107062	Soil	0.005	U	mg/kg			7.00E+00	Pass
SS6	1,2-DICHLOROPROPANE	78875	Soil	0.005	U	mg/kg	 .		9.40E+00	Pass
SS7 .	1,3,5-TRINITROBENZENE		Soil	1.2	J	mg/kg	·			?
SS6	1,3-DICHLOROBENZENE	541731	Soil	0.005	υ	mg/kg	· ·		2.30E+02	Pass
SS7	1,3-DINITROBENZENE	e de la	Soil	2.5	U	mg/kg				?
SS6	1,4-DICHLOROBENZENE	106467	Soil	0.005	U	mg/kg	•••	·	2.70E+01	Pass
SS7	2,4,6-TRINITROTOLUENE		Soil	30.5		mg/kg				?
SS8	2,4-DINITROTOLUENE	121142	Soil	0.025	U	mg/kg			1.60E+01	Pass
SS8	2,6-DINITROTOLUENE	606202	Soil	0.025	U	mg/kg			7.80E+00	Pass .
SS5	2-AMINO-4,6-DINITROTOLUENE		Soil	8.04	•	mg/kg			,	? ,
SS6	2-BUTANONE	78933	Soil	0.005	U	mg/kg			4.70E+03	Pass
SS6	2-HEXANONE	591786	Soil	0.005	U	mg/kg			3.10E+02	Pass
SS10	2-NITROTOLUENE		Soil	0.025	U	mg/kg				?
SS11	3-NITROTOLUENE		Soil	0.025	U	mg/kg				?
SS5	4-AMINO-2,6-DINITROTOLUENE		Soil	7.08		mg/kg			·	?
SS6	4-METHYL-2-PENTANONE	108101	Soil	0.005	U	mg/kg	`		6.30E+02	Pass
SS10	4-NITROTOLUENE		Soil	0.025	U	mg/kg				?
SS5	ACETONE	67641	Soil	0.005	U	mg/kg	, 		7.80E+02	Pass
SS3	BENZENE	71432	Soil	0.007	J	mg/kg			1.20E+01	Pass
. SS3	BROMODICHLOROMETHANE	75274	Soil	0.005	U	mg/kg	·		1.00E+01	Pass
SS3	BROMOFORM	75252	Soil	0.005	U	mg/kg			8.10E+01	Pass
SS3	BROMOMETHANE	74839	Soil	0.005	U	mg/kg			1.10E+01	Pass
SS3	CARBON DISULFIDE	75150	Soil	0.005	U	mg/kg			7.80E+02	Pass

^{*} RBC adjusted for non-carcinogenic additive effects; N = non-carcinogenic; C = carcinogenic. Note: no RBC value exists for inorganic mercury; the screening value was arbitrarily set at 1E-6 for soil and water.

Attachment A (cont.). Identification of Chemicals of Concern: Elkton Farm Firehole OU2, Elkton, Cecil County, Maryland; PCA Code: 65554-2

Sample II	Analvte	CAS	Matrix	Concentration	Oual.	Units	MDE Groundwater Standard	Pass Tier 1 Screen ?	MDE Soil Standard (Residential)	Pass Tier 1 Screen ?
<u>Soil</u>									,	
Subsurface: Organics:										
SS3	CARBON TETRACHLORIDE	56235	Soil	0.005	U	mg/kg			4.90E+00	Pass
SS3	CHLOROBENZENE	108907	Soil	0.005	U	mg/kg			1.60E+02	Pass
SS3	CHLOROETHANE	75003	Soil	0.005	U	mg/kg			2.20E+02	Pass
SS5	CHLOROFORM	67663	Soil	0.005	U	mg/kg			1.00E+02	Pass
SS5	CHLOROMETHANE	74873	Soil	0.005	U	mg/kg			4.90E+01	Pass
SS5	CIS-1,2-DICHLOROETHENE	156592	Soil	0.005	U	mg/kg			7.80E+01	Pass
SS5	CIS-1,3-DICHLOROPROPENE	542756	Soil	0.005	U	mg/kg			6.40E+00	Pass
SS5	CYCLOHEXANE		Soil	0.005	U	mg/kg		 ·	•	?
SS5	DIBROMOCHLOROMETHANE	124481	Soil	0.005	U	mg/kg			7.60E+00	Pass
SS5	DICHLORODIFLUOROMETHANE	•	Soil	0.005	U	mg/kg				?
SS5	ETHYLBENZENE	100414	Soil	0.005	U	mg/kg			7.80E+02	Pass
SS10	HMX		Soil	0.05	U	mg/kg				?
SS5	ISOPROPYLBENZENE	98828	Soil	0.005	U	mg/kg	* 		7.80E+02	Pass
SS5	METHYL ACETATE		Soil	0.005	U	mg/kg	_			?
SS5	METHYL TERT BUTYL ETHER	1634044	Soil	0.005	U	mg/kg			6.50E+02	Pass
SS5	METHYLCYCLOHEXANE		Soil	0.005	U	mg/kg				?
SS5	METHYLENE CHLORIDE	75092	Soil	0.005	U	mg/kg	·		8.50E+01	Pass
SS6	NITROBENZENE	98953	Soil	0.025	U	mg/kg			3.90E+00	Pass
SS8	RDX .		Soil	0.05	U	mg/kg				?
SS5	STYRENE	100425	Soil	0.005	U	mg/kg			1.60E+03	Pass
SS5	TETRACHLOROETHENE	127184	Soil	0.005	U	mg/kg			1.20E+01	Pass
SS10	TETRYL		Soil	0.05	U	mg/kg	***			?
SS5	TOLUENE	108883	Soil	0.005	U	mg/kg			1.60E+03	Pass
SS5	TRANS-1,2-DICHLOROETHENE	156605	Soil	0.005	U	mg/kg		-	1.60E+02	Pass
SS5	TRANS-1,3-DICHLOROPROPENE	542756	Soil	0.005	U	mg/kg			6.40E+00	Pass
SS12	TRICHLOROETHENE	79016	Soil	0.14		mg/kg	_		5.80E+01	Pass
SSS	TRICHLOROFLUOROMETHANE		Soil	0.005	, U	mg/kg	**			?

^{*} RBC adjusted for non-carcinogenic additive effects; N = non-carcinogenic; C = carcinogenic. Note: no RBC value exists for inorganic mercury; the screening value was arbitrarily set at 1E-6 for soil and water.

Attachment A (cont.). Identification of Chemicals of Concern: Elkton Farm Firehole OU2, Elkton, Cecil County, Maryland; PCA Code: 65554-2

Sample II)	Analvte	CAS	Matrix	Concentration	Oual.	Units	MDE Groundwater Standard	Pass Tier 1 Screen ?	MDE Soil Standard (Residential)	Pass Tier 1 Screen ?
<u>Soil</u>				•		•				
Subsurface: Organics:				•						
SS5	VINYL CHLORIDE	75014	Soil	0.005	U	mg/kg	, 	••	9.00E-02	Pass
SS5	XYLENES	1330207	Soil	0.005	ៈ ប	mg/kg			1.60E+04	Pass

^{*} RBC adjusted for non-carcinogenic additive effects; N = non-carcinogenic; C = carcinogenic. Note: no RBC value exists for inorganic mercury; the screening value was arbitrarily set at 1E-6 for soil and water.

Attachment A. Identification of Chemicals of Concern: Elkton Farm Firehole OU2, Elkton, Cecil County, Maryland; PCA Code: 65554-2

Sample . ID	Analyte	CAS	Matrix	Concentration	Qual.	Units	Adjusted Tap Water RBC	Pass Tier 1 Screen ?	Adjusted Soil RBC (Residential)	Pass Tier 1 Screen ?
<u>Soil</u>					•					
Surface:										
No RBCs A	vailable									
S2	CALCIUM		Soil	5010		MG/KG				?
\$7	DINITROTOLUENE ISOMERS (2,4- & 2,6-)		Soil	5.4	J	mg/kg			*	?
S5	MAGNESIUM		Soil	3220		MG/KG				?
S 5	PERCHLORATE		Soil	0.0025	U	mg/kg	***			?
. S2	POTASSIUM		Soil	1040	٠,	MG/KG		-i-		?
S2	SODIUM		Soil	195	J	MG/KG				?
Inorganics	:									
S10	ALUMINUM	7429905	Soil	15963	UCL	MG/KG			7.80E+03 * N	Fail
S2	ANTIMONY	7440360	Soil	5.2	UCL	MG/KG			3.10E+00 * N	Fail
S2	ARSENIC	7440382	Soil	5.7	UCL	MG/KG	. 		4.30E-01 C	Fail
S2	BARIUM	7440393	Soil	1960	MAX	MG/KG			5.50E+02 * N	Fail
\$3	BERYLLIUM	7440417	Soil	0.8		MG/KG			1.60E+01 * N	Pass
S 3	CADMIUM	7440439	Soil	5.7	UCL	MG/KG			7.80E+00 * N	Pass
S2	CHROMIUM	18540299	Soil	147.8	UCL	MG/KG		-	2.30E+01 * N	Fail
S2	COBALT	7440484	Soil	14.3	J	MG/KG			1.56E+02 * N	Pass
S2	COPPER	7440508	Soil	2332	UCL	MG/KG			3.10E+02 * N	Fail
\$7 ·	CYANIDE (FREE)	57125	Soil	2.1	J	MG/KG			1.60E+02 * N	Pass
S2	IRON	7439896	Soil	29650	UCL	MG/KG			2.35E+03 * N	Fail
S2	LEAD		Soil	852	· J	MG/KG			•	?
S 3	MANGANESE	7439965	Soil	618.6	UCL	. MG/KG			1.60E+02 * N	Fail
S2	MERCURY	7439976	Soil	0.41	K	MG/KG			1.00E-06 MI	DE Fail
S2	NICKEL	7440020	Soil	30.2	. J	MG/KG			1.60E+02 * N	Pass
S8	SELENIUM	7782492	Soil	1.75	UL	MG/KG			3.90E+01 * N	Pass
S2	SILVER	7440224	Soil	2.2		MG/KG			3.90E+01 * N	Pass
· S2	THALLIUM	7440280	Soil	5.4	UCL	MG/KG			5.50E-01 * N	Fail
S9	VANADIUM	7440622	Soil	33.6	UCL	MG/KG			7.80E+00 * N	Fail
S2	ZINC	7440666	Soil	4560	MAX				2.30E+03 * N	Fail
34		, / 0000	2011	- 1 500		1110/110				

^{*} RBC adjusted for non-carcinogenic additive effects; N = non-carcinogenic; C = carcinogenic. Note: no RBC value exists for inorganic mercury; the screening value was arbitrarily set at 1E-6 for soil and water.

Attachment A (cont.). Identification of Chemicals of Concern: Elkton Farm Firehole OU2, Elkton, Cecil County, Maryland; PCA Code: 65554-2

Sample In	Analyte	CAS	Matrix	Concentration	Oual.	Units	Adjusted Tap Water RBC	Pass Tier 1 Screen ?	Adjusted Soil RBC (Residential)	Pass Tier 1 Screen ?
<u>Soil</u>	•								•	
Surface: Organics:										
87	1,3,5-TRINITROBENZENE	99354	Soil	48	·J	mg/kg			2.30E+02 * N	Pass
S12	1,3-DINITROBENZENE	99650	Soil	12.5	U	mg/kg			7.80E-01 * N	Fail
. S7	2,4,6-TRINITROTOLUENE	118967	Soil	349.3	UCL	mg/kg			2.10E+01 C	Fail
Sļ	2,4-DINITROTOLUENE	121142	Soil	0.025	U	mg/kg			1.60E+01 * N	Pass
S11	2,6-DINITROTOLUENE	606202	Soil	0.025	U	mg/kg	 ,		7.80E+00 * N	Pass
S1	2-6-DINITROTOLUENE	606202	Soil	0.025	U	mg/kg			7.80E+00 * N	Pass
S6	2-AMINO-2,6-DINITROTOLUENE		Soil	0.233		mg/kg			1.60E+00 * N	Pass
S7	2-AMINO-4,6-DINITROTOLUENE		Soil	4.3	UCL	mg/kg			1.60E+00 * N	Fail
S10	2-NITROTOLUENE	88722	Soil	0.025	Ù	mg/kg	 -		2.80E+00 C	Pass
SI	3-NITROTOLUENE	99081	Soil	0.025	U	mg/kg			1.60E+02 * N	Pass
S7	4-AMINO-2,6-DINITROTOLUENE		Soil	2.5	UCL	mg/kg	<u> </u>		1.60E+00 * N	Fail
S10	4-NITROTOLUENE	99990	Soil	0.025	U	mg/kg			3.80E+01 C	Pass
S8	нмх	2691410	Soil	0.05	U	mg/kg			3.90E+02 * N	Pass
SI	NITROBENZENE	98953	Soil	0.025	U	mg/kg			3.90E+00 * N	Pass
S12	RDX	121824	Soil	0.05	U	mg/kg	· ·		5.80E+00 C	Pass
S 7	TETRYL	479458	Soil	0.05	U	mg/kg			7.80E+01 * N	Pass
Subsurface:										
No RBCs A	vailable	•					•			
SS9	2-DINITROTOLUENE		Soil	0.025	U	mg/kg	· ·			?
SS9	3-DINITROTOLUENE		Soil	0.025	U	mg/kg				?
SS9	4-DINITROTOLUENE		Soil	0.025	U	mg/kg				?
SS5	CALCIUM	·	Soil	11500		MG/KG				?
SS5	DINITROTOLUENE ISOMERS (2,4- & 2,6-)		Soil	0.219		mg/kg	·			?
SS5	MAGNESIUM		Soil	5270		MG/KG	. 			?
SS12	PERCHLORATE		Soil	0.0025	U	mg/kg				?
SS10	POTASSIUM		Soil	1000		mg/kg				?
SS5	SODIUM		Soil	261	J	MG/KG				?

^{*} RBC adjusted for non-carcinogenic additive effects; N = non-carcinogenic; C = carcinogenic. Note: no RBC value exists for inorganic mercury; the screening value was arbitrarily set at 1E-6 for soil and water.

Attachment A (cont.). Identification of Chemicals of Concern: Elkton Farm Firehole OU2, Elkton, Cecil County, Maryland; PCA Code: 65554-2

Sample	Analvte	CAS	Matrix	Concentration	Oval	Units	Adjusted Tap Water RBC	Pass Tier 1 Screen ?	Adjusted Soil I (Residentia		Pass Tier 1 Screen ?
In. <u>Soil</u>	Anaivie	CAS	Maire	Concentration	Onui.	Onus .			·	•	
Subsurface:				-					,		
Inorganics:											
SS12	ALUMINUM	7429905	Soil	32000		MG/KĢ			7.80E+03	* N	Fail
SS5	ANTIMONY	7440360	Soil	17.1	L	MG/KG			3.10E+00	* N	Fail
SS5	ARSENIC	7440382	Soil	22.4	J	MG/KG			4.30E-01	С	Fail
SS5	BARIUM	7440393	Soil	2780	J+	MG/KG			5.50E+02	* N	Fail
SS5	BERYLLIUM	7440417	Soil	1.5		MG/KG			1.60E+01	* N	Pass
SS5	CADMIUM	7440439	Soil	64.6	J	MG/KG		-÷ '	7.80E+00	* N	Fail
SS5	CHROMIUM	18540299	Soil	206	· J ·	MG/KG		••	2.30E+01	* N	Fail
SS12	COBALT	7440484	Soil	12.1		MG/KG			1.56E+02	* N	Pass
SS5	COPPER	7440508	Soil	2810	Ļ	MG/KG	. 		3.10E+02	* N	Fail
SS5	CYANIDE (FREE)	57125	Soil	3.8		MG/KG			1.60E+02	* N	Pass
SS12	IRON	7439896	Soil	80800	J+	MG/KG			2.35E+03	* N	Fail
SS5	LEAD	•	Soil	2860	J	MG/KG					?
SS12	MANGANESE	7439965	Soil	1740	J	MG/KG		-	1:60E+02	* N	Fail
SS12	MERCURY	7439976	Soil	0.33		MG/KG			1.00E-06	MDE	Fail
SS12	NICKEL	7440020	Soil	60.8	J	MG/KG	·		1.60E+02	* N	Pass
SS5	SELENIUM	7782492	Soil	2.6	· J	MG/KG	· · · · · · · · · · · · · · · · · · ·		3.90E+01	* N	Pass
SS5	SILVER	7440224	Soil	3.3		MG/KG			3.90E+01	* N	Pass
SS5	THALLIUM	7440280	Soil	1.7	J	MG/KG		 .	5.50E-01	* N	Fail
SS7	VANADIUM	7440622	Soil	41.2		MG/KG			7.80E+00	* N	Fail
SS5	ZINC	7440666	Soil	4280	+	MG/KG			2.30E+03	* N	Fail
Organics:	,										
SS11	1,1,1-TRICHLOROETHANE	71556	Soil	0.005	U	mg/kg	·		2.20E+03	* N	Pass
SS11	1,1,2,2-TETRACHLOROETHANE	79345	Soil	0.005	U	mg/kg		~~	3.20E+00	С	Pass
SS11	1,1,2-TRICHLORO-1,2,2- TRIFLUOROETHANE	76131	Soil	0.005	U	mg/kg			2.30E+05	* N	Pass
SS11	1,1,2-TRICHLOROETHANE	79005	Soil	0.005	, U	mg/kg	-		1.10E+01	C	Pass
SS11	1,1-DICHLOROETHANE	75343	Soil	0.005	U	mg/kg			7.80E+02	* N	Pass
SS11	1,1-DICHLOROETHENE	75354	Soil	0.005	U,	mg/kg	 , ,		3.90E+02	* N	Pass

^{*} RBC adjusted for non-carcinogenic additive effects; N = non-carcinogenic; C = carcinogenic. Note: no RBC value exists for inorganic mercury; the screening value was arbitrarily set at 1E-6 for soil and water.

Attachment A (cont.). Identification of Chemicals of Concern: Elkton Farm Firehole OU2, Elkton, Cecil County, Maryland; PCA Code: 65554-2

Sample	Analvte	CAS	Matrix	Concentration	Qual.	Units	Adjusted Tap Water RBC	Pass Tier 1 Screen ?	Adjusted Soil R (Residential		Pass Tier 1 Screen ?
Soil	Andine	CAB	771017 EX	Concentration	Onu.	Omis.			· ,		
Subsurface: Organics:											
SS11	1,2,4-TRICHLOROBENZENE	120821	Soil	0.005	U	mg/kg			7.80E+01	* N	Pass
SS10	1,2-DIBROMO-3-CHLOROPROPANE	96128	Soil	0.005	U	mg/kg			4.60E-01	C	Pass
SS11	1,2-DIBROMOETHANE	106934	Soil	0.005	U	mg/kg	•		7.50E-03	C	Pass
SS11	1,2-DICHLOROBENZENE	95501	Soil	0.005	U	mg/kg			7.04E+02	* N	Pass
SS11	1,2-DICHLOROETHANE	107062	Soil	0.005	U	mg/kg	**		7.00E+00	C	Pass
SS11	1,2-DICHLOROPROPANE	78875	Soil	0.005	U	mg/kg		·	9.40E+00	C	Pass
SS7	1,3,5-TRINITROBENZENE	99354	Soil	1.2	J	mg/kg			2.30E+02	* N	Pass
SS11	1,3-DICHLOROBENZENE	541731	Soil	0.005	· U	mg/kg			2.35E+02	* N	Pass
SS7	1,3-DINITROBENZENE	99650	Soil	2.5	. U	mg/kg			7.80E-01	* N	Fail
SS11	1,4-DICHLOROBENZENE	106467	Soil	0.005	U	mg/kg			2.70E+01	С	Pass
SS7	2,4,6-TRINITROTOLUENE	118967	Soil	30.5		mg/kg		-	2.10E+01	C	Fail
SS11	2,4-DINITROTOLUENE	121142	Soil	0.025	U	mg/kg	- -		1.60E+01	* N	Pass
SS11	2,6-DINITROTOLUENE	606202	Soil	0.025	U	mg/kg			7.80E+00	* N	Pass
SS5	2-AMINO-4,6-DINITROTOLUENE		Soil	8.04		mg/kg			1.60E+00	* N	Fail
SS11	2-BUTANONE	78933	Soil	0.005	U	mg/kg			4.70E+03	* N	Pass
SS11	2-HEXANONE	591786	Sóil	0.005	U	mg/kg			3.10E+02	* N	Pass
SS10	2-NITROTOLUENE	88722	Soil	0.025	U	mg/kg			2.80E+00	C	Pass
SS11	3-NITROTOLUENE	99081	Soil	0.025	U	mg/kg			1.60E+02	* N	Pass
SS5	4-AMINO-2,6-DINITROTOLUENE		Soil	7.08		mg/kg			1.60E+00	* N	Fail
SS11	4-METHYL-2-PENTANONE	108101	Soil	0.005	U	mg/kg					?
SS10	4-NITROTOLUENE	99990	Soil	0.025	U	mg/kg	;		3.80E+01	С	Pass
SS11	ACETONE	67641	Soil	0.005	U	mg/kg	·		7.00E+03	* N	Pass
SS3	BENZENE	71432	Soil	0.007	J	mg/kg			1.20E+01	С	Pass
SS11	BROMODICHLOROMETHANE	75274	Soil	0.005	U	mg/kg			1.00E+01	C	Pass
SS11	BROMOFORM	75252	Soil	0.005	U	mg/kg			8.10E+01	С	Pass
SS11	BROMOMETHANE	74839	Soil	0.005	U	mg/kg			1.10E+01	* N	Pass
SS11	CARBON DISULFIDE	75150	Soil	0.005	U	mg/kg		. 	7.80E+02	* N	Pass

^{*} RBC adjusted for non-carcinogenic additive effects; N = non-carcinogenic; C = carcinogenic. Note: no RBC value exists for inorganic mercury; the screening value was arbitrarily set at 1E-6 for soil and water.

Attachment A (cont.). Identification of Chemicals of Concern: Elkton Farm Firehole OU2, Elkton, Cecil County, Maryland; PCA Code: 65554-2

Sample IN	Analvte	CAS	Matrix	Concentration	Oual.	Units	Adjusted Tap Water RBC	Pass Tier 1 Screen ?	Adjusted Soil (Residenti		Pass Tier 1 Screen ?
<u>Soil</u>											
Subsurface: Organics:	: : :			٠.							
SS11	CARBON TETRACHLORIDE	56235	Soil	0.005	U	mg/kg			4.90E+00	С	Pass
SS11	CHLOROBENZENE	108907	Soil	0:005	U	mg/kg	-		1.60E+02	* N	Pass
SS11	CHLOROETHANE	. 75003	Soil	0.005	U	mg/kg			2.20E+02	С	Pass
SS11	CHLOROFORM	67663	Soil	0.005	U	mg/kg			7.80E+01	* N	Pass
SS11	CHLOROMETHANE	74873	Soil	0.005	U	mg/kg					?
SS11	CIS-1,2-DICHLOROETHENE	156592	Soil	0.005	U	mg/kg			7.80E+01	* N	Pass
SS11	CIS-1,3-DICHLOROPROPENE	542756	Soil	0.005	U	mg/kg			6.40E+00	С	Pass
SS11	CYCLOHEXANE	110827	Soil	0.005	U	mg/kg					?
SS11	DIBROMOCHLOROMETHANE	· 124481	Soil	0.005	U	mg/kg			7.60E+00	C	Pass
SS11	DICHLORODIFLUOROMETHANE	75718	Soil	0.005	U :	mg/kg			1.60E+03	* N	Pass
SS11	ETHYLBENZENE	100414	Soil	0.005	U,	mg/kg		,	7.80E+02	* N	Pass
SS11	нмх	2691410	Soil	0.05	U	mg/kg			3.90E+02	* N	Pass
SS11	ISOPROPYLBENZENE	98828	Soil	0.005	, U	mg/kg			7.80E+02	* N	Pass
SS11	METHYL ACETATE	79209	Soil	0.005	, U	mg/kg		-	7.80E+03	* N	Pass
SS11	METHYL TERT BUTYL ETHER	1634044	Soil	0.005	, U	mg/kg			1.60E+00	C	Pass
SS11	METHYLCYCLOHEXANE	108872	Soil	0.005	ับ	mg/kg	, 	· -			?
SS11	METHYLENE CHLORIDE	75092	Soil	0.005	Ū	mg/kg			8.50E+01	С	Pass
SS10	NITROBENZENE	98953	Soil .	0.025	ប	mg/kg	-		3.90E+00	* N	Pass
SS11	RDX	121824	Soil	0.05	U	mg/kg			5.80E+00	C	Pass
SS11	STYRENE	100425	Soil	0.005	U	mg/kg		· ·	1.60E+03	* N	Pass
SS11	TETRACHLOROETHENE	127184	Soil	0.005	U	mg/kg			1.20E+00	C	Pass
SS10	TETRYL	479458	Soil	0.05	U	mg/kg			7.80E+01	* N	Pass
SS10	TOLUENE	108883	Soil	0.005	U	mg/kg			1.60E+03	* N	Pass
SS10	TRANS-1,2-DICHLOROETHENE	156605	Soil	0.005	U	mg/kg			1.60E+02	* N	Pass
SS11 .	TRANS-1,3-DICHLOROPROPENE	542756	Soil	0.005	U	mg/kg	. <u></u>		6.40E+00	С	Pass
SS12	TRICHLOROETHENE	79016	Soil	0.14		mg/kg			1.60E+00	C	Pass
SS11	TRICHLOROFLUOROMETHANE	75694	Soil	0.005	U	mg/kg	· 		2.30E+03	* N	Pass

^{*} RBC adjusted for non-carcinogenic additive effects; N = non-carcinogenic; C = carcinogenic. Note: no RBC value exists for inorganic mercury; the screening value was arbitrarily set at 1E-6 for soil and water.

Attachment A (cont.). Identification of Chemicals of Concern: Elkton Farm Firehole OU2, Elkton, Cecil County, Maryland; PCA Code: 65554-2

Sample 111	Analyte	CAS	Matrix	Concentration	Qual.	Units	Adjusted Tap Water RBC	Pass Tier 1 Screen ?	Adjusted Soil RBC (Residential)	Pass Tier 1 Screen ?
<u>Soil</u>						s.				
Subsurface: Organics:				·	4					
SS10	VINYL CHLORIDE	75014	Soil	0.005	U	mg/kg			9.00E-02 C	Pass
SS10 .	XYLENES	1330207	Soil	0.005	U	mg/kg		***	1.60E+03 * N	Pass

^{*} RBC adjusted for non-carcinogenic additive effects; N = non-carcinogenic; C = carcinogenic. Note: no RBC value exists for inorganic mercury; the screening value was arbitrarily set at 1E-6 for soil and water.

From File		
From File		
Summany Statistics for	arsenic s	
Summary Statistics for	11	
Number of Samples Minimum	3	
Maximum	9.5	
Mean	4.654545	
Median	4.054545	
Standard Deviation	1.78738	
Variance	3.194727	
Coefficient of Variation	0.384007	
	2.222711	
Skewness	2.222111	
Shapiro-Wilk Test Statisitic	0.754615	
Shapiro-Wilk 5% Critical Value	0.85	
Data Not Normal at 0.05 Signific		
Try Lognormal or Non-parametr		
Try Logitormal of North Barames.		
95 % UCL (Normal Date	a)	
Student's t	5.631309	
95 % UCL (Adjusted for	Skewness)	
Adjusted CLT	5.926894	
Modified t	5.691503	
95 % Non-parametric U	ICL	
CLT	5.540982	
Jackknife	5.631309	
Standard Bootstrap	5.503949	
Bootstrap t	6.420471	
Chebyshev (Mean, Std)	7.003623	

From File			
Summary Statistics for	arsenic s	Summary Statistics for	In(arsenic
Number of Samples	11	Minimum	1.098612
Minimum	3	Maximum	2.251292
Maximum	9.5	Mean	1.486309
Mean .	4.654545	Standard Deviation	0.318034
Median	4.4	Variance	0.101145
Standard Deviation	1.78738	-	
Variance	3.194727	Shapiro-Wilk Test Statisitic	0.884414
Coefficient of Variation	0.384007	Shapiro-Wilk 5% Critical Value	0.85
Skewness	2.222711	Data Are Lognormal at 5% Signi	ficance Level
95 % UCL (Normal D	Data)	Estimates Assuming Lognormal	Distribution
Student's t	5.631309	MLE Mean	4.650068
	· · · · · · · · · · · · · · · · · · ·	MLE Standard Deviation	1.517073
95 % UCL (Adjusted	for Skewness)	MLE Coefficient of Variation	0.326247
Adjusted CLT	5.926894	MLE Skewness	1.013467
Modified t	5.691503	MLE Median	4.420749
		MLE 80% Quantile	5.783722
95 % Non-parametri	c UCL	MLE 90% Quantile	6.65243
CLT	5.540982	MLE 95% Quantile	7.459394
Jackknife	5.631309	MLE 99% Quantile	9.263251
Standard Bootstrap	5.500339	·	
Bootstrap t	6.384644	MVU Estimate of Median	4.400463
Chebyshev (Mean, Std)	7.003623	MVU Estimate of Mean	4.62793
		MVU Estimate of Std. Dev.	1.485802
		MVU Estimate of SE of Mean	0.447824
		UCL Assuming Lognormal Di	stribution
		95% H-UCL	5.668897
		95% Chebyshev (MVUE) UCL	6.579949
		99% Chebyshev (MVUE) UCL	9.083722
		Recommended UCL to use:	. 0.000122
		Student's t or H-UCL	

From File		
FIOH FIRE		
Summary Statistics for	aluminum	
Number of Samples	11	
Minimum	9540	
Maximum	19800	
Mean	14058.18	
Median	12900	<u> </u>
Standard Deviation	3486.321	
	12154436	
Variance Coefficient of Variation	0.247992	
	0.538968	
Skewness	0.00000	
Shapiro-Wilk Test Statisitic	0.900627	
Shapiro-Wilk 5% Critical Value	0.85	
Data Are Normal at 0.05 Significa		
Recommended UCL to use	Student's t	
Recommended OCL to use	Students t	
95 % UCL (Normal Data)		
Student's t	15963.38	
Ctadonto t		``
95 % UCL (Adjusted for S	Skewness)	
Adjusted CLT	15969.72	
Modified t	15991.85	
· · · · · ·		
95 % Non-parametric UC	L	
CLT	15787.2	•
Jackknife	15963.38	
Standard Bootstrap	15695.02	1
Bootstrap t	16243.27	
Chebyshev (Mean, Std)	18640.11	

From File		
Summary Statistics for	antimony s	
Number of Samples	11	
Minimum	0.25	
Maximum	9.4	
Mean	2.135455	
Median	1.7	
Standard Deviation	2.558075	
Variance	6.543747	
Coefficient of Variation	1.197907	
Skewness	2.659696	
Shapiro-Wilk Test Statisitic	0.66341	
Shapiro-Wilk 5% Critical Value	0.85	
Data Not Normal at 0.05 Signific	ance Level	
Try Lognormal or Non-parametri	ic UCL	
95 % UCL (Normal Data	a)	
Student's t	3.533385	
95 % UCL (Adjusted for	Skewness)	ż
Adjusted CLT	4.065007	
Modified t	3.636472	
95 % Non-parametric U		
CLT	3.404111	
Jackknife	3.533385	
Standard Bootstrap	3.312165	
Bootstrap t	5.32576	
Chebyshev (Mean, Std)	5.497424	<u> </u>

From File			
Summary Statistics for	antimony s	Summary Statistics for	In(antimon
Number of Samples	11	Minimum	-1.386294
Minimum	0.25	Maximum	2.24071
Maximum	9.4	Mean	0.269708
Mean	2.135455	Standard Deviation	1.04587
Median	1.7	Variance	1.093844
Standard Deviation	2.558075	Vallatioo	1.000017
Variance	6.543747	Shapiro-Wilk Test Statisitic	0.955821
Coefficient of Variation	1.197907	Shapiro-Wilk 5% Critical Value	0.85
Skewness	2.659696	Data Are Lognormal at 5% Signi	
95 % UCL (Normal D	ata)	Estimates Assuming Lognormal	Distribution
Student's t	3.533385	MLE Mean	2.262861
		MLE Standard Deviation	3.188732
95 % UCL (Adjusted	for Skewness)	MLE Coefficient of Variation	1.409159
Adjusted CLT	4.065007	MLE Skewness	7.025688
Modified t	3.636472	MLE Median	1.309582
		MLE 80% Quantile	3.169165
95 % Non-parametric	UCL	MLE 90% Quantile	5.02111
CLT	3.404111	MLE 95% Quantile	7.316736
Jackknife	3.533385	MLE 99% Quantile	14.91551
Standard Bootstrap	3.347665		
Bootstrap t	5.326507	MVU Estimate of Median	1.245802
Chebyshev (Mean, Std)	5.497424	MVU Estimate of Mean	2.112882
		MVU Estimate of Std. Dev.	2.419259
		MVU Estimate of SE of Mean	0.707953
		UCL Assuming Lognormal Di	stribution
		95% H-UCL	6.304735
		95% Chebyshev (MVUE) UCL	5.198778
		99% Chebyshev (MVUE) UCL	9.156926
		Recommended UCL to use:	
		95 % Chebyshev (M	VUE) UCL

From File		
Summary Statistics for	barium s	
Number of Samples	. 11	
Minimum.	26.4	
Maximum	1960	
Mean	608.0455	
Median	576	
Standard Deviation	544.1131	
Variance	296059.1	
Coefficient of Variation	0.894856	
Skewness	1.529889	
Shapiro-Wilk Test Statisitic	0.848221	
Shapiro-Wilk 5% Critical Value	0.85	.,
Data Not Normal at 0.05 Signification	nce <u>Level</u>	<u>.</u>
Try Lognormal or Non-parametric		
		. ,
95 % UCL (Normal Data)	· · · · · · · · · · · · · · · · · · ·	
Student's t	905.3911	,
Ne ,		
95 % UCL (Adjusted for S	Skewness)	
Adjusted CLT	958.7546	:
Modified t	918.0037	
95 % Non-parametric UC	L:	
CLT ,	877.894	
Jackknife	905.3911	
Standard Bootstrap	864.9848	
Bootstrap t	1048.887	
Chebyshev (Mean, Std)	1323.15	

From File			
Summary Statistics for	barium s	Summary Statistics for	In(barium s
Number of Samples	11	Minimum	3.273364
Minimum	26.4	Maximum	7.5807
Maximum	1960	Mean	5.862453
Mean	608.0455	Standard Deviation	1.332641
Median	576	Variance	1.775933
Standard Deviation	544.1131	Validinoo	
	296059.1	Shapiro-Wilk Test Statisitic	0.870109
Variance	0.894856	Shapiro-Wilk 5% Critical Value	0.85
Coefficient of Variation	1.529889	Data Are Lognormal at 5% Signi	
Skewness	1.529669	Data Are Logitorina at 5 % Signi	Tibarice Leve
95 % UCL (Normal Da	240)	Estimates Assuming Lognormal	Distribution
	905.3911	MLE Mean	854.4168
Student's t	903.3911	MLE Standard Deviation.	1892.449
95 % UCL (Adjusted for Skewness)		MLE Coefficient of Variation	2.214902
	958.7546	MLE Skewness	17.51054
Adjusted CLT	918.0037	MLE Median	351.5854
Modified t	910.0037	MLE 80% Quantile	1084.132
OF O Non nonetria	110	MLE 90% Quantile	1948.659
95 % Non-parametric	877.894	MLE 95% Quantile	3148.394
CLT		MLE 99% Quantile	7802.32
Jackknife	905.3911	MILE 99% Quantile	7002.32
Standard Bootstrap	866.1225	MVU Estimate of Median	324.1404
Bootstrap t	1041.685		751.7455
Chebyshev (Mean, Std)	1323.15	MVU Estimate of Mean	1149.383
		MVU Estimate of Std. Dev.	
		MVU Estimate of SE of Mean	324.6954
		UCL Assuming Lognormal Dis	
		95% H-UCL	4042.604
		95% Chebyshev (MVUE) UCL	2167.06
		99% Chebyshev (MVUE) UCL	3982.424
		Recommended UCL to use:	
		95 % Chebyshev (M	VUE) UCL

From File	
Summary Statistics for	cadmium s
Number of Samples	11
Minimum	0.25
Maximum	13.6
Mean	3.398182
Median	2.4
Standard Deviation	4.143259
Variance	17.1666
Coefficient of Variation	1.219258
Skewness	1.640136
Shapiro-Wilk Test Statisitic	0.787421
Shapiro-Wilk 5% Critical Value	0.85
Data Not Normal at 0.05 Significa	nce Level
Try Lognormal or Non-parametric	UCL
95 % UCL (Normal Data)	
Student's t	5.66238
, , , , , , , , , , , , , , , , , , ,	
95 % UCL (Adjusted for S	
Adjusted CLT	6.113098
Modified t	5.765342
95 % Non-parametric UC	<u>L</u>
CLT	5.452998
Jackknife	5.66238
Standard Bootstrap	5.346127
Bootstrap t	7.127437
Chebyshev (Mean, Std)	8.843491

From File			
Summary Statistics for	cadmium s	Summary Statistics for	In(cadmiun
Number of Samples		Minimum	-1.386294
Minimum	0.25	Maximum	2.61007
Maximum	13.6	Mean	0.295182
Mean	3.398182	Standard Deviation	1.591455
Median	2.4	Variance	2.532729
Standard Deviation	4.143259		
Variance	17.1666	Shapiro-Wilk Test Statisitic	0.829924
Coefficient of Variation	1.219258	Shapiro-Wilk 5% Critical Value	0.85
Skewness	1.640136	Data Not Lognormal at 5% Sign	
		Try Normal or Non-parametric U	ICL
95 % UCL (Normal Da	ata)		
Student's t	5.66238	Estimates Assuming Lognormal	Distribution
		MLE Mean	4.766184
95 % UCL (Adjusted for Skewness)		MLE Standard Deviation 16.224	
Adjusted CLT	6.113098	MLE Coefficient of Variation	3.404087
Modified t	5.765342	MLE Skewness	49.65819
		MLE Median	1.34337
95 % Non-parametric	UCL	MLE 80% Quantile	5.154968
CLT	5.452998	MLE 90% Quantile	10.38333
Jackknife	5.66238	MLE 95% Quantile	18.41425
Standard Bootstrap	5.385867	MLE 99% Quantile	54.42948
Bootstrap t	6.9494		
Chebyshev (Mean, Std)	8.843491	MVU Estimate of Median	1.195935
		MVU Estimate of Mean	3.876849
	в .	MVU Estimate of Std. Dev.	7.41358
		MVU Estimate of SE of Mean	2.001362
		UCL Assuming Lognormal D	stribution
		95% H-UCL	40.52505
		95% Chebyshev (MVUE) UCL	
		99% Chebyshev (MVUE) UCL	23.79015
		Recommended UCL to use:	1
		99 % Chebyshev (M	IVUE) LICI
	I ·	. Jaa 70 Olienyaliev (iv	VOL/OUL

	1	
From File		
Summary Statistics for	chromium	
Number of Samples	11	
Minimum	15	
Maximum	289	
Mean	67.37273	
Median	29.1	
Standard Deviation	83.7436	
Variance	7012.99	
Coefficient of Variation	1.24299	
Skewness	2.284699	
Shapiro-Wilk Test Statisitic	0.651692	
Shapiro-Wilk 5% Critical Value	0.85	
Data Not Normal at 0.05 Significa	nce Level	
Try Lognormal or Non-parametric		
95 % UCL (Normal Data)		
Student's t	113.1367	*
		¥.
95 % UCL (Adjusted for S	Skewness)	
Adjusted CLT	127.4899	
Modified t	116.0356	
	-	
95 % Non-parametric UC	L	1
CLT	108.9047	
Jackknife	113.1367	
Standard Bootstrap	108.0196	<u> </u>
Bootstrap t	246.2523	٠
Chebyshev (Mean, Std)	177.4334	; 1 .

From File			
Summary Statistics for	chromium	Summary Statistics for	In(chromiu
Number of Samples	11	Minimum	2.70805
Minimum	15	Maximum	5.666427
Maximum	289	Mean	3.741377
Mean	67.37273	Standard Deviation	0.919926
Median	29.1	Variance	0.846263
Standard Deviation	83.7436		
Variance	7012.99	Shapiro-Wilk Test Statisitic	0.876103
Coefficient of Variation	1.24299	Shapiro-Wilk 5% Critical Value	0.85
Skewness	2.284699	Data Are Lognormal at 5% Signi	ficance Leve
95 % UCL (Normal D	ata)	Estimates Assuming Lognormal	Distribution
Student's t	113.1367	MLE Mean	64.36107
		MLE Standard Deviation	74.25049
95 % UCL (Adjusted for Skewness)		MLE Coefficient of Variation	1.153655
Adjusted CLT	127.4899		4.996389
Modified t	116.0356	MLE Median	42.15602
		MLE 80% Quantile	91.71763
95 % Non-parametric	UCL	MLE 90% Quantile	137.4805
CLT	108.9047	MLE 95% Quantile	191.4554
Jackknife	113.1367	MLE 99% Quantile	358.2118
Standard Bootstrap	109.5563		
Bootstrap t	246.2002	MVU Estimate of Median	40.56017
Chebyshev (Mean, Std)	177.4334	MVU Estimate of Mean	61.22399
		MVU Estimate of Std. Dev.	60.52584
		MVU Estimate of SE of Mean	17.89985
		UCL Assuming Lognormal Dis	stribution
		95% H-UCL	147.7631
	·	95% Chebyshev (MVUE) UCL	139.2476
		99% Chebyshev (MVUE) UCL	239.3253
		Recommended UCL to use:	
		H-UCL	

From File		
Summary Statistics for	copper s	
Number of Samples	11	
Minimum	6.2	
Maximum	10200	
Mean	1050.109	
Median	120	
Standard Deviation	3037.56	
Variance	9226769	
Coefficient of Variation	2.892614	
Skewness	3.305177	
Shapiro-Wilk Test Statisitic	0.382416	
Shapiro-Wilk 5% Critical Value	0.85	
Data Not Normal at 0.05 Significa	ince Level	
Try Lognormal or Non-parametric	UCL	•
	·	
95 % UCL (Normal Data))	
Student's t	2710.067	
95 % UCL (Adjusted for S	Skewness)	
Adjusted CLT	3531.793	
Modified t	2862.184	
95 % Non-parametric UC	L	
CLT	2556.563	
Jackknife	2710.067	
Standard Bootstrap	2490.414	<u>-</u>
Bootstrap t	29505.27	
Chebyshev (Mean, Std)	5042.245	

From File				
Summary Statistics for	copper s	Summary Statistics for	In(copper s	
Number of Samples	. 11	Minimum	1.824549	
Minimum	6.2	Maximum	9.230143	
Maximum	10200	Mean ·	4.601491	
Mean	1050.109	Standard Deviation	2.120433	
Median	120	Variance	4.496237	
Standard Deviation	3037.56			
Variance	9226769	Shapiro-Wilk Test Statisitic	0.927426	
Coefficient of Variation	2.892614	Shapiro-Wilk 5% Critical Value	0.85	
Skewness	3.305177	Data Are Lognormal at 5% Sign	ficance Level	
95 % UCL (Normal D	ata)	Estimates Assuming Lognormal	Estimates Assuming Lognormal Distribution	
Student's t	2710.067	MLE Mean	943.5126	
	:	MLE Standard Deviation	8885.013	
95 % UCL (Adjusted	for Skewness)	MLE Coefficient of Variation	9.416952	
Adjusted CLT	3531.793	MLE Skewness	863.3367	
Modified t	2862.184	MLE Median	99.6328	
		MLE 80% Quantile	597.8007	
95 % Non-parametric	UCL	MLE 90% Quantile	1519.669	
CLT	2556.563	MLE 95% Quantile	3260.396	
Jackknife	2710.067	MLE 99% Quantile	13816.5	
Standard Bootstrap	2472.589		·	
Bootstrap t	30923.44	MVU Estimate of Median	80.92265	
Chebyshev (Mean, Std)	5042.245	MVU Estimate of Mean	595.2906	
	•	MVU Estimate of Std. Dev.	1677.758	
		MVU Estimate of SE of Mean	398.3193	
		UCL Assuming Lognormal Di	stribution	
		95% H-UCL	36626.72	
		95% Chebyshev (MVUE) UCL	2331.524	
		99% Chebyshev (MVUE) UCL	4558.517	
		Recommended UCL to use:		
		99 % Chebyshev (M	VUE) UCL	

<u></u>		
From File		
Summary Statistics for	Iron s	
Number of Samples		
Minimum	12000	
Maximum	57200	
Mean	22754.55	
Median	20000	
Standard Deviation	12206.42	
Variance	1.5E+008	
Coefficient of Variation	0.536439	
Skewness	2.576176	
Shapiro-Wilk Test Statisitic	0.683511	
Shapiro-Wilk 5% Critical Value	0.85	
Data Not Normal at 0.05 Signifi	icance Level	
Try Lognormal or Non-paramet		
95 % UCL (Normal Da	ta)	
Student's t	29425.08	
95 % UCL (Adjusted fo	r Skewness)	
Adjusted CLT	31862.8	
Modified t	29901.53	
•	,	
95 % Non-parametric l	JCL	
CLT	28808.22	
Jackknife	29425.08	
Standard Bootstrap	28578.44	\neg
Bootstrap t	37281.86	
Chebyshev (Mean, Std)	38796.93	

From File			
Cummon Ctatiotics for	lron s	Summary Statistics for	In(Iron s)
Summary Statistics for	11	Minimum	9.392662
Number of Samples Minimum	12000	Maximum	10.95431
	57200	Mean	9.942376
Maximum	22754.55	Standard Deviation	0.412096
Mean	20000	Variance	0.169823
Median Standard Deviation	12206.42	Variance	0.100020
Variance	1.5E+008	Shapiro-Wilk Test Statisitic	0.874447
Coefficient of Variation	0.536439	Shapiro-Wilk 5% Critical Value	0.85
	2.576176	Data Are Lognormal at 5% Signi	
Skewness	2.576176	Data Are Logitornia at 5 % Cign	1
95 % UCL (Normal Da	ata)	Estimates Assuming Lognormal	Distribution
Student's t	29425.08	MLE Mean	22635.79
·		MLE Standard Deviation	9738.536
95 % UCL (Adjusted f	or Skewness)	MLE Coefficient of Variation	0.430227
Adjusted CLT	31862.8	MLE Skewness	1.370315
Modified t	29901.53	MLE Median	20793.08
Wiodillod 1		MLE 80% Quantile	29454.36
95 % Non-parametric	UCL	MLE 90% Quantile	35309.93
CLT	28808.22	MLE 95% Quantile	40956.85
Jackknife	29425.08	MLE 99% Quantile	54225.79
Standard Bootstrap	28444.24		
Bootstrap t	37125.31	MVU Estimate of Median	20633.09
Chebyshev (Mean, Std)	38796.93	MVU Estimate of Mean	22450.74
Chesyonov (insuring tray		MVU Estimate of Std. Dev.	9398.337
	· ·	MVU Estimate of SE of Mean	2830.895
		UCL Assuming Lognormal Di	stribution
		95% H-UCL	29650.4
		95% Chebyshev (MVUE) UCL	34790.32
	.	99% Chebyshev (MVUE) UCL	50617.79
		Recommended UCL to use:	
		Student's t or H-UCI	_

From File	_	
Summary Statistics for	lead s	
Number of Samples	11	
Minimum	5.9	
Maximum	852	
Mean	296.6727	
Median	136	
Standard Deviation	303.2947	
Variance	91987.66	
Coefficient of Variation	1.022321	
Skewness	0.794683	
Shapiro-Wilk Test Statisitic	0.86788	
Shapiro-Wilk 5% Critical Value	0.85	
Data Are Normal at 0.05 Significa	nce Level	
Recommended UCL to use	Student's t	`
	<u> </u>	
95 % UCL (Normal Data)		
Student's t	462.4165	
95 % UCL (Adjusted for S	Skewness)	
Adjusted CLT	470.5017	
Modified t	466.0683	
	<u> </u>	3.
95 % Non-parametric UC	L	
CLT	447.0893	
Jackknife	462.4165	·····
Standard Bootstrap	443.228	-
Bootstrap t	505.4839	·····
Chebyshev (Mean, Std)	695.28	

From File		
Summary Statistics for	lead subs	
Number of Samples	. 8	
Minimum	1.3	
Maximum	2860	
Mean	688.75	
Median	7.95	
Standard Deviation	1267.686	
Variance	1607029	
Coefficient of Variation	1.840561	
Skewness	1.451184	
Shapiro-Wilk Test Statisitic	0.582436	
Shapiro-Wilk 5% Critical Value	0.818	· Lunian · · · · · · · · · · · · · · · · · · ·
Data Not Normal at 0.05 Significa	nce Level	
Try Lognormal or Non-parametric	UCL	<u>, , , , , , , , , , , , , , , , , , , </u>
95 % UCL (Normal Data)		·
Student's t	1537.89	
95 % UCL (Adjusted for S	kewness)	
Adjusted CLT	1671.676	
Modified t	1576.216	
95 % Non-parametric UC	L	
CLT	1425.965	
Jackknife	1537.89	
Standard Bootstrap	1374.899	
Bootstrap t	263580.2	
Chebyshev (Mean, Std)	2642.386	

From File		
Summary Statistics for	MNS	
Number of Samples	11	
Minimum	50.4	
Maximum	1260	
Mean	421.0364	
Median	337	
Standard Deviation	361.4517	
Variance	130647.3	
Coefficient of Variation	0.858481	
Skewness	1.384176	
Shapiro-Wilk Test Statisitic	0.86221	
Shapiro-Wilk 5% Critical Value	0.85	
Data Are Normal at 0.05 Significa	nce Level	
Recommended UCL to use	Student's t	
95 % UCL (Normal Data)		
Student's t	618.5616	
95 % UCL (Adjusted for S	kewness)	
Adjusted CLT	648.8947	
Modified t	626.1421	
95 % Non-parametric UC	L i	
CLT	600.2955	
Jackknife	618.5616	
Standard Bootstrap	592.7033	
Bootstrap t	730.3619	
Chebyshev (Mean, Std)	896.077	

From File		
	The Illiance of	
	Thallium s	.
Number of Samples		
Minimum	1.25	
Maximum	15.6	
Mean	3.027273	
Median	1.25	
Standard Deviation	4.307457	
Variance	18.55418	
Coefficient of Variation	1.422884	
Skewness	2.975528	
Shapiro-Wilk Test Statisitic	0.492114	
Shapiro-Wilk 5% Critical Value	0.85	
Data Not Normal at 0.05 Significar	nce Level	
Try Lognormal or Non-parametric	UCL	
	,	
95 % UCL (Normal Data)		
Student's t	5.381201	
,		
95 % UCL (Adjusted for S	kewness)	
Adjusted CLT	6.408531	
Modified t	5.575397	•
		_
95 % Non-parametric UCI		
CLT	5.163521	
Jackknife	5.381201	
Standard Bootstrap	5.055422	
Bootstrap t	14.7493	
Chebyshev (Mean, Std)	8.68838	

Immary Statistics for In(Thallium) Inimum 0.22314 Inimum 0.22314 Inimum 0.65451 I
nimum 0.22314 aximum 2.74727 ean 0.65451 andard Deviation 0.82757 riance 0.68487 eapiro-Wilk Test Statisitic 0.61411 eapiro-Wilk 5% Critical Value 0.8 eata Not Lognormal at 5% Significance Level y Normal or Non-parametric UCL etimates Assuming Lognormal Distribution E Mean 2.71000
ean 2.74727 ean 0.65451 andard Deviation 0.82757 eriance 0.68487 eapiro-Wilk Test Statisitic 0.61411 eapiro-Wilk 5% Critical Value 0.8 eata Not Lognormal at 5% Significance Level Value 1.8 expression of Non-parametric UCL etimates Assuming Lognormal Distribution E Mean 2.71000
ean 0.65451 andard Deviation 0.82757 riance 0.68487 apiro-Wilk Test Statisitic 0.61411 apiro-Wilk 5% Critical Value 0.8 ata Not Lognormal at 5% Significance Levy Normal or Non-parametric UCL atimates Assuming Lognormal Distribution E Mean 2.71000
andard Deviation oriance 0.82757 oriance 0.68487 oriance ori
riance 0.68487 apiro-Wilk Test Statisitic 0.61411 apiro-Wilk 5% Critical Value 0.8 ata Not Lognormal at 5% Significance Levy Normal or Non-parametric UCL timates Assuming Lognormal Distribution E Mean 2.71000
papiro-Wilk Test Statisitic 0.61411 papiro-Wilk 5% Critical Value 0.8 pata Not Lognormal at 5% Significance Level parametric UCL
tapiro-Wilk 5% Critical Value 0.8 Ata Not Lognormal at 5% Significance Level Y Normal or Non-parametric UCL Atimates Assuming Lognormal Distribution E Mean 2.71000
tapiro-Wilk 5% Critical Value 0.8 Ata Not Lognormal at 5% Significance Level Y Normal or Non-parametric UCL Atimates Assuming Lognormal Distribution E Mean 2.71000
ta Not Lognormal at 5% Significance Levy Normal or Non-parametric UCL timates Assuming Lognormal Distribution E Mean 2.71000
y Normal or Non-parametric UCL timates Assuming Lognormal Distribution E Mean 2.71000
timates Assuming Lognormal Distribution E Mean 2.71000
E Mean 2.71000
E Mean 2.71000
E Standard Deviation 2 68758
2.00100
E Coefficient of Variation 0.99172
E Skewness 3.95056
_E Median 1.92420
_E 80% Quantile 3.87215
_E 90% Quantile 5.57305
_E 95% Quantile 7.50724
_E 99% Quantile 13.1898
VU Estimate of Median 1.86507
VU Estimate of Mean 2.60697
VU Estimate of Std. Dev. 2.28939
VU Estimate of SE of Mean 0.68112
UCL Assuming Lognormal Distribution
% H-UCL 5.47662
% Chebyshev (MVUE) UCL 5.57591
% Chebyshev (MVUE) UCL 9.3840
,,, o,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
ecommended UCL to use:

From File	
Summary Statistics for	Vanadium
Number of Samples	11
Minimum	20.6
Maximum	41.6
Mean	29.61818
Median	29.2
Standard Deviation	7.254491
Variance	52.62764
Coefficient of Variation	0.244934
Skewness	0.511012
Shapiro-Wilk Test Statisitic	0.920537
Shapiro-Wilk 5% Critical Value	0.85
Data Are Normal at 0.05 Significa	nce Level
Recommended UCL to use	Student's t
95 % UCL (Normal Data)	1
Student's t	33.5826
-	
95 % UCL (Adjusted for S	Skewness)
Adjusted CLT	33.57609
Modified t	33.63877
95 % Non-parametric UC	L ·
CLT	33.21599
Jackknife	33.5826
Standard Bootstrap	33.01587
Bootstrap t	34.04377
Chebyshev (Mean, Std)	39.15245

From File	T	
From File		
O Otatiatian for	7:00.0	
Summary Statistics for	Zinc s	
Number of Samples	11	
Minimum	20.2	
Maximum	4560	
Mean	812.6818	
Median	552	
Standard Deviation	1323.079	-
Variance	1750539	
Coefficient of Variation	1.628041	
Skewness	2.683676	
		•
Shapiro-Wilk Test Statisitic	0.624601	
Shapiro-Wilk 5% Critical Value	0.85	
Data Not Normal at 0.05 Significa	nce Level	
Try Lognormal or Non-parametric	UCL	
		-
95 % UCL (Normal Data)	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	
Student's t	1535.715	
	-	
95 % UCL (Adjusted for S	Skewness)	
Adjusted CLT	1813.761	
Modified t	1589.514	
,		
95 % Non-parametric UC	L	
CLT	1468.852	
Jackknife	1535.715	*
Standard Bootstrap	1439.362	
Bootstrap t	2983.985	
Chebyshev (Mean, Std)	2551.549	

From File			
Summary Statistics for	Zinc s	Summary Statistics for	In(Zinc s)
Number of Samples	11	Minimum	3.005683
Minimum	20.2	Maximum	8.425078
Maximum	4560	Mean	5.550487
Mean	812.6818	Standard Deviation	1.763289
Median	552	Variance	3.109189
Standard Deviation	1323.079		
Variance	1750539	Shapiro-Wilk Test Statisitic	0.936228
Coefficient of Variation	1.628041	Shapiro-Wilk 5% Critical Value	0.85
Skewness	2.683676	Data Are Lognormal at 5% Signi	ficance Level
95 % UCL (Normal D	ata)	Estimates Assuming Lognormal	Distribution
Student's t	1535.715	MLE Mean	1218.142
		MLE Standard Deviation	5635.518
95 % UCL (Adjusted	for Skewness)	MLE Coefficient of Variation	4.626324
Adjusted CLT	1813.761	MLE Skewness	112.8956
Modified t	1589.514	MLE Median	257.3629
		MLE 80% Quantile	1141.92
95 % Non-parametric	UCL	MLE 90% Quantile	2480.744
CLT	1468.852	MLE 95% Quantile	4680.209
Jackknife	1535.715	MLE 99% Quantile	15551.28
Standard Bootstrap	1447.427		
Bootstrap t	3179.442	MVU Estimate of Median	223.062
Chebyshev (Mean, Std)	2551.549	MVU Estimate of Mean	926.0761
		MVU Estimate of Std. Dev.	2026.062
		MVU Estimate of SE of Mean	527.1613
			`
		UCL Assuming Lognormal Distribution	
		95% H-UCL	16179.6
		95% Chebyshev (MVUE) UCL	3223.919
		99% Chebyshev (MVUE) UCL	6171.265
`		Recommended UCL to use:	
		99 % Chebyshev (M	VUE) UCL

From File	
Summary Statistics for	2 amino 46
Number of Samples	11
Minimum	0.025
Maximum	16
Mean	1.687636
Median	0.045
Standard Deviation	4.760715
Variance	22.66441
Coefficient of Variation	2.820936
Skewness	3.282144
Shapiro-Wilk Test Statisitic	0.400695
Shapiro-Wilk 5% Critical Value	0.85
Data Not Normal at 0.05 Significa	nce Level
Try Lognormal or Non-parametric	UCL
95 % UCL (Normal Data)	
Student's t	4.28926
95 % UCL (Adjusted for S	Skewness)
Adjusted CLT	5.566485
Modified t	4.526008
95 % Non-parametric UC	L
CLT	4.048675
Jackknife	4.28926
Standard Bootstrap	3.987889
Bootstrap t	38.48804
Chebyshev (Mean, Std)	7.944442

From File			
Summary Statistics for	2 amino 46	Summary Statistics for	In(2 amino
Number of Samples	11	Minimum	-3.688879
Minimum	0.025	Maximum	2.772589
Maximum	16	Mean	-1.959726
Mean	1.687636	Standard Deviation	2.131348
Median	0.045	Variance	4.542645
Standard Deviation	4.760715		
Variance	22.66441	Shapiro-Wilk Test Statisitic	0.821789
Coefficient of Variation	2.820936	Shapiro-Wilk 5% Critical Value	0.85
Skewness	3.282144	Data Not Lognormal at 5% Signi	ficance Level
		Try Normal or Non-parametric U	ICL .
95 % UCL (Normal D	ata)		
Student's t	4.28926	Estimates Assuming Lognormal	Distribution
		MLE Mean	1.365604
95 % UCL (Adjusted	for Skewness)	MLE Standard Deviation	13.16508
Adjusted CLT	5.566485	MLE Coefficient of Variation	9.640485
Modified t	4.526008	MLE Skewness	924.8979
		MLE Median	0.140897
95 % Non-parametric	UCL	MLE 80% Quantile	0.853221
CLT	4.048675	MLE 90% Quantile	2.179416
Jackknife	4.28926	MLE 95% Quantile	4.694267
Standard Bootstrap	3.939011	MLE 99% Quantile	20.0412
Bootstrap t	34.27236		
Chebyshev (Mean, Std)	7.944442	MVU Estimate of Median	0.114188
		MVU Estimate of Mean	0.855795
		MVU Estimate of Std. Dev.	2.429557
		MVU Estimate of SE of Mean	0.57503
		UCL Assuming Lognormal Di	stribution
	·	95% H-UCL	54.94755
		95% Chebyshev (MVUE) UCL	3.362292
		99% Chebyshev (MVUE) UCL	6.57727
	·	Recommended UCL to use:	
		99 % Chebyshev (M	VUE) UCL

F 1		
From File		
Summary Statistics for	4amino26D	
Number of Samples	11	
Minimum	0.025	
Maximum	9	
Mean	1.004727	
Median	0.062	
Standard Deviation	2.671638	
Variance	7.137649	
Coefficient of Variation	2.659068	
Skewness	3.230219	
Shapiro-Wilk Test Statisitic	0.425564	
Shapiro-Wilk 5% Critical Value	0.85	
Data Not Normal at 0.05 Signification	nce Level	
Try Lognormal or Non-parametric	UCL	
95 % UCL (Normal Data)		
Student's t	2.464718	•,
	. - .	
95 % UCL (Adjusted for S	kewness)	
Adjusted CLT	3.168001	
Modified t	2.595475	
95 % Non-parametric UC	<u> </u>	
CLT	2.329705	
Jackknife	2.464718	
Standard Bootstrap	2.242894	
Bootstrap t	12.50354	
Chebyshev (Mean, Std)	4.515947	

From File		·	
Summary Statistics for	4amino26E	Summary Statistics for	In(4amino2
Number of Samples	11	Minimum	-3.688879
Minimum	0.025	Maximum	2.197225
Maximum	9	Mean	-2.212719
	1.004727	Standard Deviation	1.981562
Mean Median	0.062	Variance	3.92659
The state of the s	2.671638	variance	3.92009
Standard Deviation Variance	7.137649	Shapiro-Wilk Test Statisitic	0.783007
Variance Coefficient of Variation	2.659068	Shapiro-Wilk 5% Critical Value	0.703007
Skewness	3.230219	Data Not Lognormal at 5% Signi	
Skewness	3.230219	Try Normal or Non-parametric U	
95 % UCL (Normal Dat	in)	Try Normal of Nort-parametric o	, <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>
Student's t	2.464718	Estimates Assuming Lognormal	Dietribution
Student's t	2.404110	MLE Mean	0.77925
OF 9/ LICE (Adjusted to	r Ékoumono)	MLE Standard Deviation	5.495432
95 % UCL (Adjusted fo		MLE Coefficient of Variation	7.052211
Adjusted CLT	3.168001		371.889
Modified t	2.595475	MLE Skewness	
05/0/11		MLE Median	0.109403 0.583741
95 % Non-parametric U		MLE 80% Quantile	
CLT	2.329705	MLE 90% Quantile	1.395969
Jackknife	2.464718	MLE 95% Quantile	2.848952
Standard Bootstrap	2.284759	MLE 99% Quantile	10.98351
Bootstrap t	12.50261		
Chebyshev (Mean, Std)	4.515947	MVU Estimate of Median	0.091269
		MVU Estimate of Mean	0.532781
		MVU Estimate of Std. Dev.	1.365825
		MVU Estimate of SE of Mean	0.336766
			=
	-	UCL Assuming Lognormal Di	
		95% H-UCL	19.4766
		95% Chebyshev (MVUE) UCL	2.000712
		99% Chebyshev (MVUE) UCL	3.883565
	_	Recommended UCL to use:	,
		99 % Chebyshev (M	VUE) UCL

E. Pile		-
From File		
O Ctatistics for	246TN	-
Summary Statistics for	240111	11
Number of Samples	0.4	017
Minimum		300
Maximum		
Mean	135.9	
Median	0.00	
Standard Deviation	390.32	
Variance	15235	
Coefficient of Variation		
Skewness	3.1959	983
Shapiro-Wilk Test Stat		
Shapiro-Wilk 5% Critic		.85
Data Not Normal at 0.0	5 Significance Lev	el
Try Lognormal or Non-	parametric UCL	-
95 % UCL (No	rmal Data)	
Student's t	349.20	521
95 % UCL (Ad	justed for Skewnes	s)
Adjusted CLT	450.7	
Modified t	368.10	632
95 % Non-para	ametric UCL	
CLT	329.53	368
Jackknife	349.20	
Standard Bootstrap		5.2
Bootstrap t	61303	.17
Chebyshev (Mean, Sto		
Gilles James (medicing ent		

From File					
Summary Statistics for	246TNT	Summary Statistics for	In(246TNT		
Number of Samples	11	Minimum	-4.074542		
Minimum	0.017	Maximum	7.17012		
Maximum	1300	Mean	-1.020704		
Mean	135.9578	Standard Deviation	3.893719		
Median	0.0593	Variance	15.16105		
Standard Deviation	390.3259	:			
Variance	152354.3	Shapiro-Wilk Test Statisitic	0.761791		
Coefficient of Variation	2.870935	Shapiro-Wilk 5% Critical Value	0.85		
Skewness	3.195983	Data Not Lognormal at 5% Sign			
		Try Normal or Non-parametric L	ICL		
95 % UCL (Normal D	ata)	·			
Student's t	349.2621	Estimates Assuming Lognormal	Distribution		
		MLE Mean	706.1454		
95 % UCL (Adjusted	for Skewness)	MLE Standard Deviation	1383804		
Adjusted CLT	450.7136	MLE Coefficient of Variation	1959.658		
Modified t	368.1632	MLE Skewness	7.5E+009		
		MLE Median	0.360341		
95 % Non-parametric	UCL	MLE 80% Quantile 9.67			
CLT	329.5368	MLE 90% Quantile	53.66307		
Jackknife	349.2621	MLE 95% Quantile	217.9933		
Standard Bootstrap	322.6776	MLE 99% Quantile	3090.497		
Bootstrap t	61370.2				
Chebyshev (Mean, Std)	648.9465	MVU Estimate of Median	0.172789		
1		MVU Estimate of Mean	53.16936		
		MVU Estimate of Std. Dev.	388.2783		
		MVU Estimate of SE of Mean	49.8954		
		UCL Assuming Lognormal D	istribution		
		95% H-UCL	1E+008		
		95% Chebyshev (MVUE) UCL	270.6584		
		99% Chebyshev (MVUE) UCL	549.6223		
		Recommended UCL to use:			
		Needs further inves	tigation.		

PCAcode	Analyte	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
55554-2							
	ALUMINUM		•				
		Soil	-	·			
			S				
		•		S9	17800.0000		MG/KG
•				S3	12900.0000		MG/KG
	•			S10	19800.0000		MG/KG
		,		S11	18600.0000		mg/kg
				S12	9540.0000		MG/KG
•			•	S5	11800.0000		MG/KG
				S6	12100.0000		MG/KG
				S7	13100.0000		MG/KG
	·	·		S2	16500.0000		MG/KG
				S8	11800.0000	ŕ	MG/KG
,		•	-1	.S1	10700.0000		MG/KG
			SS.	•			,
•				SS11	15100.0000	•	MG/KG
				SS12	32000.0000		MG/KG
•		·		SS5	16300.0000		MG/KG
			-	SS6	4400.0000		MG/KG
				SS7	17800.0000		MG/KG

PCAcode	Analyte	,	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
	•				SS8	989.0000		MG/KG
i					SS9	1050.0000	•	MG/KG
					SS10	17100.0000		mg/kg

PCAcode	Analyte	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
65554-2		* 4					
i ^r	ANTIMONY	•			e de la companya de l		
		Soil					
			S -			. •	
				S9	· 0.3600	В .	MG/KG
				S3	1.7000	В	MG/KG
				S10	0.9400	В .	MG/KG
				S11	1.9000	В .	mg/kg
. •	•			S12	2.4000	J	MG/KG
•-		•		S5	2.9000	J .	MG/KG
:,				S6	0.2500	В	MG/KG
÷				S 7	1.3000	В	MG/KG
,	· .			S2	9.4000	L	MG/KG
				S8	0.4400	В	MG/KG
				S1	1.9000	В	MG/KG
			SS				
				, SS11	0.5100	В	MG/KG
	•		•	SS12	12.6000	Ĺ	MG/KG
:		•		SS5	17.1000	L	MG/KG
				SS6	. 0.3000	В	MG/KG
	•			SS7	0.3200	В	MG/KG

PCAcode	Analyte	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
				SS8	0.2200	В	MG/KG
				SS9	0.2200	В`	MG/KG
				SS10	3.0000	UL	mg/kg

PCAcode	Analyte	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
65554-2				- · · · · · · · · · · · · · · · · · · ·			
	BARIUM				-		
		Soil					
		•	S	•			
				S9	52.9000	J	MG/KG
				S3	570.0000	J	MG/KG
				S10	709.0000	J	MG/KG
				S11	992.0000	J	mg/kg
· · · .				S12	377.0000	J	MG/KG
				S5	717.0000	J	MG/KG
•				S6	97.2000	J	MG/KG
	•			S7	576.0000	J	MG/KG
		•		S2	1960.0000	J	MG/KG
	•			S8	26.4000	J	MG/KG
٠				S1	611.0000	J	MG/KG
			SS	•	•		
				SS11	53.0000	J	MG/KG
				SS12	1970.0000	J	MG/KG
				SS5	2780.0000	J+	MG/KG
				* SS6	11.3000	J	MG/KG
				SS7	53.1000	J	MG/KG
		•				•	

PCAcode	Analyte	•	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit	
				•	SS8	3.3000	J	MG/KG	-
-					SS9	3.2000	J	MG/KG	
•					SS10	52.0000	J	mg/kg	

PCAcode	Analyte		Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
65554-2					· · · · · · · · · · · · · · · · · · ·			
	CADMIUM					·		
•								
		1	Soil					
•	•			S				
					S9	0.2500	UJ	MG/KG
•	•				S3	6.5000	•	MG/KG
					S10	0.3600	j	MG/KG
					S11	. 0.2700	J	mg/kg
			,		S12	2.8000	J	MG/KG
	•				S5	5.0000	J	MG/KG
					S6 .	0.2500	UJ	MG/KG
					S 7	2.4000	J	MG/KG
					S2	13.6000	•	MG/KG
•				•	S8	0.2500	UJ	MG/KG
: :		•			S _. 1	5.7000		MĢ/KG
	•			SS				
					SS11	0.2500	UJ	MG/KG
	•				SS12	49.3000	J	MG/KG
					SS5	64.6000	J	MG/KG
					SS6	0.2500	UJ	MG/KG
				•	SS7	0.2500	UJ	MG/KG

PCAcode	Analyte	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
				SS8	0.2500	UJ	MG/KG
•				SS9	0.2500	UJ	MG/KG
2	•			SS10	0.2500	UJ	mg/kg

65554-2 CHROMIUM Soil S S9 28.4000 J MC S10 29.1000 J MC S11 29.0000 J MC S11 29.0000 J MC S12 73.9000 J MC S5 155.0000 J MC S6 15.0000 J MC S7 18.7000 J MC S7 18.7000 J MC S7 18.7000 J MC S7 18.7000 J MC S8 21.6000 J MC S8 S1	ncUnit	Qualifier	Concentration	SampleID	Depth	Matrix	Analyte	PCAcode Analyte
Soil S9 28,4000 J MC S3 30,6000 L MC S10 29,1000 J MC S11 29,0000 J MC S12 73,9000 J MC S5 155,0000 J MC S6 15,0000 J MC S7 18,7000 J MC S7 18,7000 J MC S7 18,7000 J MC S7 18,7000 J MC S7 S8 21,6000 J MC S8 21,6000 J MC SS S5 S5 100,000 J MC SSS SS5 206,0000 J MC								65554-2
\$\begin{array}{cccccccccccccccccccccccccccccccccccc							CHROMIUM	CHROM
\$\begin{array}{cccccccccccccccccccccccccccccccccccc		•			·.	Soil		
\$9					S			
\$3 30.6000 L MC \$10 29.1000 J MC \$11 29.0000 J mg \$12 73.9000 J MC \$5 155.0000 J MC \$6 15.0000 J MC \$7 18.7000 J MC \$2 289.0000 L MC \$8 21.6000 J MC \$1 50.8000 L MC \$1 50.8000 L MC \$1 50.8000 J MC	G/KG	J	28.4000	S9				
\$10	G/KG							
\$11 29,0000 J mg \$12 73,9000 J MC \$5 155,0000 J MC \$6 15,0000 J MC \$7 18,7000 J MC \$7 18,7000 J MC \$8 21,6000 J MC \$8 21,6000 J MC \$8 21,6000 J MC \$8 \$21,6000 J MC \$1 50,8000 L MC \$1 50,8000 J MC \$1 \$50,8000 J MC \$1 \$50,8000 J MC \$1 \$51 25,1000 J MC \$1 \$51 25,1000 J MC	G/KG						•	
\$5 155.0000 J MC \$6 15.0000 J MC \$7 18.7000 J MC \$2 289.0000 L MC \$8 21.6000 J MC \$1 50.8000 L MC \$SS\$ \$\$11 25.1000 J MC \$\$12 170.0000 J MC \$\$1 \$\$2.1000 J MC \$\$1 \$\$2.1000 J MC \$\$1 \$\$2.1000 J MC \$\$1 \$\$2.1000 J MC	g/kg	J	29.0000	S11				
\$6	G/KG	J	73.9000	S12			:	•
\$7 18.7000 J MC \$2 289.0000 L MC \$8 21.6000 J MC \$1 50.8000 L MC \$SS \$\$11 25.1000 J MC \$\$12 170.0000 J MC \$\$12 206.0000 J MC	G/KG	J	155.0000	S5				
\$2 289.0000 L MC \$8 21.6000 J MC \$1 50.8000 L MC \$SS \$\$11 25.1000 J MC \$\$12 170.0000 J MC \$\$55 206.0000 J MC	G/KG	J	15.0000		•			
\$8 21.6000 J MC \$1 50.8000 L MC \$SS \$S\$11 25.1000 J MC \$S\$12 170.0000 J MC \$S\$5 206.0000 J MC	Ģ/KG	J	18.7000	S7				
S1 50.8000 L MC SS SS11 25.1000 J MC SS12 170.0000 J MC SS5 206.0000 J MC	G/KG	L	289.0000	S2				·
SS SS11 25.1000 J MC SS12 170.0000 J MC SS5 206.0000 J MC	G/KG	J	21.6000	S8		•		
SS11 25.1000 J MC SS12 170.0000 J MC SS5 206.0000 J MC	G/KG	Ĺ	50.8000	S1			•	
SS12 170.0000 J MC SS5 206.0000 J MC					SS			
SS12 170.0000 J MC SS5 206.0000 J MC	G/KG	J	25.1000	SS11			-	·
SS5 206.0000 J MC	G/KG	j	170.0000					
	G/KG					•		
SS6 12.1000 J MC	G/KG		12.1000	SS6		tyte e.	ty.	
	G/KG				•			

PCAcode	Analyte		Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
	-			-	SS8	11.3000	J	MG/KG
· .			(SS9	14.6000	J .	MG/KG
					SS10	23.7000	J ·	mg/kg

PCAcode	Analyte		Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
55554-2								······
	COPPER							
V		· · · · · · · · · · · · · · · · · · ·	Soil			÷		
				S .				
· · · · · · · · · · · · · · · · · · ·			•		S9	11.4000	L	MG/KG
					S3	319.0000	J ,	MG/KG
		,		•	S10	120.0000	L	MG/KG
					S11	60.2000	L .	mg/kg
					S12	223.0000	L	MG/KG
				•	S5	137.0000	L	MG/KG
					S6	6.2000	L ,	MG/KG
					S7 ·	59.6000	L	MG/KG
					S2	10200.0000	J+	MG/KG
		• •			S8	7.8000	L	MG/KG
	•				S1	407.0000	J	MG/KG
•				SS			•	
					SS11	11.9000	L	MG/KG
		•	•		·SS12	871.0000	L	MG/KG
			. ,		SS5	2810.0000	L .	MG/KG
•		•			SS6	5.4000	. L	MG/KG
	•	•			SS7	12.6000	L	MG/KG

PCAcode	Analyte	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
				.SS8	3.3000	L ·	MG/KG
•	•	,		SS9	3.9000	L .	MG/KG
		*.		SS10	13.3000	L	mg/kg

PCAcode	Analyte		Matrix Depth	SampleID	Concentration	Qualifier	ConcUnit
65554-2							
	IRON						
	•	•	•				
			Soil				
	•		S				
•				S9	24600.0000	J	MG/KG
	•			S3	16000.0000		MG/KG
	•			S10	24400.0000	J	MG/KG
•				S11	24600.0000	J	mg/kg
•	·	•		S12	19700.0000	J	MG/KG
	-, ·			S5 ·	20000.0000	J .	MG/KG
•		-	•	S6 .	12000.0000	J	MG/KG
				S7	13300.0000	j	MG/KG
				S2	57200.0000		MG/KG
				S8	18300.0000	J	MG/KG
-				`S1	20200.0000		MG/KG
,	•		SS			• •	
	·			SS11.	23400.0000	J	MG/KG
	·			SS12	80800.0000	J+	MG/KG
		**		SS5	73400.0000	J+	MG/KG
•			· 2	SS6	9520.0000	J	MG/KG
•				SS7	21700.0000	J .	MG/KG
					1		

PCAcode	Analyte		Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
					SS8	5170.0000	J	MG/KG
					SS9	7850.0000	J	MG/KG
		-			SS10	21900.0000	J.	mg/kg

PCAcode	Analyte	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
65554-2		· ·	· · · · · · · · · · · · · · · · · · ·				N. 2
	LEAD						
		Soil			·	•	
			S		•		
				S9	11.2000	J	MG/KG
				S 3	295.0000	J ·	MG/KG
	•	•		S10	136.0000	J	MG/KG
				S11 .	122.0000	J	mg/kg
·				S12	541.0000	J	MG/KG
	••		•	S5	459.0000	J.	MG/KG
				S6	10.3000	J	MG/KG
	•			S7	105.0000	J	MG/KG
				S2	852.0000	J	MG/KG
•				S8	5.9000	J	MG/KG
				S1	726.0000	J	MG/KG
			SS				
•			-	SS11	7.9000	J	MG/KG
	•			SS12	2620.0000	. J	MG/KG
				SS5	2860.0000	J	MG/KG
			٠.	SS6	2.8000	J	MG/KG
				SS7 ⁻	8.7000	J	MG/KG

PCAcode	Analyte	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
·		1.i		SS8	1.3000	J	MG/KG
				SS9	1.3000	J	MG/KG
				SS10	8.0000	J	mg/kg

PCAcode	Analyte	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
65554-2		-					
	MANGANESE						
	MANOANESE			-			
		Soil					•
•	·		S		•		•
•				S9	121.0000	J	MG/KG
				S3	742.0000	J	MG/KG
				S10	182.0000	J	MG/KG
				S11	167.0000	J	mg/kg
				S12	381.0000	J	MG/KG
				S5	453.0000	J	MG/KG
				S6	208.0000	J	MG/KG
	•			S7	337.0000	J	MG/KG
				S2	1260.0000	J	MG/KG
	•		•	S8	50.4000	J	MG/KG
-				S1	730.0000	J	MG/KG
			SS		, 00,000	,	
	· ·		DD.	6644	407 0000		MONO
				SS11	107.0000	J	MG/KG
	·			SS12 .	1740.0000	J	MG/KG
				SS5	1720.0000	J	MG/KG
,				SS6	54.4000	J	MG/KG
				SS7	132.0000	J	MG/KG

PCAcode	Analyte		Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
		,			SS8	65.9000	J	MG/KG
					SS9	54.4000	j	MG/KG
					SS10	166.0000	J	mg/kg

Analyte	Matrix	Depth	SampleID		Concentration	Qualifier	ConcUnit
					· ·		
THALLIUM		. *		٠.			
	Soil	٠.					
		S			ŧ		
			S9		1.2500	UL	MG/KG
			S1	÷	4.5000	•	MG/KG
			S10		1.2500	UL	MG/KG
			S11	•	1.2500	UL	mg/kg
	· ·		S12		1.2500	UL	MG/KG
			S5	٠	1.2500	UL	MG/KG
			S6		1.2500	UL	MG/KG
			S7		1.2500	UL	MG/KG
,			S2		15.6000		MG/KG
· · · · · · · · · · · · · · · · · · ·			S8		1.2500	UĽ	MG/KG
			S3 -		3.2000		MG/KG
		SS					
		-	SS11 .		1.2500	UL	MG/KG
			4,				MG/KG
							MG/KG
							MG/KG
•			SS7		1.2500	UL	MG/KG
		THALLIUM	THALLIUM	THALLIUM Soil S S9 S1 S10 S11 S12 S5 S6 S7 S2 S8 S8 S3 SS SSS SSI1 SSS SS6 SS6 SS5 SS6	THALLIUM Soil S S9 S1 S10 S10 S11 S12 S5 S6 S6 S7 S2 S8 S8 S3 SS SSI1 SS12 SS5 SS6 SS6 SS6	THALLIUM Soil S S9 1.2500 S1 4.5000 S10 1.2500 S11 1.2500 S11 1.2500 S12 1.2500 S5 1.2500 S6 1.2500 S7 1.2500 S7 1.2500 S7 1.2500 S7 1.2500 S8 1.2500 S8 1.2500 S8 1.2500 S8 S1 S8 1.2500 S8 S1 S8 1.2500 S8 S1 S8 1.2500 S8 S8 1.2500	Soil S S9 1.2500 UL S1 4.5000 UL S1 4.5000 UL S1 1.2500 UL S1 1.2500 UL S1 1.2500 UL S1 1.2500 UL S5 1.2500 UL S5 1.2500 UL S7 1.2500 UL S7 1.2500 UL S2 15.6000 S8 1.2500 UL S3 3.2000 SS S11 1.2500 UL S12 1.3000 J S12 S12 1.3000 J S12 S12 1.3000 J S12 S1300 J S12 S12 S1300 J S12 S1300 J S12 S13000 J S1300 J S13

Page 1 of 2

PCAcode	Analyte	Matrix	Depth SampleID	Concentration	Qualifier	ConcUnit
			SS8	1.2500	UL	MG/KG
٠			SS9	1.2500	UL	MG/KG
			SS10	1.2500	UL	mg/kg

PCAcode	Analyte	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
65554-2							·
	VANADIUM						
			`				
		Soil				٠	
			S				
				S9	39.5000	•	MG/KG
				· S1	27.2000 ⁻		MG/KG
				S10	41.6000		MG/KG
				S11	37.8000		mg/kg
				S12	24.2000		MG/KG
				S 5	29.5000		MG/KG
•				S6	20.6000		MG/KG
ı				S7	21.5000		MG/KG
				S2	30.9000		MG/KG
				S8	29.2000		MG/KG
			-	S3	23.8000		MG/KG
			SS	•			
	· ·			SS11	39.0000		MG/KG
				SS12	26.9000		MG/KG
		• ,		SS5	28.5000	,	MG/KG
				SS6	14.6000		MG/KG
				SS7	41.2000		MG/KG
	•						

PCAcode	Analyte	•	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
					SS8	6.9000		MG/KG
					SS9	10.6000		MG/KG
					SS10	41.0000		mg/kg

PCAcode	Analyte	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
65554-2			· .				
	·						
•	ZINC	•					
<i>:</i>	·	Soil			•		
			a				
		•	S				
				S9	32.1000		MG/KG
				S1 .	568.0000		MG/KG
-	·			S10	144.0000		MG/KG
				S11	110.0000		mg/kg
				S12	552.0000		MG/KG
		•		S5	657.0000		MG/KG
			,	S6	30.2000		MG/KG
				S7 ·	1530.0000		MG/KG
,				S2	4560.0000	+	MG/KG
				S8	20.2000		MG/KG
				S3	736.0000		MG/KG
	·		SS				
	•			SS11	27.6000		MG/KG
ř				SS12	4050.0000	· +	MG/KG
	·				•		
		•		SS5	4280.0000	+	MG/KG
				SS6	19.9000		MG/KG
				SS7	36.1000		MG/KG

PCAcode	Analyte	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
				SS8	4.4000	В	MG/KG
•				SS9	5.2000	В	MG/KG
,		•		SS10	34.2000		mg/kg

PCAcode	Analyte	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
65554-2		-					
	2-AMINO-4,6-DINITROTOLUENE						
		Soil					
			S				
				S9	0.0250	U	mg/kg
•				S3	0.1050		mg/kg
	r e			S10	0.0250	U	MG/KG
	•			S11	0.0250	U	mg/kg
			-	S12	0.7140		mg/kg
				S5	1.1200		mg/kg
				S6	0.4380		mg/kg
	•		*	S7	16.0000	J [*]	mg/kg
				S2	0.0450		mg/kg
				\$8	0.0250	U	mg/kg
	·			S1	0.0420		mg/kg
			SS				
				SS11	0.0250	U	mg/kg
			•	SS12	6.3500		mg/kg
	,			SS5	8.0400		mg/kg
,			٠	SS6	0.0547		mg/kg
				SS7	0.8460		mg/kg

Page 1 of 2

PCAcode	Analyte	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
				SS8	0.0250	U	mg/kg
				SS9	0.0250	U	mg/kg
				SS10	0.0250	U	mg/kg

PCAcode	Analyte	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
55554-2							
	4-AMINO-2,6-DINITROTOLUENE			-			
·		Soil		. •			
•			S ,				
				S9	. 0.0250	U	mg/kg
		•		S3	0.1080		mg/kg
				S10	0.0250	U	mg/kg
				S11	0.0250	U	mg/kg
				S12	0.7310		mg/kg
				S5	0.9610		mg/kg
•				S6	0.0250	U	mg/kg
÷		•	-	S 7	9.0000	J	mg/kg
	•			S2	0.0620	•	mg/kg
				S8	0.0250	U .	mg/kg
			-	S1	0.0650	•	mg/kg
			SS				
				SS11	0.0500	U	mg/kg
				SS12	4.8600		mg/kg
				SS5	7.0800		mg/kg
•				SS6	0.0250	U	mg/kg
				SS7	0.3800		mg/kg

PCAcode	Analyte		Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
	·		16		SS8	0.0250	U	mg/kg
	•				SS9	0.0250	U	mg/kg
		•			SS10	0.0250	U	mg/kg

PCAcode	Analyte	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
55554-2				· · · · · · · · · · · · · · · · · · ·			-
	2,4,6-TRINITROTOLUENE						
	•	C 11					
		Soil			•		
٠.			S				-
				S9	0.0250	U	mg/kg
				S3	0.3450		mg/kg
				S10	0.0250	U	mg/kg
	•			S11	0.0250	U	mg/kg
•				S12	192.0000	•	mg/kg
•	•		-	S5	2.9200		mg/kg
		•		S6	0.0593		mg/kg
				S7	1300.0000		mg/kg
				S2	0.0170	J	mg/kg
	•			S8	0.0730	,	mg/kg
				S1	0.0460		mg/kg
,			SS		,		
			~~	SS11	0.0250	U	malka
				SS12		;	mg/kg
					3.8400		mg/kg
•				SS5	10.1000		mg/kg
	•			SS6	0.3580		mg/kg
				SS7	30.5000		mg/kg

PCAcode	Analyte	Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
		 		SS8	0.0250	U ,	mg/kg
				SS9	0.0250	U	mg/kg
				SS10	0.0483		mg/kg

ANALYTE MAX REPORT

PCAcode	Analyte				Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit
65554-2				•	-		*			
	ARSENIC		÷							
	ARODINE	•		٠						
,				•	Soil		•			
					•	S				
•		٠.					S9	5.0000	J	MG/KG
•							S3	4.5000		MG/KG
							S10	4.4000	J .	MG/KG
							S11	4.7000	J	mg/kg
-				•			S12	3.3000	J	MG/KG
•		•		. •			S5	4.4000	J	MG/KG
				•	·.		S6	3.0000	J	MG/KG
						-	S7	3.5000	J	MG/KG
							S2	9.5000		MG/KG
							S8	3.4000	J	MG/KG
						-	S1	5.5000		MG/KG
			•			SS				
					•		SS11	4.0000	J	MG/KG
							SS12	16.4000	J	MG/KG
							SS5	22.4000	J	MG/KG
	•						SS6	1.2000	J	MG/KG
				•		.*	SS7 ·	4.3000	J	MG/KG

PCAcode	Analyte		Matrix	Depth	SampleID	Concentration	Qualifier	ConcUnit	
			 1		SS8	0.3600	J	MG/KG	
	•				SS9	0.8500	J ,	MG/KG	
	-	,			SS10	3.7000	J	mg/kg	

ATTACHMENT B

DATA ENTRY SHEET

-SCREEN on 3.0; 04/0	CALCULATE RISK	BASED SOIL CONC	CENTRATION (er	nter "X" in "YES" box			
Reset to	•	YES	OR				t sell sees baland
Defaults	CALCULATE INCR	REMENTAL RISKS F		OIL CONCENTRATI	ON (enter "X" in	"YES" box and initia	il soil conc. below)
		YES	X				
	ENTER	ENTER Initial					
•	Chemical	soil					
	CAS No.	conc.,					
	(numbers only,	C _R					
	no dashes)	(μg/kg)		Chemical			
	71432	7.00E+00		Benzene			
						- FATER	7
MORE	ENTER Depth	ENTER	ENTER	ENTER		ENTER	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	below grade			Vadose zone		User-defined	
·	to bottom	Depth below	Average	SCS		vadose zone	
	of enclosed	grade to top	soil	soil type	OB	soil vapor permeability,	1
	space floor,	of contamination,	temperature,	(used to estimate soil vapor	OR	· k _v	
	LF	L _t	T _s			(cm²)	
	(15 or 200 cm)	(cm)	(°C)	permeability)	= =	(CIII)	=
	200	200	13.9	SICL			j
	• • •		~				
	ENTER	ENTER	ENTER	ENTER	ENTER		ENTER
MORE	Vandose zone	Vadose zone	Vadose zone	Vadose zone	Vadose zone		Average vapor
ψ.	SCS	soil dry	soil total	soil water-filled	soil organic		flow rate into bldg.
	soil type	bulk density,	porosity,	porosity,	:arbon fraction,	(1	eave blank to calculate)
	Lookup Soli	₽b ^A	nV	6 , ,	f _{oc} V		Q_{soil}
	Parameters	(g/cm ³)	(unitless)	(cm ³ /cm ³)	(unitless)		(L/m)
	SICL	1.5	0.43	0.3	0.002		5
	SIOL	1.5	0.13	1	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	,						
	ENTER	ENTER	ENTER	ENTER	ENTER	ENTER	
MORE	Averaging	Averaging			Target	Target hazard	
₩	time for	time for	Exposure	Exposure	risk for	quotient for	
	carcinogens,	noncarcinogens,	duration,	frequency,	carcinogens,	noncarcinogens,	
	ATc	AT _{NC}	ED	EF	TR	THQ	
	(yrs)	(yṛs)	(yrs)	(days/yr)	(unitless)	(unitless)	=
	70	30	30	350	1.0E-06	1	□
		*	•		Used to co	Iculate risk-based	1
END						oncentration.	
LIAD							

RESULTS SHEET

RISK-BASED SOIL CONCENTRATION CALCULATIONS:

INCREMENTAL RISK CALCULATIONS:

Indoor exposure soil conc., carcinogen (µg/kg)	Indoor exposure soil conc., noncarcinogen (µg/kg)	Risk-based indoor exposure soil conc., (µg/kg)	Soil saturation conc., C _{sat} (µg/kg)	Final indoor exposure soil conc., (µg/kg)
· NA	NA I	NA :	5.90E+05	NA ·

Incremental	Hazard
risk from	quotient
vapor	from vapor
intrusion to	intrusion to
indoor air,	indoor air,
carcinogen	noncarcinogen
(unitless)	(unitless)
•	
2.8E-05	NA

MESSAGE SUMMARY BELOW:

END

SL-SCREEN rersion 3.0; 04/0	CALCULATE RISK	-BASED SOIL CONG	CENTRATION (e	nter "X" in "YES" box)		•
ersion 3.0, 04701	· V	YES [
Reset to	ı.		OR		٠.		,
Defaults	CALCULATE INCR	REMENTAL RISKS F		OIL CONCENTRATION	ON (enter "X" in	"YES" box and initial	soil conc. below)
		YES [х			. :	
	ENTER	ENTER Initial					. •
	Chemical	soil				•	
	CAS No.	conc.,			•		
-	(numbers only,	C _R		Observiced			•
	no dashes)	(μg/kg)		Chemical			
	79016	1.40E+02	Tı	richloroethylene		v	
	•						
Cuons	ENTER	ENTER	ENTER	ENTER		ENTER	·
MORE 🗸	Depth below grade		•	Vadose zone	5	User-defined	-
	to bottom	Depth below	Average	SCS		vadose zone	
	of enclosed	grade to top	soil	soil type		soil vapor	
	space floor,	of contamination,	temperature,	(used to estimate	OR	permeability,	
	L _F	L,	T _S	soil vapor		k, (cm²)	l '
	(15 or 200 cm)	(cm)	(°C)	permeability)	· -	(GIII)	
	200	200	13.9	SICL	<u> </u>		,
•							
	ENTER	ENTER	ENTER	ENTER	ENTER		ENTER
MORE	Vandose zone	Vadose zone	Vadose zone	Vadose zone	Vadose zone		Average vapor flow rate into bldg.
<u> </u>	SCS soil type	soil dry bulk density,	soil total porosity,	soil water-filled porosity,	soil organic arbon fraction,	` 0.6	eave blank to calculate)
	Lookup Soil	ρωκ delisity,	n ^V	θ., ν	f _{oc} V	(Q _{soil}
	Parameters	рь (g/cm ³)	(unitless)	(cm³/cm³)	(unitless)		(L/m)
		. (g/ciii)	(unitiess)	(GITT / GITT)	(driitic33)	*	
	SICL	1.5	0.43	0.3	0.002		5
	•	•					
	ENTER	ENTER	ENTER	ENTER	ENTER	ENTER	
MORE	Averaging	Averaging	tage ball	med (felt	Target	Target hazard	
₩	time for	time for	Exposure	Exposure	risk for	quotient for	
	carcinogens,	noncarcinogens,	duration,	frequency,	carcinogens,	noncarcinogens,	
•	ATc	AT _{NC}	ED	EF	TR	THQ	
*	(yrs)	(yrs)	(yrs)	(days/yr)	(unitless)	(unitless)	• ·
	70	30	30	350	1.0E-06	1	1
		1 30 1	30 -	1 330	1.02.00		
END			İ			culate risk-based ncentration.	

RESULTS SHEET

RISK-BASED SOIL CONCENTRATION CALCULATIONS:

INCREMENTAL RISK CALCULATIONS:

Indoor exposure soil conc., carcinogen (µg/kg)	Indoor exposure soil conc., noncarcinogen (µg/kg)	Risk-based indoor exposure soil conc., (µg/kg)	Soil saturation conc., 'C _{sat} (µg/kg)	Final indoor exposure soil conc., (µg/kg)	Incremental risk from vapor intrusion to indoor air, carcinogen (unitless)	Hazard quotient from vapor intrusion to indoor air, noncarcinogen (unitless)
NA .	NA I	NA	8.15E+05	· NA	8.6E-03	4.5E+00

MESSAGE SUMMARY BELOW:

MESSAGE: Risk/HQ or risk-based soil concentration is based on a route-to-route extrapolation.

END

DATA ENTRY SHEET

SL-SCREEN /ersion 3.0; 04/0	CALCULATE RISK	BASED SOIL CON	CENTRATION (er	nter "X" in "YES" box)		
Reset to	•	YES	OR				
Defaults	CALCULATE INCR	REMENTAL RISKS F		OIL CONCENTRATI	ON (enter "X" in	"YES" box and initia	al soil conc. below)
		YES	Х		•		
	ENTER	ENTER Initial					
	Chemical	soil	•				
	CAS No.	conc.,					
	(numbers only,	C _R			r		
	no dashes)	(μg/kg)	· · · · · · · · · · · · · · · · · · ·	Chemical			
	7439976	4.10E+02	Me	rcury (elemental) .		
				•	,		
MORE	ENTER Depth	ENTER	ENTER	ENTER		ENTER	
,	below grade			Vadose zone		User-defined	
<u> </u>	to bottom	Depth below	Average	SCS		vadose zone	
	of enclosed	grade to top	soil	soil type		soil vapor	
	space floor,	of contamination,	temperature,	(used to estimate	OR ·	permeability,	
	L _F · · ·	L	T _S	soil vapor		k _v (cm²)	
	(15 or 200 cm)	(cm)	(°C)	permeability)	· =	(ciii)	=
	15	15	13.9	SICL	1		1
,							
					٠		
	ENTER	ENTER	ENTER	ENTER	ENTER		ENTER
MORE	Vandose zone	Vadose zone	Vadose zone	Vadose zone	Vadose zone		Average vapor
<u> </u>	SCS	soil dry	soil total	soil water-filled	soil organic	4	flow rate into bldg.
	soil type	bulk density,	porosity,	porosity,	:arbon fraction,	(L	Leave blank to calculate)
	Lookup Soil	Pb ^A	n ^V	θ,,,	f _{oc} V		Q _{soil}
	Parameters	(g/cm³)	(unitless)	(cm ³ /cm ³)	(unitless)		(L/m)
	SICL	1.5	0.43	0.3	0.002		5
	•						
	ENTER	ENTER	ENTER	ENTER	ENTER	ENTER	
MORE	Averaging	Averaging			Target	Target hazard	
<u>↓</u>	time for	time for	Exposure	Exposure	risk for	quotient for	
	carcinogens,	noncarcinogens,	duration,	frequency,	carcinogens,	noncarcinogens,	
	ATc	AT _{NC}	ED	EF	ŤR	THQ	
	(yrs)	(yrs)	(yrs)	(days/yr)	(unitiess)	(unitless)	=
	70	30	30	350	1.0E-06	1]
						culate risk-based	
END					SOII CC	ncentration.	_

RESULTS SHEET

RISK-BASED SOIL CONCENTRATION CALCULATIONS:

INCREMENTAL RISK CALCULATIONS:

Indoor exposure soil conc., carcinogen (µg/kg)	Indoor exposure soil conc., noncarcinogen (µg/kg)	Risk-based indoor exposure soil conc., (µg/kg)	Soil saturation conc., C _{sat} (µg/kg)	Final indoor exposure soil conc., (µg/kg)	 Incremental risk from vapor intrusion to indoor air, carcinogen (unitless)	Hazard quotient from vapor intrusion to indoor air, noncarcinogen (unitless)
NA	NA I	NA	1.04E+06	NA	 NA	2.4E+03

MESSAGE SUMMARY BELOW:

END

		DATA ENTRY SHEET						
	SL-SCREEN	CALCULATE RISK	-BASED SOIL CON	CENTRATION (e	nter "X" in "YES" box			
ers	sion 3.0; 04/0		YES [,			
	Reset to Defaults	CALCULATE INCF	REMENTAL RISKS F	OR ROM ACTUAL S	OIL CONCENTRATI	ON (enter "X" in '	"YES" box and initi	al soil conc. below)
			YES [. X				
		ENTER	ENTER Initial					
		Chemical CAS No.	soil conc.,					
		(numbers only, no dashes)	C _R (μg/kg)		Chemical			•
		7439976	3.30E+02	Me	rcury (elemental)		•
		ENTER	ENTER	ENTER	ENTER		ENTER	7
	MORE .	Depth below grade to bottom	Depth below	Average	Vadose zone SCS		User-defined vadose zone	
		of enclosed space floor,	grade to top of contamination,	soil temperature,	soil type (used to estimate	OR	soil vapor permeability,	
		L _F (15 or 200 cm)	L _t (cm)	T _s (°C)	soil vapor permeability)		k _v (cm²)	<u> </u>
		200	200	13.9	SICL]
						•		
		ENTER	ENTER	ENTER	ENTER	ENTER		ENTER
	MORE ↓	Vandose zone SCS	Vadose zone soil dry	Vadose zone soil total	Vadose zone soil water-filled	Vadose zone soil organic		Average vapor flow rate into bldg.
		Soil type Lookup Soil	bulk density, ρ _δ ^A	porosity, n ^v	porosity, θ _ω ν	:arbon fraction,	(Leave blank to calculate) Q _{soil}
		Parameters	(g/cm³)	(unitless)	(cm³/cm³)	(unitless)		(L/m)
		SICL	1.5	0.43	0.3	0.002		5
								•
	THORE I	ENTER	ENTER	· ENTER	ENTER	ENTER Target	ENTER Target hazard	
	MORE ↓	Averaging time for	Averaging time for	Exposure	Exposure	risk for	quotient for	
		carcinogens,	noncarcinogens,	duration, ED	frequency, EF	carcinogens, TR	noncarcinogens, THQ	
		AT _C (yrs)	AT _{NC} (yrs)	(yrs)	(days/yr)	(unitless)	(unitless)	

70

END

30

30

350

1.0E-06

Used to calculate risk-based soil concentration.

RESULTS SHEET

RISK-BASED SOIL CONCENTRATION CALCULATIONS:

INCREMENTAL RISK CALCULATIONS:

Indoor exposure soil conc., carcinogen (µg/kg)	Indoor exposure soil conc., noncarcinogen (μg/kg)	Risk-based indoor exposure soil conc., (µg/kg)	Soil saturation conc., C _{sat} (µg/kg)	Final indoor exposure soil conc., (µg/kg)
NA ·	NA NA	. NA	1.04E+06	. NA

Incremental	Hazard
risk from	quotient
vapor	from vapor
intrusion to	intrusion to
indoor air,	indoor air,
carcinogen	noncarcinogen
(unitless)	(unitless)
NA	1.5E+03

MESSAGE SUMMARY BELOW:

END



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION III ENVIRONMENTAL SCIENCE CENTER 701 MAPES ROAD FORT MEADE, MARYLAND 20755-5350

DATE

January 31, 2005

SUBJECT:

Region III Data QA Review

FROM

Khin-Cho Thaung KCT

Region III ESAT RPO (3EA20)

TO

Lorie Baker

Regional Project Manager (3HS34)



Attached is the organic data validation report for the Elkton Farm site (Case #: 33696, SDG# Coats completed by the Region III Environmental Services Assistance Team (ESAT) contractor under the direction of Region III EAID.

If you have any questions regarding this review, please call me at (410) 305-2743.

Attachments

cc: Peggy Smith (MDE)

TO File #: 0015

TDF#: 0172

Lockheed Martin Information Technology ESAT Region 3 US EPA Environmental Science Center 701 Mapes Road Ft. Meade, MD 20755-5350 Telephone 410-305-3037 Facsimile 410-305-3597

LOCKHEED MARTIN

We never forget who we're working for"

DATE:

January 31, 2005

SUBJECT:

Level M3 Organic Data Validation for Case 33696

SDG: C02J5, C02J6 Site: Elkton Farm

FROM:

Shilpa Udani 🚧

Organic Data Reviewer

Mahboobeh Mecanic Senior Oversight Chemist

TO:

Khin-Cho Thaung

ESAT Region 3 Project Officer

OVERVIEW

Case 33696, Sample Delivery Group (SDGs) C02J5 and C02J6, consisted of twelve (12) soil samples and one (1) associated aqueous trip blank submitted to Envirosystems., Inc. (ENVSYS) for volatile analysis. The sample set included one (1) field duplicate pair. Samples were analyzed according to Contract Laboratory Program (CLP) Statement of Work (SOW) OLM04.3 through Routine Analytical Services (RAS) program.

SUMMARY

Data were validated according to Region III Modifications to the National Functional Guidelines for Organic Data Review, Level M3. All samples were successfully analyzed for all target compounds.

NOTES

- Acetone was detected at a concentration of 2 J ug/Kg, in the analyses of the storage blank (VHBLKFY) in SDG C02J5. Samples C02J5 and C02J9, which had concentrations of this common laboratory contaminant less than ten times (<10X) the blank concentration have been qualified "B" on the Data Summary Form (DSF).
- Several compounds failed precision criteria [Percent Relative Standard Deviation (%RSD) and/or Percent Difference (%D)] in the initial and/or continuing calibrations. No positive results were associated with these outliers. Imprecision did not exceed the 50% criteria, therefore, quantitation limits were not qualified.
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) analyses of sample C02J5 (SDG C02J5) reported recoveries of trichloroethene outside the lower control limits in both analyses. Additionally, the Relative Percent Difference (RPD) for 1,1-dichloroethene was outside the Quality Control (QC) limit. No data were qualified based on MS/MSD recoveries.

Appendix A

Glossary of Data Qualifier Terms

Appendix B

Data Summery Forms

Case #: 33696

Site:

Lab.:

SDG: C02J5

ENVSYS

ELKTON FARM

Number of Soil Samples: 3

Number of Water Samples: 0

Sample Number :		C02J5		C02J9		C02K0					
Sampling Location :		SS1		SS2		SS3	į				
Field QC:											
Matrix:		Soil		Soil		Soil				1	
Units :		ug/Kg		ug/Kg		ug/Kg					
Date Sampled :		12/14/2004		12/14/2004		12/14/2004				•	
Time Sampled :		12:30		15:30		16:05					
%Moisture :		17		27		20					
Dilution Factor :		0.93		0.81		0.98		1			
Volatile Compound	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Dichlorodifluoromethane	10										
Chloromethane	10								Ì		İ
Vinyl Chloride	10				ì			:			 -
Bromomethane	10										
Chloroethane	10				ļ		- 1]] [
Trichlorofluoromethane	10				j						
1,1-Dichloroethene	10) 4 :								
1,1,2-Trichloro-1,2,2-trifluoroethane	10) 		 		İ		l
Acetone	10	3	В	3	В						
Carbon Disulfide	10										1
Methyl Acetate	10				,						
Methylene Chloride	10				Í						1
trans-1,2-Dichloroethene	10										
tert-Butyl Methyl Ether	10										
1,1-Dichloroethane	. 10							1			
cis-1,2-Dichloroethene	10		1								╢.
2-Butanone	10		1 -								4
Chloroform	10		L								ĺ.,
1,1,1-Trichloroethane	10				ļ		ĺ				
Cyclohexane	10	, .									
Carbon Tetrachloride	10	, . · · ·			-			1 1 1 1 1 1	.	od in in C	
Benzene	10					7	J	 		TO DATE FROM THE STATE OF	
1,2-Dichloroethane	10		-		_	Salar Salar	gert A			a foliation	Ting i
Trichloroethene	10	37		75 - 15,	,,	17		general const.		elegana eggegneg	n are
Methylcyclohexane	10_		ĺ	# T	.c		. 6-		-	25	12. 12.
1,2-Dichloropropane	10				ا ا • ر درسا	-,,,,-,-,	.,	n Atom Kinger i		er or georgia	15472 - 275
Bromodichloromethane	10						ا حافية أنه	E. W. Friday	jiid d	tor Laure	
cis-1,3-Dichloropropene	10		1	Service		24° 5 •	4. i.	lagas nauks na		الارتان الملادة	\$ - 2 ° \$
4-Methyl-2-pentanone	10			1	(· · · ·	an _ 1, 2	المؤخية ا	72: 14		The state of the s	X.50
Toluene	10	ا درین		general de la composition della	1. The 1. A			v	8.7 - 11 K. 2 2 2 .		
trans-1,3-Dichloropropene	10.										∦ ``
1,1,2-Trichloroethane	10	generate, in the		F 18 105.	;	rander i delic	-	A TOUR CAL	,	#1,5	
Tetrachloroethene	10	7	;•	Coh Apper	<u> </u>	程序文字	3,	- J. F. F. 4. 7		ST EVE	

Case #: 33696

SDG: C02J5

Site:

ELKTON FARM

Lab.:

ENVSYS

Sample Number:		C02J5	- 5	C02J9	5	C02K0	7	, -	11	. 7	
Sampling Location :		SS1	1	SS2		SS3			i.		1.
Sampling Location :		SS1		SS2	,	SS3			4)
Field QC:	i,		١,					1	i		1
Matrix:	,	Soil	į	Soil	I	Soil	i	1	1,		1
Units:	i	ug/Kg	į	ug/Kg		ug/Kg	į	:	ļ		1
Date Sampled :	ļ	12/14/2004	i	12/14/2004		12/14/2004		i I	ľ		
Time Sampled :	i i	12:30	ì	15:30	ì	16:05	j	! !	í		
%Moisture:		17		27		20	i				
Dilution Factor :		0.93	ا 	0.81		0.98					
Volatile Compound C	RQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
2-Hexanone	10 :	Manar 1.		15:			·.			·	Ė
Dibromochloromethane	10		}				.,				
1,2-Dibromoethane	10	15. 15 14.			[20 3 Th		1.1.1.1	
Chlorobenzene	10	,	ا ا								
Ethylbenzene	10		7				1				
Xylenes (total)	10		ا . ا	i 	,				! .		- +
Styrene	10							2. **		·:	
Bromoform	10							ling in the second		111,5 11.5	\. <u>.</u>
Isopropylbenzene	. 10 .	i					1.	1			127.27
1,1,2,2-Tetrachloroethane	10		į i					∥ Njagart Sat	ļ ,	,.	1 20
1,3-Dichlorobenzene	10	1	· <u> </u>				11.2.2			£_′ .	- ' -
1,4-Dichlorobenzene	10		,		ļ	5.5		4 g-11-, ",			
1,2-Dichlorobenzene	10	S. S. Tr		file to t	·".		:::	1112		Sandaria.	
1,2-Dibromo-3-chloropropane	10			12.7					-	المواجع مواجع المسا	Tr 3
1,2,4-Trichlorobenzene	10	! · · · · ·					ــــا	NADDATIVE	لتتا	1 7- 7:5 1	<u> </u>

CRQL = Contract Required Quantitation Limit

SEE NARRATIVE FOR CODE DEFINITIONS

To calculate sample quantitation limits: (CRQL * Dilution Factor) / (100 - %Moisture) / 100

Revised 09/99

DATA SUMMARY FORM: VOLATILES

Case #: 33696

SDG: C02J6

ELKTON FARM

Number of Soil Samples: 9

Site: Lab.:

ENVSYS

Number of Water Samples: 1

Sample Number :		C02J6		C02J7		C02J8		C02K1	i	C02K2	
Sampling Location :		SS10		SS11		SS12		SS4		SS5	
FieldQC:						Dup. of C02	K2		ļ	Dup. of C02	J8
Matrix:		Soil		Soil		Soil		Soil		Soil	
Units:		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg	
Date Sampled :		1/11/2005		1/11/2005		1/12/2005		1/12/2005		1/12/2005	
Time Sampled :		10:00		11:45		11:30		12:40		11:15	
%Moisture :		20		18	j	20		13		19	
Dilution Factor :		0.89		0.91		1.02		0.81		0.88	
Volatile Compound	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Dichlorodifluoromethane	10										
Chloromethane	10										!
Vinyl Chloride	10							1			ľ
Bromomethane	10	!			ļ.		[1			
Chloroethane	10	, ,	;								
Trichlorofluoromethane	10				ļį.						ļļ
1,1-Dichloroethene	10									r, x	
1,1,2-Trichloro-1,2,2-trifluoroethane	10		:			1					
Acetone	10		i .	i ·				2	J		
Carbon Disulfide	10) i			1			
Methyl Acetate	10	:						: 	į i		
Methylene Chloride	10	}									
trans-1,2-Dichloroethene	10										-
tert-Butyl Methyl Ether	10										
1,1-Dichloroethane	10							1) 		
cis-1,2-Dichloroethene	10					3	J				
2-Butanone	10		·	}			! !-				
Chloroform	10				j :						
1,1,1-Trichloroethane	10		<u> </u>	j- · ·	.					L :	
Cyclohexane	. 10								l		ļ
Carbon Tetrachloride	10		1	- -	ii i			,			1
Benzene	10									:	į
1,2-Dichloroethane	10	,	· · ·	: •							i' Ir
Trichloroethene	10		Į ,			140				62	١
Methylcyclohexane	10		r .					· · · ·			1 =
1,2-Dichloropropane	10		 							_	
Bromodichloromethane	10				i .			(,	
cis-1,3-Dichloropropene	10	į į	_	<u>_</u>	<u> </u>		_				
4-iviethyl-2-pentanone	10		(<u>.</u>					[.]		ŀ
Toluene	10				!]				
trans-1,3-Dichloropropene	- 10		::		n i Hi-i		. 1			· · · · · · · · · · · · · · · · · · ·	-:-
1,1,2-Trichloroethane	10					l	, .		1		
Tetrachloroethene	10	<u> </u>		L			<u></u>	<u> </u>	<u> </u>	5	<u> </u>

DATA SUMMARY FORM: VOLATILES

Case #: 33696

SDG: C02J6

Site:

ELKTON FARM

Lab.:

ENVSYS

2-Hexanone 10 Dibromochloromethane 10 1,2-Dibromoethane 10 Chlorobenzene 10 Ethylbenzene 10 Xylenes (total) 10 Styrene 10 Bromoform 10 tsopropylbenzene 10 1,1,2,2-Tetrachloroethane 10	, Sample Number :	,	C02J6	=	C02J7		C02J8		C02K1		C02K2	
Matrix : Soil	Sampling Location :	,	SS10		SS11		SS12		SS4			
Wathrix Ug/Kg	FieldQC:		,				Dup. of C02	K2 .			Dup. of C02	.J8
Date Sampled :	Matrix:		Soil	1	Soil		Soil		Soil		Soil	,
Date Sampled : 1/11/2005 1/11/2005 1/12/2005	Units:		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg	
Time Sampled: 10:00 11:45 11:30 12:40 11:15 %Moisture: 20 18 20 13 19 Dilution Factor: 0.89 0.91 1.02 0.81 0.88 Volatile Compound CRQL Result Flag Result Flag <t< th=""><th>I</th><th>Į,</th><th>1/11/2005</th><th></th><th>1/11/2005</th><th></th><th>1/12/2005</th><th></th><th>1/12/2005</th><th>,</th><th>1/12/2005</th><th>i</th></t<>	I	Į,	1/11/2005		1/11/2005		1/12/2005		1/12/2005	,	1/12/2005	i
Moisture : 20 18 20 13 19 Dilution Factor : 0.89 0.91 1.02 0.81 0.88 Volatile Compound CRQL Result Flag	i -	;	10:00	1	11:45		11:30		12:40		11:15	1
Dilution Factor : 0.89 0.91 1.02 0.81 0.88	į.		₿ 20		18		20		13	,	19	1
Volatile Compound CRQL Result Flag Result Result <tht></tht> Institute Institute Result </th <th>i.</th> <th></th> <th>0.89</th> <th></th> <th>0.91</th> <th></th> <th>1.02</th> <th></th> <th>0.81</th> <th></th> <th>0.88</th> <th></th>	i.		0.89		0.91		1.02		0.81		0.88	
2-Hexanone 10		CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Dibromochloromethane 10 1,2-Dibromoethane 10 Chlorobenzene 10 Ethylbenzene 10 Xylenes (total) 10 Styrene 10 Bromoform 10 tsopropylbenzene 10 1,1,2,2-Tetrachloroethane 10	<u> </u>	10			:	[4			ji II		
1,2-Dibromoethane 10 Chlorobenzene 10 Ethylbenzene 10 Xylenes (total) 10 Styrene 10 Bromoform 10 isopropylbenzene 10 1,1,2,2-Tetrachloroethane 10		11			1					it	1 I -	
Chlorobenzene 10 Ethylbenzene 10 Xylenes (total) 10 Styrene 10 Bromoform 10 tsopropylbenzene 10 1,1,2,2-Tetrachloroethane 10	ii	10				į.			i! !!	1		
Ethylbenzene 10 Xylenes (total) 10 Styrene 10 Bromoform 10 tsopropylbenzene 10 1,1,2,2-Tetrachloroethane 10	10	10			į	i j		1	_			
Xylenes (total) 10 Styrene 10 Bromoform 10 tsopropylbenzene 10 1,1,2,2-Tetrachloroethane 10	1.	10	ii : .	ll' j					i') }	į	
Styrene 10 Bromoform 10 isopropylbenzene 10 1,1,2,2-Tetrachloroethane 10	II -	10		į l		ĺ	1	i I		Ĺ		
Bromoform 10		10			i i	1		la d		l!		
tsopropylbenzene 10	11 -	10					11 11 11			j		
1,1,2,2-Tetrachloroethane 10	N 777	10			_		-			-		li Li
I totale consideration in the first terms of the fi	1.	10			! !		Ĭ.					
1,3-Dichlorobenzene 10	# · · · ·	10		1		1	f' is]
1,4-Dichlorobenzene 10	1	11	,	l I		ľ]			1		
1,2-Dichlorobenzene 10		4	л ii	1	' · ·	A .		1		1.		
1,2-Dibromo-3-chloropropane 10		11 .		H		1			1			
1,2,4-Trichlorobenzene 10		Б		i 			T					

CRQL = Contract Required Quantitation Limit

SEE NARRATIVE FOR CODE DEFINITIONS

To calculate sample quantitation limits: (CRQL * Dilution Factor) / (100 - %Moisture) / 100

Revised 09/99

Case #: 33696

SDG: C02J6

Site : Lab. : ELKTON FARM ENVSYS

Sample Number :		C02K3		C02K4		C02K5		C02K6	ì		
Sampling Location :		SS6		SS7		SS8		SS9			
Field QC:								! 			
Matrix :		Soil		Soil		Soil		Soil		1	
Units:		ug/Kg		ug/Kg		ug/Kg		ug/Kg			
Date Sampled :		1/11/2005		1/11/2005		1/12/2005		1/12/2005			
Time Sampled :		13:55		15:25		09:15		10:30			
%Moisture:		14	Ì	20		7	ļ	9			
Dilution Factor :		1.09		0.86		0.98		1.22		<u></u>	·
Volatile Compound	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Dichlorodifluoromethane	10										1
Chloromethane	10			1				<u> </u>		ļ ,	1
Vinyl Chloride	10			į							ļ. ·
' Bromomethane	10								ŀ		Ĥ.
Chloroethane	10			1 .	.				1	i	
Trichlorofluoromethane	10			ĺ							Ĥ.
1,1-Dichloroethene	10	ţ. Į			į			ļ			
1,1,2-Trichloro-1,2,2-trifluoroethane	10								ļ		l
Acetone	10	4	J	4	J	4	J	. 3	.J		j
Carbon Disulfide	10				į į						l .
Methyl Acetate	10							_		:	ĺ
Methylene Chloride	10						. !	! !			1 .
trans-1,2-Dichloroethene	10										ĺ
tert-Butyl Methyl Ether	10			ļ ļ	ļ		. i	ļ			
1,1-Dichloroethane	10								اا . د		l . }
cis-1,2-Dichloroethene	10			1	,		1				ĺ
2-Butanone	_10			i	٠. ا		-	. 1.	_		į
Chloroform	10				ļ		į.		[] []		Į.
1,1,1-Trichloroethane	10				1			1	i,		
Cyclohexane	10		Ì	1	ļ		į				İ
Carbon Tetrachloride	10	2 22 .	. (ļ	i j	ji	٠. ز	1 =
Benzene	10		1	1	ļ			ļ	1		į.
1,2-Dichloroethane	10		- 1					::-	. [d : .
Trichloroethene	10				. [. "		
Methylcyclohexane .	10				1		. !		- i		i
1,2-Dichloropropane	10					,			-	,	
Bromodichloromethane	_10	- 1	ii h				1	(_			, . J
cis-1,3-Dichloropropene	10	ļ	ļ	_	ļ	ļ <u>.</u> .		l			ļ
4-Methyl-2-pentanone:	10		ľ		!	l li	18		. 1		j
Toluene	10		į	│ .			i		ľ		l.
trans-1,3-Dichloropropene	10		.		[(- !!		; · .
1,1,2-Trichloroethane	10		.		ļ	,]	i	,			ļ
Tetrachloroethene	10			الـــــا			<u></u>	السنتنيا		<u></u>	<u> </u>

Case #: 33696

SDG: C02J6

Site:

ELKTON FARM

Lab.:

ENVSYS

Sample Number:	;	C02K3	•	C02K4		C02K5	C02K6	, -	7
Sampling Location :		SS6	1	SS7		SS8	SS9		
Field QC:			,		,		d.		
Matrix:	1	Soil	ŀ	Soil		Soil	Soil	, (:
Units:	Ì	ug/Kg		ug/Kg		ug/Kg	ug/Kg		ıl
Date Sampled :	i.	1/11/2005		1/11/2005	'	1/12/2005	1/12/2005	<u>,</u>	14
Time Sampled :	1	13:55	ı	15:25		09:15	10:30	1	i
%Moisture:	:	14	i	20		7	9		,
Dilution Factor :		1.09		0.86		0.98	1.22		
Volatile Compound	CRQL	Result	Flag	Result	Flag	Result Flag	Result Flag	Result Fla	ag .
2-Hexanone	10								Ì
Dibromochloromethane	10			1	ii i	i i			
1,2-Dibromoethane	10		3 to) .				I
Chlorobenzene	10			1	d q				.
Ethylbenzene	10	1		1	11.3			į į	ł
Xylenes (total)	10	i I			1				
Styrene	10			!	ii * !	1			- 1
Bromoform	10				i.				j
Isopropylbenzene	10			-) -			- 1	. ;
1,1,2,2-Tetrachloroethane	10							l l	
1,3-Dichlorobenzene	10		i i						- 1
1,4-Dichlorobenzene	10				la Li			1	
1,2-Dichlorobenzene	10		1					j i jes	. ;
1,2-Dibromo-3-chloropropane	10				į .			i .	
1,2,4-Trichlorobenzene	10				<u> </u>		1		

CRQL = Contract Required Quantitation Limit

To calculate sample quantitation limits: (CRQL * Dilution Factor) / (100 - %Moisture) / 100

SEE NARRATIVE FOR CODE DEFINITIONS

Revised 09/99

DATA SUMMARY FORM: VOLATILES

Case #: 33696

SDG : C02J6 ELKTON FARM

Site : Lab. :

ENVSYS

Sample Number :		C02K7									
Sampling Location :		S15									
Field QC:		Trip Blank									
Matrix:		Water] }			
Units:		ug/L								ĥ	
Date Sampled :		1/12/2005									
Time Sampled :		11:45									
pH:		< 2				(
Dilution Factor:		1.0					~			!! {	
Volatile Compound	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Dichlorodifluoromethane	10)		ři P			: .			
Chloromethane	10								1.		
*Vinyl Chloride	10		ĺ				Į.				
Bromomethane	10			H -	ļi .		1		1	-	i i
Chloroethane	10	.		-				· .	İ		ŀ
Trichlorofluoromethane	10				}) 		ļ		Ì		
*1,1-Dichloroethene	10		li le		ļ l		Į.				į
1,1,2-Trichloro-1,2,2-trifluoroethane	10	ĺ	ļ						1		
Acetone	10	il		!	li V	ļ.:	i	i I	i		
Carbon Disulfide	10						I	! !	Ú		
Methyl Acetate	10)	,			i		
*Methylene Chloride	10								ĺ		H :
trans-1,2-Dichloroethene	10										
tert-Butyl Methyl Ether	10		A H); }•							
1,1-Dichloroethane	10			-	`` } :		ļ i		/ ·		; ;
cis-1,2-Dichloroethene	10		{ [i .	1			
*2-Butanone	10) · · · · ·	Fr. 1			ji l
Chloroform	10					l L					
*1,1,1-Trichloroethane	10]† 					li :		į.	·	1
Cyclohexane	10			11	į į				N.	<u>!</u> 	
*Carbon Tetrachloride	10		1	-	ir i	į.·	il !		(· ·		-
*Benzene	10		1	1					li .	- -	
*1,2-Dichloroethane	10	lt L			ļ i		ا ع.	··.	li li		-
Trichloroethene	10			ii L					.		
Methylcyclohexane	10	ļi H		ı; İr			h ··!		,		ji Y
*1,2-Dichloropropane	10			Ą	i		ļ				
Bromodichloromethane	10	n. H .	i i				H .:		ļ :		1
cis-1,3-Dichloropropene	10	1	1								1
4-Methyl-2-pentanone	10	- 	i	ľ.	[- <u>.</u>		ĵ : -i	-	ľ.	-:	f. II
*Toluene	10)			
trans-1,3-Dichloropropene	10					į .			ŀ		
1,1,2-Trichloroethane	10				ļ l		il i				
*Tetrachloroethene	. 10		Ľ	<u> </u>	<u> </u>		! !	<u> </u>	<u> </u>	<u> </u>	<u></u>

DATA SUMMARY FORM: VOLATILES

Case #: 33696

SDG: C02J6

Site:

ELKTON FARM

Lab.:

ENVSYS

,		C02K7			,,		,:	7 - 			27
Sample Number :	1		,			•					,
Sampling Location :		S15									
Field QC:		Trip Blank	1		1	1	- 1				
Matrix:	,	Water	:			1	ļ		;		
Units:	,	ug/L			1				1	i 	4
Date Sampled :	1	1/12/2005	į		:	:]	1		i		1
Time Sampled :	,	11:45	İ	ı	i i	 	:				
pH:		< 2	ļ		!	I	j		I		
Dilution Factor:		1.0				l 			ا ب =	****	الحصيح
Volatile Compound	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
2-Hexanone	10										i
Dibromochloromethane	10	!	'i !						ļ ļ		i
1,2-Dibromoethane	10	,	,	,			-				
*Chlorobenzene	10	1	1								
*Ethylbenzene	10			į. ,		1			ŀ		· (
Xylenes (total)	10				li Li		_				
*Styrene	10		i ir			· · ·			1		
Bromoform	10	_			li I						
Isopropylbenzene	10	lg •	li Ri			1		,) }}	· .	
1,1,2,2-Tetrachloroethane	10				1	_			ji L		
*1,3-Dichlorobenzene	10			1	i'				l l		,
*1,4-Dichlorobenzene	10		i k		Ú		ļ. ;		ji pt	i ~ · · · ·	ļ
1,2-Dichlorobenzene	10	1		j: • ·	i.				ir		
1,2-Dibromo-3-chloropropane	10		li II		ĺ		1] ![1 .		
1,2,4-Trichlorobenzene	10		j						! !		

CRQL = Contract Required Quantitation Limit

*Action Level Exists

SEE NARRATIVE FOR CODE DEFINITIONS

Revised 09/99

To calculate sample quantitation limits: (CRQL * Dilution Factor)

Appendix C

Chain-of-custody Records

USEPA Contract Laboratory Program Organic Traffic Report & Chain of Custody Record

Case No:

33696

DAS No:

P32050

Region:	3	Date Shipped:	1/11/2005	Chain of Custody	Record	Sampler Signature:	·
Project Code:	2004T03W302DD2C037ZLA00	Carrier Name: Airbill:	FedEx 850760667225	Relinquished By	(Date / Time)	Received By	(Date / Time)
Account Code: CERCLIS ID:	MDD985407196	Shipped to:	Envirosysiems, inc.	1			
SpUI ID:			9200 Rumsey Rd. Suite B102	2			
Site Name/State:	ELKTON FARM FIREHOLE FUDS/MD	1	Columbia MD 21045	2		 	
Project Leader: Action:	Alex Cox Expanded Site Investigation/RI		(410) 964-0330	3		 	
Sampling Co:	MDE-ERRP			4			

				· · · · · · · · · · · · · · · · · · ·					
	ORGANIC SAMPLE No.	MATRIX/ SAMPLER	CONC/ TYPE	ANALYSIS/ TURNAROUND	TAG No./ PRESERVATIVE/ Bottles	STATION LOCATION	SAMPLE COLLECT DATE/TIME	INORGANIC SAMPLE No.	QC Type
				41 14 14 1011 1104	2714 (Ice Only), 2716 (Ice	\$810	S: 1/11/2005 10:00	MC02J6	_
•	C02J8	Subsurface Soil	LG	% Moist (21), VOA		0010			
		(>12")/		(21)	Only), 2717 (ice Only), 2718				
	•	Philip Anderson			(ice Only) (4)	8511	S: 1/11/2005 11:45	MC02J7	_
	CD2J7	Subsurface Soil	ЦG	% Moist (21), VOA	2719 (Ice Only), 2721 (Ice	, 6 911	G. 11 112000 11340	11,002	
/		(>12")/		(21)	Only), 2722 (Ice Only), 2723		•		•
		Philip Anderson			(ice Only) (4)	200	S: 1/11/2005 13:55	MC02K3	•
	C02K3	Subsurface Soil	L/G	% Moisl (21), VOA	2749 (Ice Only), 2751 (Ice	886	S: 1/11/2003 13.03	MODELLO	
	OCHIC	(>12")/		(21)	Only), 2752 (Ice Only), 2753	•	•		
,		Philip Anderson			(lae Only) (4)		S: 1/11/2005 15:25	MC02K4	-
	C02K4	Subsurface Soil	ĽG	% Moist (21), VQA	2754 (los Only), 2756 (lcs	SS7	S; 1/11/2005 15:25	MOUSINA	•
	OUZINA .	(>12")/		(21)	Only), 2757 (Ice Only), 2758				
		Philip Anderson		* *	(tce Only) (4)				
		I Inth a strict sour		•					

		Additional Sampler Signatura(s):	Chain of Custody Seal Number:
	Sample(s) to be used for laboratory QC;	Legitimetrici actividas asilicarias 1-1.	
Complete? N	• '		
1			Sideman Alanda
Analysis Key:	Concentration: L = Low, N = Low/Medium, H = High	Type/Designale: Cumposite = C, Grab = G	Shipment iced?
	DA = CLP VOCS (SOLIDS)		

01/28/2005

[TX/RX NO 8831]

図007

Appendix D

Laboratory Case Narrative

I CERTIFY THAT THIS DATA PACKAGE IS IN COMPLIANCE WITH THE TERMS AND CONDITIONS OF THE CONTRACT, BOTH TECHNICALLY AND FOR COMPLETENESS, FOR OTHER THAN THE CONDITIONS DETAILED ABOVE. RELEASE OF THE DATA CONTAINED IN THIS HARDCOPY DATA PACKAGE AND IN THE COMPUTER-READABLE DATA SUBMITTED ON DISKETTE HAS BEEN AUTHORIZED BY THE LABORATORY MANAGER OR HIS/HER DESIGNEE, AS VERIFIED BY THE FOLLOWING SIGNATURE:

William Brewington DATE: 1/3

William Brewington Organics Section Manager January 2005

Each of the ten MS/MSD recoveries and each of the five MS/MSD RPD values were within the EPA advisory QC limits for water.

Manual integrations were performed on the following samples and/or standards due to poor peak shape, coelution and/or low response: VSTD010BY, VSTD020BY, VSTD010FZ, VSTD020FZ, VSTD050FZ, VSTD100FZ and VSTD200FZ.

I CERTIFY THAT THIS DATA PACKAGE IS IN COMPLIANCE WITH THE TERMS AND CONDITIONS OF THE CONTRACT, BOTH TECHNICALLY AND FOR COMPLETENESS, FOR OTHER THAN THE CONDITIONS DETAILED ABOVE. RELEASE OF THE DATA CONTAINED IN THIS HARDCOPY DATA PACKAGE AND IN THE COMPUTER-READABLE DATA SUBMITTED ON DISKETTE HAS BEEN AUTHORIZED BY THE LABORATORY MANAGER OR HIS/HER DESIGNEE, AS VERIFIED BY THE FOLLOWING SIGNATURE:

William Brewington Organics Section Manager DATE:

25 January 2005

U.S. EPA REGION III Analytical Services & Quality Assurance Branch Fort Meade, Maryland

ASQAB LABORATORY REPORT FINAL DATA

ELKTON FARMS

Lab Request #: REQ05043 Request Form #: DAS R32050

Report prepared on: February 7, 2005

Approval for release:

ASQAB Representative

Site contact(s):Lorie Baker (3HS34)
Alex Cox

RECEIVED

FEB 0 9 2005

EPPD

Page 1 of 1

U.S. EPA REGION III ANALYTICAL SERVICES & QUALITY ASSURANCE BRANCH

. SITE NAME:

ELKTON FARMS

LAB REQUEST # REQ05043

SAMPLE DESCRIPTIONS

						End Collection
Sample #	<u>Station</u>	Description.		Matrix	Type	Date Time
04121501	S1	R31884-S1	•	Soil	GRAB.	12/14/2004 12:30
04121502	s1-x	R31884-S1-X		Soil	GRAB	12/14/2004 12:30
04121503	S2	R31884-S2	•	Soil	GRAB	12/14/2004 15:30
04121504	s2-x	R31884-S2-X		Soil	GRAB .	12/14/2004 15:30
04121505	S3	R31884-S3		Soil	GRAB	12/14/2004 16:10
04121506	s3-x	R31884-S3-X		Soil	GRAB	12/14/2004 16:10

TT	Q	EDA	PECTON	TTT	ANALYTICAL	SERVICES	£	OTTAT.TTY	ASSITRANCE	BRANCH
υ.	. o .	LIFA	KEGIUN		MINITITUM	SEKATCES	œ	COMPTIT	WOODLESTICE	DIGHT

Page 1 of 1

REQUEST #: REQ05043		TESTS REQUESTED		
	· · · · · · · · · · · · · · · · · · ·	-		
INORGANICS	•	041215		• •
		01 03 05	•	
Percent Dry Weight		xxx		
				
Perchlorate by IC		XXX		
		2.00		
ORGANICS	4	041215		
			•	
•	•	02 04 06	•	
Nitroaromatics and Nitramia	age bur NDTC	xxx		

(X = Test Requested)

USEPA Region III Analytical Services & Quality Assurance Branch

ELKTON FARMS SITE NAME: LAB REQUEST #: RE005043

OUALIFIER CODE AND GLOSSARY DEFINITIONS

Qualifier Codes Applied to Sample Results (NOTE: for organic analyses only detected target compounds are reported)

- Not detected substantially above (10 times) the level reported in the laboratory or field blanks (includes field, trip, rinsate, and equipment blanks).
- See report narrative for analyst's comments and observations concerning this result.
- Value exceeds a theoretically greater value (e.g., dissolved>total, orthophosphate>total phosphorus). However, the difference is within the expected precision of the analytical techniques and is not statistically significant.
- The identification of the analyte is acceptable; the reported value is an estimate.
- The identification of the analyte is acceptable; the reported value may be biased high. The actual value is expected to be less than
- the reported value. The identification of the analyte is acceptable; the reported value may be biased low. The actual value is expected to be greater than the reported value.
- There is presumptive evidence that the analyte is present; the analyte is reported as a tentative identification.
- There is presumptive evidence that the analyte is present; the analyte is reported as a tentative identification. The reported value is an estimate.
- Not analyzed analysis not performed.
- Not requested analysis not requested.
- The presence or absence of the analyte can not be determined from the data due to severe quality control problems. R
- The data are rejected and considered unusable.
- Tentatively Identified Compound. Identified as a result of a library search using the EPA/NIST Mass Spectral Library. Standards were not used to verify the identity and quantity of the compound. The reported value is an estimate.
- The analyte was not detected at or above the reporting limit.
- The analyte was not detected at or above the reporting limit. The reporting limit is an estimate.
- The analyte was not detected. The reporting limit is probably higher due to indications of a low bias.
- Less than.

Qualifier Codes Applied to Quality Control Results

- Quality control value is outside acceptance limits. Α
- Sample and/or laboratory duplicate values are below the reporting limit. No precision data reported.
- Spike recovery too dilute for accurate quantitation.

Qualifier Codes Applied to Microbiology Results

- Less than.
- Less than or equal to.
- Greater than or equal to.
- Greater than.

Glossary:

- Numbers in parentheses are analytical spike recoveries (e.g., post-digestion spikes).
- Numbers in brackets are matrix spike recoveries (e.g., pre-digestion spikes).
- CFU
- A prepared sample aliquot fortified with a known concentration of target analyte(s) or a representative subset of target ISF
- analytes and analyzed. Its purpose is to determine whether the sample matrix contributes bias to the analytical results. A sample aliquot fortified with a known concentration of analyte(s) or a representative subset of target analytes and carried LSF
- throughout the entire lab method. It is analyzed to determine whether the sample matrix contributes bias to the analytical results. Matrix spike/matrix spike duplicate; a known increment of target analyte added to a sample before preparation or analyses.
- MS/MSD
- Value obtained by Method of Standard Additions in which calibration standards are prepared in the sample matrix MSA
- (see EPA method 200.9). Relative Percent Difference (RPD) is used to measure precision when duplicates are analyzed. RPD
- Percent Recovery (%Rec) is an expression of accuracy. *Rec

J.S EPA REGION III ANALYTICAL SERVICES & QUALITY ASSURANCE BRANCH

SITE NAME

: ELKTON FARMS

LAB REQUEST #: REQ05043

INORGANIC ANALYTICAL SAMPLE RESULTS

SAMPLE NUMBER: STATION ID:	04121501 S1 Sample	04121503 82 Sample	04121505 S3 Sample
Percent Dry Weight	<u></u>		
Percent Dry Weight (105C)	85.8 %	80.7 %	81.7 %
Perchlorate by IC	· .	· .	
Perchlorate	<0.005 mg/Kg	<0.005 mg/Kg	<0.005 mg/Kg

J.S EPA REGION III ANALYTICAL SERVICES & QUALITY ASSURANCE BRANCH

ITE NAME:

ELKTON FARMS

AB REQUEST #: REQ05043

INORGANIC QUALITY CONTROL RESULTS

SAMPLE NUMBER:

Units:

04121501

04121505

STATION ID:

S1

83

'ercent Dry Weight

Percent Dry Weight (105c)

erchlorate by IC

Perchlorate

[] = LSF

() = ISF

RPD

% REC

RPD

94]

U.S. EPA REGION III ANALYTICAL SERVICES & QUALITY ASSURANCE BRANCH

Page 1 of 1

Site Name : ELKTON FARMS

Lab Request #: REQ05043

Wet Dry Conversion Table

The wet/dry weight conversion table is presented for the convenience of the data user. The attached analyst narratives state whether a test was determined on a wet or dry weight basis. Any difference in significant figures between the two columns is an artifact of the reporting function and does not imply that the calculated value has greater precision than the measured value.

Sample Number	Station ID						<u>Units</u>	<u>Wet</u>	Dry
04121501	S1	SAM	Percent Dry Weight (105C)	85.8	Perchlorate by IC	Perchlorate	mg/Kg	< 0.005	< 0.006
04121503	S2	· SAM	Percent Dry Weight (105C)	80.7	Perchlorate by IC	Perchlorate	mg/Kg	< 0.005	< 0.006
04121505	S3	SAM	Percent Dry Weight (105C)	81.7	Perchlorate by IC	Perchlorate	mg/Kg	< 0.005	< 0.006

Perchlorate Determinations

Analyst:

Ronald H. Altman Chemist

Method:

The ELKTON FARMS soil samples (REQ05043) were analyzed for Perchlorate using EPA Method 314.0¹ (Determination of Perchlorate in Drinking Water using Ion Chromatography). The soil samples were prepared for inorganic analysis by adding 20 mL of Milli-Q water to approximately four grams of the wet soil sample. The slurry was then vortexed for one minute. The prepared samples were centrifuged for 10 minutes at 2000 rpm. The liquid phase was filtered through a 0.45µm syringe filter prior to running the perchlorate analysis on the Dionex DX-600. A laboratory reagent blank (LRB), laboratory fortified blank (LFB) and a laboratory fortified blank at the maximum conductivity threshold (LFB at MCT) were prepared and taken through the process. In addition a matrix duplicate (LD2) and a matrix spike (LSF) were also prepared for each set of 10 samples and taken through the process.

Since no positive results were found for the soil samples, it was unnecessary to confirm the results by LC/MS.

¹ US EPA Method 314.0, Determination of Perchlorate in Drinking Water Using Ion Chromatography, Revision 1.0, November 1999

Percent Dry Weight Determinations

Analyst:

Thomas Reppert Environmental Scientist

Method:

The soil samples from ELKTON FARMS (REQ05043) were analyzed for Percent Dry Weight. The samples were dried at 105°C following the procedure outlined in the Region III ASQAB laboratory SOP #R3QA056.2.

These results are to be used to convert analyte concentrations to a dry weight basis for organic and non-metal analyses. Normally, analytical values are reported on a wet weight basis for organics and non-metals.

SITE NAME:

ELKTON FARMS

LAB REQUEST #: REQ05043

Sample Number:	04121501	04121502	04121503	04121504	04121505
Station ID:	S1	S1-X	S2	S2-X	. S3
_	SAMPLE	SAMPLE	SAMPLE	SAMPLE	SAMPLE
itroaromatics and Nitramines by HPLC					
1-Amino-2,6-dinitrotoluene		0.065 mg/Kg		0.062 mg/Kg	•
-Amino-4,6-dinitrotoluene		0.042 mg/Kg		0.045 mg/Kg	
Dinitrotoluene isomers (2,4- and 2,6-)		0.105 mg/Kg	•		
2,4,6-Trinitrotoluene	•	0.046 mg/Kg	•	0.017 J mg/Kg	
		0	• •	· .	
ercent Dry Weight					
Percent Dry Weight (105C)	85.8 %		80.7 %		81.7 %

Page 2 of 2

U.S. EPA REGION III ANALYTICAL SERVICES & QUALITY ASSURANCE BRANCH

SITE NAME:

ELKTON FARMS

LAB REQUEST #: REQ05043

ORGANIC ANALYTICAL SAMPLE RESULTS

Sample Number: 04121506
Station ID: S3-X
SAMPLE

Nitroaromatics and Nitramines by HPLC

4-Amino-2,6-dinitrotoluene 0.108 mg/Kg
2-Amino-4,6-dinitrotoluene 0.105 mg/Kg
Dinitrotoluene isomers (2,4- and 2,6-)
2,4,6-Trinitrotoluene 0.345 mg/Kg

Percent Dry Weight

Percent Dry Weight (105C)

SITE NAME:

ELKTON FARMS

LAB REQUEST #: REQ05043

ORGANIC QUALITY CONTROL (SURROGATE RECOVERIES)

Matrix: SOLIDS

•	SAMPLE NUMBER:	04121502	04121504	04121506
•	STATION ID:	s1-X	52-X	83-X
SURROGATES	LIMITS	SAMPLE	SAMPLE	SAMPLE
Nitroaromatics and Nitramines by HPLC	Range	% REC	% REC	% REC
1,2-Dinitrobenzene	(70-130)	110	100	101 ·

ITE NAME

: ELKTON FARMS

AB REQUEST # : REQ05043

ORGANIC QUALITY CONTROL (MATRIX SPIKE RECOVERIES)

atrix : SOLIDS

SAMPLE NUMBER :

04121502

STATION ID

S1-X

NALYTES	Spike	Recovery	Recovery	RPD	
	<u>MS</u>	MSD	Limits	RPD	<u>Limits</u>
itroaromatics and Nitramines by HPLC	*	•	Range	RPD	Limit
-Amino-2,6-Dinitrotoluene	80	83	(70-130)	4	25
-Amino-4,6-Dinitrotoluene	102	101	(70-130)	1	25
,3-Dinitrobenzene	102	107	(70-130)	5	25
initrotoluene isomers (2,4- and 2,6-)	108	112	(70-130)	4	25
DX	90	101	(70-130)	12	25
etryl	94	98	(60-130)	4	- 25
litrobenzene ·	96	95	(70-130)	0	.25
!-Nitrotoluene	89	96	(70-130)	8	25
3-Nitrotoluene	106	101	(70-130)	5	25
1-Nitrotoluene	95 .	96	(70-130)	1	25
łMX	93	92	(60-130)	1	25
,3,5-Trinitrobenzene	100	106	(70-130)	6	. 25
!,4,6-Trinitrotoluene	93	100	(70-130)	8	25

Page 1 of 1

U.S. EPA REGION III ANALYTICAL SERVICES & QUALITY ASSURANCE BRANCH

SITE NAME:

ELKTON FARMS

LAB REQUEST #: REQ05043

ORGANIC LABORATORY REAGENT BLANK RESULTS

Nitroaromatics and Nitramines by HPLC

Date Prepared: DEC-20-2004

SURROGATES

1,2-Dinitrobenzene

100 % REC

Page 1 of 1

U.S. EPA REGION III ANALYTICAL SERVICES & QUALITY ASSURANCE BRANCH

SITE NAME:

04121506

ELKTON FARMS

LAB REQUEST #:

REQ05043

SUPPLEMENTAL SAMPLE INFORMATION

1

Nitroaromatics and Nitramines by HPLC

NQL Factor is an overall correction factor applied to the method's Nominal Quantitation Limit to correct for analytical adjustments made during the analysis.

USEPA Region III Office of Analytical Services and Quality Assurance (OASQA) Nitroaromatic and Nitramine Analysis Nominal Quantitation Limits (NQL)

Units: Soil = mg/Kg

Actual Quantitation Limit = (NQL Factor) X NQL

CAS#	Compound	NQL
35572-78-2	2-Amino-4,6-dinitrotoluene (2-Am-DNT)	0.05
99-65-0	1,3-Dinitrobenzene (1,3-DNB)	0.05
121-14-2	2,4-Dinitrotoluene (2,4-DNT)	0.05
2691-41-0	Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	. 0.10
98-95-3	Nitrobenzene (NB)	0.05
121-82-4	Hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX)	0.10
99-35-4	1,3,5-Trinitrobenzene (1,3,5-TNB)	0.05
118-96-7	2,4,6-Trinitrotoluene (TNT)	0.05
1946-51-0	4-Amino-2,6-Dinitrotoluene (4-Am-DNT)	0.05
88-72-2	2-Nitrotoluene (2-NT)	0.05
99-08-1	3-Nitrotoluene (3-NT)	0.05
99-99-0	4-Nitrotoluene (4-NT)	0.05
479-45-8	Methyl-2,4,6-trinitrophenylnitramine (Tetryl)	0.10
606-20-2	2,6-Dinitrotoluene (2,6-DNT)	0.05

The "Nominal Quantitation Limit" listed for each target compound is based on the Superfund CLP Protocol. The Actual Quantitation Limits are related to the NQLs by the NQL Factor. This NQL Factor reflects procedural steps, e.g., extract dilution, which influence quantitation limits.

Nitroaromatic/Nitramine Analysis by HPLC

Analyst:

Jennifer Gundersen Chemist

Method:

Three solid samples from ELKTON FARMS (REQ05043) were analyzed for nitroaromatic and nitramine explosives and related degradation products (SW-846 Method 8330 analytes). The samples were collected on December 14, 2004, extracted on December 19-20, 2004, and analyzed December 21-22, 2004. All samples were extracted and analyzed according to R3-QA221.1, a combined method based on SW-846 Methods 8000 and 8330.

All results are reported on an air dried weight basis. Results are qualified "J", estimated, when they are below the calibration range.

Quality Control:

All samples were extracted and analyzed within holding time.

Initial calibration and second source verification were within acceptance limits.

Continuing calibrations were within acceptance limits with the exception of nitrobenzene in one continuing calibration standard. The percent recovery was above QC acceptance limits. Nitrobenzene was not detected in any samples and all other QC criteria for nitrobenzene were met. This is not expected to impact data quality.

All surrogate recoveries were within acceptance limits.

All matrix spike recoveries and relative percent differences were within acceptance limits.

Recoveries of lab fortified blanks (LFBs) and second source audits (LCMs) were within limits.

Lab method blanks (LRBs) showed no contamination by target analytes.



USEPA Contract Laboratory Program Generic Chain of Custody

Reg 05043

Reference Case 33696 Client No: R31884

SDG No:

Date Shipped:	12/14/2004	Chain of Custod	y Record	Sampler Sign ature:		For Lab Use Only	<i>'</i>
Carrier Name:	Hand Delivery	Relinguished By	(Date / Time)	Received By	(Date / Time)	Lab Contract No:	
Airbill:	ERRP121404	1000	1214/04 1800	Jan and Donat	12.15.04 1020		
Shipped to: ·	ASQAB	72	10109	140mas Kaput	12113.04. 1020	Unit Price:	
	USEPA Region III	2				Transfer To:	
	701 Mapes Road Fort Meade MD 20755	3				Lab Contract No:	
	(410) 305-2667	4			·	Unit Price:	

•				1			01111	
SAMPLE No.	MATRIX/ SAMPLER	CONC/ TYPE	ANALYSIS/ TURNAROUND	TAG No./ PRESERVATIVE/ Bottles	STATION LOCATION	SAMPLE COLI DATE/TIMI		FOR LAB USE ONLY Sample Condition On Receipt
R31884-S1	Surface Soil (0"-12")/	M/G	PER (50)	2633 (Ice Only) (1)	R31884-S1	S: 12/14/2004	12:30	04121501
R31884-S1-X	Philip Anderson (1) Surface Soil (0"-12")/	M/G	NIT_ARO (50)	2644 (Ice Only), 2645 (Ice Only) (2)	R31884-S1-X	S: 12/14/2004	12:30	02
R31884-S2	Philip Anderson M Surface Soil (0"-12")/	M/G	PER (50)	2648 (Ice Only) (1)	R31884-S2	S: 12/14/2004	15:30	03
R31884-S2-X	Philip Anderson Surface Soll (0"-12")/	M/G	NIT_ARO (50)	2668 (Ice Only) (1)	R31884-S2-X	S: 12/14/2004	15:30	04
R31884-S3	Philip Anderson Surface Soil		PER (50)	2649 (Ice Only) (1)	R31884-S3	S: 12/14/2004	16:10	05
R31884-S3-X	Philip Anderson Surface Soil (0"-12")/	M/G M	NIT_ARO (50)	2671 (Ice Only) (1)	R31884-S3-X	S: 12/14/2004	16:10	06

Shipment for Case Complete?N	Sample(s) to be used for laboratory QC:	Additional Sampler Signature(s):	Cooler Temperature Upon Receipt:	Chain of Custody Seal Number:
Analysis Key:	Concentration: L = Low, M = Low/Medium, H = High	Type/Designate: Composite = C, Grab = C	3	Custody Seal Intact? Shipment iced?
NIT ARO = Nitroaroma	atics, PER = Perchlorates			

NIT_ARO = Nitroaromatics, PER = Perchlorates

U.S. EPA REGION III Analytical Services & Quality Assurance Branch Fort Meade, Maryland

ASQAB LABORATORY REPORT FINAL DATA

ELKTON FARMS

Lab Request #: REQ05053 Request Form #: DAS R32050



Report prepared on: March 17, 2005

Approval for release:

ASQAB Representative

Site contact(s): Lorie Baker (3HS34) Alex Cox

SITE NAME:

ELKTON FARMS

LAB REQUEST # REQ05053

SAMPLE DESCRIPTIONS

			Matrix	Type	End Collection Date Time
Sample #	Station	<u>Description</u>	Soil	GRAB	01/11/2005 09:25
05011201	S10	R31884-S10	Soil	GRAB	01/11/2005 09:25
05011202	s10-X	R31884-S10-X	Soil	GRAB	01/11/2005 11:25
05011203	\$11	R31884-S11	Soil	GRAB	01/11/2005 11:25
05011204	S11-X	R31884-S11-X	Soil	GRAB ,	01/11/2005 13:10
05011205	S6	R31884-S6	Soil	GRAB	01/11/2005 13:10
05011206	s6-x	R31884-S6-X	Soil	GRAB	01/11/2005 15:15
05011207	s7	R31884-S7	Soil	GRAB	.01/11/2005 15:15
05011208	57-X	R31884-S7-X	Soil	GRAB	01/11/2005 10:00
05011209	SS10	R31884-SS10	Soil	GRAB	01/11/2005 10:00
05011210	SS10-X	R31884-SS10-X	Soil	GRAB	01/11/2005 11:45
05011211	SS11	R31884-SS11	Soil	GRAB	01/11/2005 11:45
05011212	SS11-X	R31884-SS11-X	Soil	GRAB	01/11/2005 13:55
05011213	SS6	R31884-SS6	Soil	GRAB	01/11/2005 13:55
05011214	ss6-x	R31884-SS6-X	Soil	GRAB	.01/11/2005 15:25
05011215	ss7	R31884-SS7	Soil	GRAB	01/11/2005 15:25
05011216	SS7-X	R31884-SS7-X	Soil	GRAB	01/12/2005 11:25
05011217	S12	R31884-S12	Soil	GRAB	01/12/2005 11:25
05011218	S12-X	R31884-S12-X	Soil	GRAB	01/12/2005 12:30
05011219	(GI) S4	R31884-S4	Soil	GRAB	01/12/2005 12:30
05011220	\$4-X	R31884-S4-X	Soil	GRAB	01/12/2005 11:10
√ 05011221	S5	R31884-S5	•	GRAB	01/12/2005 11:10
√05011222	\$5-X	R31884-S5-X	Soil	GRAB	01/12/2005 09:10
05011223	S8	R31884-S8	Soil	GRAB	01/12/2005 09:10
05011224	s8-X	R31884-S8-X	Soil		01/12/2005 10:10
05011225	s9	R31884-S9	Soil	GRAB	01/12/2005 10:10
05011226	S9-X	R31884-S9-X	Soil	GRAB	01/12/2005 11:30
05011227	SS12	R31884-SS12	Soil	GRAB	01/12/2005 11:30
05011228	SS12-X	R31884-SS12-X	Soil	GRAB	01/12/2005 12:40
05011229	BED SS4	R31884-SS4	Soil	GRAB	01/12/2005 12:40
05011230	HED SS4-X	R31884-SS4-X	Soil	GRAB	01/12/2005 12:40
√ 05011231	'SS5	R31884-SS5	Soil	GRAB	01/12/2005 11:15
05011232	ss5-X	R31884-SS5-X	Soil	GRAB	
05011233	ss8	R31884-SS8	Soil	GRAB	01/12/2005 09:15

Page 2 of 2

SITE NAME:

ELKTON FARMS

LAB REQUEST # REQ0

REQ05053

SAMPLE DESCRIPTIONS

T:	<u>Cime</u>	
05 0	19:15	1
)05 1	.0:30	
)05 1	0:30	J
20	2005 1	2005 09:15 2005 10:30 2005 10:30

TE NAME : ELKTON FARMS		, ps						<u> </u>	J.	٠.				٠.						 		 _ _
B REQUEST #: REQ05053						TE	STS	RE	QUE	STE	D.								•	 		
																			1			
											٠.							.	,		•	
INORGANICS		٠	050								:											
			01	03 0		1 .			- 1													
Percent Dry Weight			1 1	Х		X										1	1	X	1			
Perchlorate by IC			Х	X	X X	x x	X	X	X	x	×	X :	x 3	× >	×	X	X		1			
ORGANICS				112						٠.												
		·	02	04	6 0							- 1'										
Nitroaromatics and Nitramines by HPLC			X	X	x 3	K X	·X	X	Х	X	X	X	x :	x 3	(: x	: X	X		 		

(X = Test Requested)

USEPA Region III

Analytical Services & Quality Assurance Branch

Page 1 of 1

SITE NAME: ELKTON FARMS LAB REQUEST #: REQ05053

QUALIFIER CODE AND GLOSSARY DEFINITIONS

Qualifier Codes Applied to Sample Results

- Not detected substantially above (10 times) the level reported in the laboratory or field blanks (includes field, trip, rinsate, and equipment blanks).
- See report narrative for analyst's comments and observations concerning this result.
- Value exceeds a theoretically greater value (e.g., dissolved>total, orthophosphate>total phosphorus). However, the difference is within the expected precision of the analytical techniques and is not statistically significant.
- An interference exists which masks the true response. See report narrative for explanation.
- The identification of the analyte is acceptable; the reported value is an estimate.
- The identification of the analyte is acceptable; the reported value may be biased high. The actual value is expected to be less than
- the reported value. The identification of the analyte is acceptable; the reported value may be biased low. The actual value is expected to be greater than
- There is presumptive evidence that the analyte is present; the analyte is reported as a tentative identification.
- There is presumptive evidence that the analyte is present; the analyte is reported as a tentative identification. The reported value is an estimate.
- Not analyzed analysis not performed.
- Not requested analysis not requested.
- The presence or absence of the analyte can not be determined from the data due to severe quality control problems.
- The data are rejected and considered unusable.
- Tentatively Identified Compound. Identified as a result of a library search using the EPA/NIST Mass Spectral Library. Standards were not used to verify the identity and quantity of the compound. The reported value is an estimate.
- The analyte was not detected at or above the reporting limit.
- The analyte was not detected at or above the reporting limit. The reporting limit is an estimate.
- The analyte was not detected. The reporting limit is probably higher due to indications of a low bias.
- Less than.

Qualifier Codes Applied to Quality Control Results

- Quality control value is outside acceptance limits.
- Sample and/or laboratory duplicate values are below the reporting limit. No precision data reported.
- Spike recovery too dilute for accurate quantitation.

Qualifier Codes Applied to Microbiology Results

- Less than.
- Less than or equal to.
- Greater than or equal to.
- Greater than.

Glossary:

- Numbers in parentheses are analytical spike recoveries (e.g., post-digestion spikes). ()
- Numbers in brackets are matrix spike recoveries (e.g., pre-digestion spikes). []
- CFU Colony Forming Unit.
- A prepared sample aliquot fortified with a known concentration of target analyte(s) or a representative subset of target ISF
- analytes and analyzed. Its purpose is to determine whether the sample matrix contributes bias to the analytical results. A sample aliquot fortified with a known concentration of analyte(s) or a representative subset of target analytes and carried LSF throughout the entire lab method. It is analyzed to determine whether the sample matrix contributes bias to the analytical results.
- MS/MSD Matrix spike/matrix spike duplicate; a known increment of target analyte added to a sample before preparation or analyses.
- Value obtained by Method of Standard Additions in which calibration standards are prepared in the sample matrix MSA (see EPA method 200.9).
- Relative Percent Difference (RPD) is used to measure precision when duplicates are analyzed. RPD
- Percent Recovery (%Rec) is an expression of accuracy. &Rec

SITE NAME

: ELKTON FARMS

LAB REQUEST #: REQ05053

SAMPLE NUMBER: STATION ID:	05011201 S10 BAMPLE	05011203 811 8AMDLE	05011205 S6 Sample	05011207 97 SAMPLE	05011209 SS10 SAMPLE
Percent Dry Weight			-	,	
Percent Dry Weight (105C)	80.5 %	79.9 %	81.6 %	81.6 %	. 79.7 %
Perchlorate by IC					
Perchlorate	<0.005 mg/Kg	<0.005 mg/Kg	<0.005 mg/Kg	<0.005 mg/Kg	<0.005 mg/Kg

SITE NAME

: ELKTON FARMS

LAB REQUEST #: REQ05053

SAMPLE NUMBE STATION ID:	R: 05011211 SS11 BAMPLE	05011213 SS6 SAMPLE	05011215 SS7 SAMPLE	05011217 S12 Sample	05011219 S4 SAMPLE
ercent Dry Weight					·
Percent Dry Weight (105C)	80.7 %	84.9 %	79.5 %	78.8 %	81.9 %
erchlorate by IC					
Perchlorate	<0.005 mg/Kg	<0.005 mg/Kg	<0.005 mg/Kg	<0.005 mg/Kg	<0.005 mg/Kg

SITE NAME : ELKTON FARMS

LAB REQUEST #: REQ05053

	SAMPLE NUMBER: STATION ID:	05011221 S5 SAMPLE	05011223 S8 SAMPLE	05011225 89 SAMPLE	05011227 SS12 SAMPLE	05011229 884 Bample
Percent Dry Weight Percent Dry Weight	(105C)	79.9 %	81.6 %	80.6 %	77.2 %	86.3 %
Perchlorate by IC	•		· · · · · · · · · · · · · · · · · · ·			
Perchlorate		<0.005 mg/Kg	<0.005 mg/Kg	<0.005 mg/Kg	<0.005 mg/Kg	<0.005 mg/Kg

SITE NAME

: ELKTON FARMS

LAB REQUEST #: REQ05053

SAMPLE NUMBER: STATION ID:	05011231 SS5 SAMPLE	05011233 ⁻ SS8 SAMPLE	05011235 SS9 SAMPLE
Percent Dry Weight			<u> </u>
Percent Dry Weight (105C)	79.1 %	93.1 %	91.7 %
Perchlorate by IC			
Perchlorate	<0.005 mg/Kg	<0.005 mg/Kg	<0.005 mg/Kg

ITE NAME:

ELKTON FARMS

AB REQUEST #: REQ05053

INORGANIC QUALITY CONTROL RESULTS

SAMPLE NUMBER:

05011217

05011235

STATION ID:

S12

SS9

	Units:	% REC	RPD	% REC	RPD
ercent Dry Weight	.*				į.
Percent Dry Weight (105c)	4		1	·	
erchlorate by IC	٠.,				_
Perchlorate		[87]	D	[96]	ע

^{[] = [.5]}

^{() =} TSP

Site Name

ELKTON FARMS

Lab Request #:

REQ05053

Wet Dry Conversion Table

The wet/dry weight conversion table is presented for the convenience of the data user. The attached analyst narratives state whether a test was determined on a wet or dry weight basis. Any difference in significant figures between the two columns is an artifact of the reporting function and does not imply that the calculated value has greater precision than the measured value.

Sample Number	Station ID							<u>Units</u>	Wet	Dry
05011201	s10	SAM	Percent Dry Weight	80.5	Perchlorate by IC	Perchlorate		mg/Kg	< 0.005	< 0.006
05011203	S11	SAM	(105C) Percent Dry Weight	79.9	Perchlorate by IC	Perchlorate		mg/Kg	< 0.005	< 0.006
05011205	56	SAM	(105C) Percent Dry Weight	81.6	Perchlorate by IC	Perchlorate		mg/Kg	< 0.005	< 0.006
05011207	s7 ·	SAM	(105C) Percent Dry Weight	81.6	Perchlorate by IC	Perchlorate		mg/Kg	< 0.005	< 0.006
05011209	SS10	SAM	(105C) Percent Dry Weight	79.7	Perchlorate by IC	Perchlorate		mg/Kg	< 0.005	< 0.006
05011211	SS11	SAM	(105C) Percent Dry Weight	80.7	Perchlorate by IC	Perchlorate		mg/Kg	< 0.005	< 0.006
05011213	SS6	SAM	(105C) Percent Dry Weight	84.9	Perchlorate by IC	Perchlorate		mg/Kg	< 0.005	< 0.006
05011215	SS7	SAM	(105C) Percent Dry Weight	79.5	Perchlorate by IC	Perchlorate	.*	mg/Kg	< 0.005	< 0.006
05011217	\$12	SAM	(105C) Percent Dry Weight (105C)	78.8	Perchlorate by IC	Perchlorate		mg/Kg	< 0.005	< 0.006
05011219	S4	SAM	Percent Dry Weight (105C)	81.9	Perchlorate by IC	Perchlorate		mg/Kg	< 0.005 .	< 0.006
05011221	S5	SAM	Percent Dry Weight (105C)	79.9	Perchlorate by IC	Perchlorate		mg/Kg	< 0.005	< 0.006
05011223	S8	SAM	Percent Dry Weight (105C)	81.6	Perchlorate by IC	Perchlorate		mg/Kg	< 0.005	< 0.006 < 0.006
05011225	S9	SAM	Percent Dry Weight (105C)	80.6	Perchlorate by IC	Perchlorate		mg/Kg	< 0.005	< 0.006
05011227	ss12 .	SAM	Percent Dry Weight (105C)	77.2	Perchlorate by IC	Perchlorate		mg/Kg	< 0.005 < 0.005	< 0.006
05011229	554	SAM	Percent Dry Weight (105C)	86.3	Perchlorate by IC	Perchlorate		mg/Kg mg/Kg	< 0.005	< 0.006
05011231	SS5	SAM	Percent Dry Weight (105C)	79.1	Perchlorate by IC	Perchlorate	₩.	mg/Kg	< 0.005	< 0.005
05011233	SS8	SAM	Percent Dry Weight (105C)	93.1	Perchlorate by IC	Perchlorate		mg/Kg	< 0.005	< 0.005
05011235	SS9	SAM	Percent Dry Weight (105C)	91.7	Perchlorate by IC	Perchlorate	1.1	mg/ Kg		

Perchlorate Determinations

Analyst:

Ronald H. Altman Chemist

Method:

The ELKTON FARMS soil samples (REQ05053) were analyzed for Perchlorate using EPA Method 314.0¹ (Determination of Perchlorate in Drinking Water using Ion Chromatography). The soil samples were prepared for inorganic analysis by adding 20 mL of Milli-Q water to approximately four grams of the wet soil sample. The slurry was then vortexed for one minute. The prepared samples were centrifuged for 10 minutes at 2000 rpm. The liquid phase was filtered through a 0.45µm syringe filter prior to running the perchlorate analysis on the Dionex DX-600. A laboratory reagent blank (LRB), laboratory fortified blank (LFB) and a laboratory fortified blank at the maximum conductivity threshold (LFB at MCT) were prepared and taken through the process. In addition a matrix duplicate (LD2) and a matrix spike (LSF) were also prepared for each set of 10 samples and taken through the process. The perchlorate results are reported on a wet basis.

Since no positive results were found for the soil samples, it was unnecessary to confirm the results by LC/MS.

¹ US EPA Method 314.0, Determination of Perchlorate in Drinking Water Using Ion Chromatography, Revision 1.0, November 1999

Percent Dry Weight Determinations

Analyst:

Thomas Reppert Environmental Scientist

Method:

The soil samples from ELKTON FARMS (REQ05053) were analyzed for Percent Dry Weight. The samples were dried at 105°C following the procedure outlined in the Region III ASQAB laboratory SOP #R3QA056.2.

These results are to be used to convert analyte concentrations to a dry weight basis for organic and non-metal analyses. Normally, analytical values are reported on a wet weight basis for organics and non-metals.

SITE NAME:

ELKTON FARMS

LAB REQUEST #: REQ05053

	Sample Number: Station ID:	05011201 \$10 SAMPLE	05011203 S11 SAMPLE	05011205 86 Sample	05011206 / S6-X SAMPLE	05011207 S7 SAMPLE
Nitroaromatics and Nitramis	nes by HPLC					
4-Amino-2,6-dinitrotoluene 2-Amino-4,6-dinitrotoluene			,		0.233 mg/Kg 0.438 mg/Kg	
1,3-Dinitrobenzene Dinitrotoluene isomers (2,	,4- and 2,6-)					
1,3,5-Trinitrobenzene 2,4,6-Trinitrotoluene					0.0593 mg/Kg	
Percent Dry Weight						
Percent Dry Weight (105C)	· .	80.5 %	79.9 %	81.6 %		81.6 %

Page 2 of 6

U.S. EPA REGION III ANALYTICAL SERVICES & QUALITY ASSURANCE BRANCH

SITE NAME:

ELKTON FARMS

LAB REQUEST #: REQ05053

Percent Dry Weight (105C)

Sample Statio	Number:	05011208 87-X SAMPLE	05011209 SS10 SAMPLE	05011210 / 8S10-X SAMPLE	05011211 SS11 SAMPLE	05011213 SS6 SAMPLE
troaromatics and Nitramines by H	PLC .					
4-Amino-2,6-dinitrotoluene		9.0 J mg/Kg				
2-Amino-4,6-dinitrotoluene		16 J mg/Kg				
,3-Dinitrobenzene		0.919 mg/Kg				
initrotoluene isomers (2,4- and	2,6-)	5.4 J mg/Kg 48 J mg/Kg	· .			
1,3,5-Trinitrobenzene 2,4,6-Trinitrotoluene		1300 mg/Kg		0.0483 mg/Kg	·	
,,,,			·			
ercent Dry Weight	_					
Percent Dry Weight (105C)			79.7 %		80.7 %	84.9 %

SITE NAME:

ELKTON FARMS

LAB REQUEST #: REQ05053

ORGANIC ANALYTICAL SAMPLE RESULTS

	Sample Number: Station ID:	05011214 SS6-X SAMPLE	05011215 SS7 SAMPLE	80 X dif 05011216	05011217 812 SAMPLE	500 (i) 05011218 512-X SAMPLE
Nitroaromatics and Nitramine	s by HPLC					
4-Amino-2,6-dinitrotoluene 2-Amino-4,6-dinitrotoluene	•	0.0547 mg/Kg		0.380 mg/Kg 0.846 mg/Kg		0.731 mg/Kg 0.714 mg/Kg
1,3-Dinitrobenzene Dinitrotoluene isomers (2,4 1,3,5-Trinitrobenzene 2,4,6-Trinitrotoluene	- and 2,6-)	0.02 J mg/Kg 0.358 mg/Kg		0.144 mg/Kg 1.2 J mg/Kg 30.5 mg/Kg		0.0545 mg/Kg 0.121 mg/Kg 192 mg/Kg

Percent Dry Weight

Percent Dry Weight (105C)

79.5 %

78.8 %

0.05 ×180-5

Page 4 of

81.6 %

U.S. EPA REGION III ANALYTICAL SERVICES & QUALITY ASSURANCE BRANCH

81.9 %

SITE NAME:

TETON FARMS

LAB REQUEST #: REQ05053

Percent Dry Weight (105C)

ORGANIC ANALYTICAL SAMPLE RESULTS

Sample Number: Station ID:	05011219 84 Sample	05011221 S5 SAMPLE	/0/ dul 05011222 S5-X SAMPLE	05011223 88 SAMPLE	05011224 S8-X SAMPLE
itroaromatics and Nitramines by HPLC					
	2			•	
4-Amino-2,6-dinitrotoluene			0.961 mg/Kg		· ·
2-Amino-4,6-dinitrotoluene	•	· •	1.12 mg/Kg		
1,3-Dinitrobenzene	•		•		
Dinitrotoluene isomers (2,4- and 2,6-)	·				
1,3,5-Trinitrobenzene	,		0.152 mg/Kg		
2,4,6-Trinitrotoluene		•	2.92 mg/Kg		0.0730 mg/Kg
	• .			,	
•					
ercent Dry Weight				-	

79.9 %

SITE NAME:

ELKTON FARMS

LAB REQUEST #: REQ05053

Sample Number: Station ID:	05011225 89 SAMPLE	05011227 SS12 SAMPLE	/ U K d U 05011228 SS12-X SAMPLE	05011229 SS4 SAMPLE	05011231 885 SAMPLE
Nitroaromatics and Nitramines by HPLC		. ———		•	
4-Amino-2,6-dinitrotoluene 2-Amino-4,6-dinitrotoluene		· ·	4.86 mg/Kg 6.35 mg/Kg	·	
1,3-Dinitrobenzene Dinitrotoluene isomers (2,4- and 2,6-) 1,3,5-Trinitrobenzene 2,4,6-Trinitrotoluene			0.173 mg/Kg 0.203 mg/Kg 3.84 mg/Kg		
Percent Dry Weight			15.43	·	
Percent Dry Weight (105C)	80.6 %	77.2 %		86.3 %	79.1 %

SITE NAME:

ELKTON FARMS

LAB REQUEST #: REQ05053

Sample Number Station ID:	SS5-X SAMPLE	05011233 SS8 SAMPLE	05011235 SS9 SAMPLE	
Nitroaromatics and Nitramines by HPLC				
4-Amino-2,6-dinitrotoluene 2-Amino-4,6-dinitrotoluene 1,3-Dinitrobenzene Dinitrotoluene isomers (2,4- and 2,6-) 1,3,5-Trinitrobenzene	7.08 mg/Kg 8.04 mg/Kg 0.03 J mg/Kg 0.219 mg/Kg 0.296 mg/Kg			
2,4,6-Trinitrotoluene Percent Dry Weight	25.76		<u> </u>	
Percent Dry Weight (105C)		93.1 %	91.7 %	

SITE NAME:

ELKTON FARMS

LAB REQUEST #: REQ05053

ORGANIC QUALITY CONTROL (SURROGATE RECOVERIES)

Matrix: SOLIDS	SAMPLE NUMBER:	05011202	05011204	05011206	05011208	05011210	05011212	05011214 ss6-x	05011216 ss7-x
SURROGATES	STATION ID: LIMITS	S10-X Sample	S11-X Sample	s6-X <u>Sample</u>	S7-X Sample	SS10-X Bample	SS11-X Sample	SAMPLE	<u>eample</u>
Nitroarcmatics and Nitramines by HPLC	Range	% REC	% REC	* REC	% REC	REC .	% REC	* REC	% REC
1 2-Dinitrohenzene	(70-130)	94	97	91	122	103	94	95.	87

Page 2 of 3

SITE NAME:

ELKTON FARMS

LAB REQUEST #: REQ05053

ORGANIC QUALITY CONTROL (SURROGATE RECOVERIES)

SOLIDS Matrix: 05011230 05011232 05011228 05011226 05011220 05011222 05011224 SAMPLE NUMBER: 05011218 SS5-X \$\$4-X S8-X ... 59-X SS12-X S5-X STATION ID: S12-X S4-X SAMPLE SURROGATES SAMPLE SAMPLE SAMPLE SAMPLE <u>Sample</u> SAMPLE RAMPLE LIMITS % REC % REC % REC % REC % REC % REC % REC % REC Range Nitroaromatics and Nitramines by HPLC 88 96 83 96 94 96 97 (70-130)100 1,2-Dinitrobenzene

SITE NAME:

ELKTON FARMS

LAB REQUEST #: REQ05053

ORGANIC QUALITY CONTROL (SURROGATE RECOVERIES)

Matrix: SOLIDS

05011234 05011236 SAMPLE NUMBER: 889-X sse-x STATION ID: SURROGATES SAMPLE SAMPLE LIMITS % REC Range % REC Nitroaromatics and Nitramines by HPLC 98 102 (70-130) 1,2-Dinitrobenzene

EPA REGION III ANALYTICAL SERVICES & QUALITI ASSOCIANCE LANG.

E NAME : ELKTON FARMS

3 REQUEST # : REQ05053

ORGANIC QUALITY CONTROL (MATRIX SPIKE RECOVERIES)

.rix : SOLIDS

SAMPLE NUMBER :

05011218

STATION ID

S12-X

LYTES	Spike	Recovery	Recovery	RPD	
	<u>MS</u>	<u>MSD</u>	<u>Limits</u>	RPD	<u>Limits</u>
:roaromatics and Nitramines by HPLC	· \$	ŧ	Range	RPD	Limit
Amino-2,6-Dinitrotoluene	188 A	16 A	(70-130)	169 A	25
Amino-4,6-Dinitrotoluene	135 A	67 A	(70-130)	67 A	25
3-Dinitrobenzene	106	112	(70-130)	6	25
nitrotoluene isomers (2,4- and 2,6-)	118	109	(70-130)	. 8	25
<	132 A	128	(70-130)	3	25
tryl	95	98	(60-130)	3	25
robenzene	110	132 A	(70-130)	18	25
Nitrotoluene	97	103	(70-130)	6	25
Nitrotoluene	105	103	(70-130)	2	25
Nitrotoluene	93	96	(70-130)	3	25
К	111	102	(60-130)	9	25
3,5-Trinitrobenzene	114	130	(70-130)	13	25
4,6-Trinitrotoluene	I	I	(70-130)	I	25

SITE NAME:

ELKTON FARMS

LAB REQUEST #: REQ05053

ORGANIC LABORATORY REAGENT BLANK RESULTS

Nitroaromatics and Nitramines by HPLC

Date Prepared:

JAN-19-2005

SURROGATES

1,2-Dinitrobenzene

99 % REC

SITE NAME:

ELKTON FARMS

LAB REQUEST #:

REQ05053

SUPPLEMENTAL SAMPLE INFORMATION

Nitroaromatics and Nitram	ines by HPLC	
SAMPLE #		SAMPLE NOL FACTOR
05011202	·	1
05011204		1
05011206		1
05011208	- 5	. 1
05011210	•	1
05011212	,	. 1
05011214		1
05011216	•	1
05011218		1
05011220 .		. 1
05011222		1
05011224	•	1. "
05011226		. 1
05011228		1
05011230		1
05011232		1
05011234	•••	1
05011236		1

NQL Factor is an overall correction factor applied to the method's Nominal Quantitation Limit to correct for analytical adjustments made during the analysis.

USEPA Region III Office of Analytical Services and Quality Assurance (OASQA) Nitroaromatic and Nitramine Analysis Nominal Quantitation Limits (NQL)

Units: Soil = mg/Kg

Actual Quantitation Limit = (NQL Factor) X NQL

CAS#	Compound	NQL
35572-78-2	2-Amino-4,6-dinitrotoluene (2-Am-DNT)	0.05
99-65-0	1,3-Dinitrobenzene (1,3-DNB)	0.05
121-14-2	2,4-Dinitrotoluene (2,4-DNT)	0.05
2691-41-0	Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	0.10
98-95-3	Nitrobenzene (NB)	0.05
121-82-4	Hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX)	0.10
99-35-4	1,3,5-Trinitrobenzene (1,3,5-TNB)	0.05
118-96-7	2,4,6-Trinitrotoluene (TNT)	0.05
1946-51-0	4-Amino-2,6-Dinitrotoluene (4-Am-DNT)	0.05
88-72-2	2-Nitrotoluene (2-NT)	0.05
99-08-1	3-Nitrotoluene (3-NT)	0.05
99-99-0	4-Nitrotoluene (4-NT)	0.05
479-45-8	Methyl-2,4,6-trinitrophenylnitramine (Tetryl)	0.10
606-20-2	2,6-Dinitrotoluene (2,6-DNT)	0.05

The "Nominal Quantitation Limit" listed for each target compound is based on the Superfund CLP Protocol. The Actual Quantitation Limits are related to the NQLs by the NQL Factor. This NQL Factor reflects procedural steps, e.g., extract dilution, which influence quantitation limits.

Nitroaromatic/Nitramine Analysis by HPLC

Analyst:

Jennifer Gundersen Chemist

Method:

Eighteen solid samples from ELKTON FARMS (REQ05053) were analyzed for nitroaromatic and nitramine explosives and related degradation products (SW-846 Method 8330 analytes). The samples were collected on January 11 and 12, 2005, extracted on January 19-20, 2005, and analyzed January 24-26, 2005. All samples were extracted and analyzed according to R3-QA221.1, a combined method based on SW-846 Methods 8000 and 8330.

All results are reported on an air dried weight basis. Results are qualified "J", estimated, when they are below or above the calibration range. Only detected results are reported.

In addition to the Method 8330 analytes, 3,5-dinitroaniline (3,5-DNA), a common degradation product of nitroaromatic explosives, was detected in several samples. Detection was based on comparison of retention time and a library spectrum of the authentic compound. No calibration was made and no quantitation was done. The samples containing 3,5-DNA are noted on the electronic deliverables report. These results are included for the client's information only. Please contact the analyst if there are questions or estimates of concentration are needed.

Ouality Control:

All samples were extracted and analyzed within holding time.

Initial calibration and second source verification were within acceptance limits.

Continuing calibrations were within acceptance limits.

All surrogate recoveries were within acceptance limits.

Due to the high concentration of target analytes in sample 05011218, several matrix spike recoveries and relative percent differences were outside of acceptance limits. Outliers are qualified "A". Results for the MS, MSD and RPD for 2,4,6-trinitrotoluene for sample 05011218 were reported with the "I" qualifier since an interference existed in the sample which prevented accurate quantitation of the matrix spike/matrix spike duplicate.

Recoveries of lab fortified blanks (LFBs) and second source audits (LCMs) were within acceptance limits with the exception of nitrobenzene in the LCM. The nitrobenzene recovery was above the acceptance limit due to a coeluting interference.

Lab method blanks (LRBs) showed no contamination by target analytes.

Several samples required dilution to bring target analytes within calibration range. For two samples, 050112-08 (S7-X) and 050112-16 (SS7-X), dilutions were prepared to bring TNT into calibration range but this resulted in other compounds (1,3,5-TNB, 4-am-2,6-DNT, 2-am-4,6-DNT, and 2,4-/2,6-DNT isomers in 050112-08 and 1,3,5-TNB in 050112-16) being diluted out in the dilution but above the calibration range in the initial extract. Results for affected analytes have been flagged "J" for both samples.

The following samples required dilution:

Sample #	Station ID	Dilution level
050112-08	S7-X	2000x
050112-16	SS7-X	100X
050112-18	S12-X	500X
050112-22	S5-X	10X
050112-28	SS12-X	10X
050112-32	SS5-X	20X

 €EPA	USEPA Contract Laboratory Program Generic Chain of Custody						Reference Case 33696 Client No: R32050 SDG No:			
	1/11/2005 Hand Delivery	Chain of Custod	y Record	Sampler Signature:		For Lab Use Only				
	ERRP011105	Relinguished By	(Date / Time)	Received By	(Date / Time)	Lab Contract No:				
*	ASQAB		11405 1700	Catharris 1.17	7 05@ 08.15	Unit Price:				
	USEPA Region III 701 Mapes Road	2				Transfer To:				
	Fort Meade MD 20755	3				_				
	(410) 305-2667	4 .				Lab Contract No: Unit Price:				
SAMPLE No.	MATRIX/ CONC/ SAMPLER TYPE	ANALYSIS/ TURNAROUND	TAG No./ PRESERVATIVE/ Bottles	STATION LOCATION	SAMPLE COL DATE/TIM	LECT	FOR LAB USE OF Sample Condition On			
R31884-S10	Surface Soil M/G (0"-12")/ Philip Anderson	PER (50)	2646 (Ice Only) (1)	R31884-S10	S: 1/11/2005	9:25 050112	1-01			
R31884-S10-X		NIT_ARO (50)	2669 (ice Only) (1)	R31884-S10-X	S: 1/11/2005	9:25 - O Z				
R31884-S11	Surface Soil M/G	PER (50)	2647 (ice Only) (1)	R31884-S11	S: 1/4/2005	11:25 - 03				
R31884-S11-X	(0"-12")/	NIT_ARO (50)	2670 (Ice Only) (1)	R31884-S11-X	S: 1/11/2005	11:25 -04		•		
R31884-S6	Philip Anderson (1) Surface Soll (0"-12")/ Philip Anderson (1)	PER (50)	2652 (Ice Only) (1)	R31884-S6	S: 1/11/2005	13:10 - 05				
R31884-S6-X	Surface Soil M/G (0"-12")/	NIT_ARO (50)	2674 (Ice Only) (1)	R31884-S6-X	S: 1/11/2005	13:10 - 66				
R31884-S7	Philip Anderson (M) Surface Soil M/G (0"-12")/ Philip Anderson	PER (50)	2653 (ice Only) (1)	R31884-S7	S: 1/11/2005	15:15 -07				
R31884-S7-X	Surface Soil WM/G (0"-12")/	NIT_ARO (50)	2675 (Ice Only) (1)	R31884-S7-X	S: 1/11/2005	15:15 -08				
R31884-SS10	Philip Anderson (1) Subsurface Soil M/G (>12")/	PER (50)	2657 (Ice Only) (1)	R31884-SS10	S: 1/11/2005	10:00 -09				
D31884 CC10	Philip Anderson (10) X Subsurface Soil 1 M/G	NIT ADO (50)	2679 (Inc Only) (4)	R31884-SS10-X	D. 4/44/2005	10:00 - 10				
	(>12")/ Philip Anderson	NIT_ARO (50)	2678 (Ice Only) (1)	K31004-351U-X	S: 1/11/2005	10:00 - 10				
Shipment for Case Complete?N	Sample(s) to be used t	or laboratory QC:	Additional Sample Autilia intil Pinitia AM	in	Cooler Tempe Upon Receipt	■ * * · · · · · · · · · · · · · · · · ·	stody Seal Number:			
Analysis Key:	Concentration: L=	Low, M = Low/Medium, h		esignate: Composite = C, G	Grab = G	Custody Sea	I Intact? Shipment lo	ed?		
NIT ARO = Nitros	romatics PFR = Perchlorate		·							

TR Number: 3-592370820-011105-0001
PR provides preliminary results. Requests for preliminary results will increase analytical costs.
Send Copy to: Sample Management Office, Attn: Heather Bauer, CSC, 15000 Conference Center Dr., Chantilly, VA 20151-3819; Phone 703/818-4200; Fax 703/818-TR Number:

F2V5.1. 043 Page 1 of 2

O	EPA
---	-----

USEPA Contract Laboratory Program Generic Chain of Custody

2

3

Relinquished By

Reference	Case	33696
lient No:		R32050

Client No:

SDG No:

Date Shipped:
Carrier Name:

Shipped to:

Airbill:

1/11/2005

Hand Delivery ERRP011105

ASQAB USEPA Region III 701 Mapes Road Fort Meade MD 20755 (410) 305-2667

Chain of Custody Record

(Date / Time)

Signature (Date / Time) Received By

PHORRIS 1.12.05@ 08:10

Unit Price: Transfer To:

Lab Contract No:

For Lab Use Only

Lab Contract No:

Unit Price:

							Other rice.	
SAMPLE No.	MATRIX/ SAMPLER			ANALYSIS/ TAG No./ TURNAROUND PRESERVATIVE/ Bottles		STATION SAMPLE COLLECT LOCATION DATE/TIME		FOR LAB USE ONLY Sample Condition On Receipt
R31884-SS11	Subsurface Soil (>12")/		PER (50)	2658 (Ice Only) (1)	R31884-SS11	S: 1/11/2005	11:45 050112-11	
R31884-SS11->	(>12")/ Philip Anderson (Subsurface Soil (>12")/	M/G	NIT_ARO (50)	2679 (Ice Only) (1)	R31884-SS11-X	S: 1/11/2005	11:45 -12	
R31884-SS6	(>12")/ Philip Anderson Subsurface Soil (>12")/	M/G	PER (50)	2664 (Ice Only) (1)	R31884-SS6	S: 1/11/2005	13:55 - 13	
R31884-SS6-X	/- 40m/	M/G	NIT_ARO (50)	2686 (Ice Only) (1)	R31884-SS6-X	S: 1/11/2005	13:55 -/4	
R31884-SS7	Philip Anderson Subsurface Soil (>12")/	M/G	PER (50)	2665 (Ice Only) (1)	R31884-SS7	S: 1/11/2005	15:25 -15	
R31884-SS7-X	Philip Anderson Subsurface Soil (>12")/ Philip Anderson	M/G	NIT_ARO (50)	2687 (Ice Only) (1)	R31884-SS7-X	S: 1/11/2005	15:25 -16	

Sampler/

Shipment for Case Complete?N	Sample(s) to be used for laboratory QC:	Additional Sampler Signature(s): Additional Sampler Signature(s): Additional Signature(s): Additional Signature(s): Additional Signature(s): Additional Signature(s): Additional Signature(s): Additional Signature(s): Additional Signature(s): Additional Signature(s): Additiona	Cooler Temperature Upon Recelpt:	Chain of Custody Seal Number:
Analysis Key:	Concentration: L = Low, M = Low/Medium, H = High	Type/Designate: Composite = C, Grab = G		Custody Seal Intact? Shipment iced?
NIT_ARO = Nitroaromatic	s, PER = Perchlorates			

LABORATORY CO

©EPA	USEPA Contrac Generic Chain	•	Program			Reference Case Client No:	3 3696 R32050
Date Shipped:	1/12/2005	Chain of Custod	ly Record	Sampler Signature:		For Lab Use Only	
Carrier Name: Airbiil:	Hand Delivery errp011205	Relinquished By	(Date / Time)	Received By	(Date / Time)	Lab Contract No:	
Shipped to:	ASQAB	1	11205 1700	alperis 1.12.	05 0345 PM	Unit Price:	
,	USEPA Region III 701 Mapes Road	2				Transfer To:	
	Fort Meade MD 20755 (410) 305-2667	3	·····			Lab Contract No:	
		4				Unit Price:	
SAMPLE No.	MATRIX/ CONC SAMPLER TYPE		TAG No./ PRESERVATIVE/ Bottles	STATION LOCATION	SAMPLE COLI DATE/TIME		FOR LAB USE ONLY Sample Condition On Receipt
R31884-S12	Surface Soil M/G (0"-12")/ Philip Anderson	PER (50)	2634 (Ice Only) (1)	R31884-S12	S: 1/12/2005	11:25 056112-	11
R31884-S12-X		NIT_ARO (50)	2642 (Ice Only) (1)	R31884-S12-X	S: 1/12/2005	11:25 - 18	
	,						

Shipment for Case Complete?Y	Sample(s) to be used for laboratory QC:		Cooler Temperature Upon Receipt:	Chain of Custody Seal Number:		
	R31884-S12, R31884-S12-X	Phatlip Anderson	•			
Analysis Key:	Concentration: L = Low, M = Low/Medium, H = High	Type/Designate: Composite = C, Grab = G		Custody Seal Intact? Shipment iced?		
NIT ARO = Nitroaromati	cs PFR = Perchlorates					

ô		PΑ
-4.4	B 3	A

Date Shipped:

Carrier Name:

Alrbill:

1/12/2005

Hand Delivery

ERRP011205

USEPA Contract Laboratory Program Generic Chain of Custody

Relinquished By

Chain of Custody Record

Reference	Case	33690

Client No:

(Date / Time)

1.12.05 DZUS PM

R32050

For Lab Use Only

Lab Contract No:

L

Snipped to:	ASUAD						
	USEPA Region III 701 Mapes Road	. 2	· ·			Transfer To:	
	Fort Meade MD 20755	3				Lab Contract No:	
	(410) 305-2667	4				Unit Price:	
SAMPLE No.	MATRIX/ CON SAMPLER TYPE		TAG No./ PRESERVATIVE/ Bottles	STATION LOCATION	SAMPLE COL DATE/TIN	LECT	FOR LAB USE ONLY Sample Condition On Rece
R31884-S4	Surface Soil M/	9 PER (50)	2650 (Ice Only) (1)	R31884-S4	S: 1/12/2005	12:30 050112-19	7
R31884-S4-X	(0"-12")/ Philip Anderson	NIT_ARO (50)	2672 (Ice Only) (1)	R31884-S4-X	S: 1/12/2005	12:30 - 20	
R31884-S5	Philip Anderson M/ Surface Soil M/ (0"-12")/	9 PER (50)	2651 (Ice Only) (1)	R31884-S5	S: 1/12/2005	11:10 -2/	
R31884-S5-X	Philip Anderson Surface Soil M/	S NIT_ARO (50)	2673 (Ice Only) (1)	R31884-S5-X	S: 1/12/2005	11:10 - ZZ	
R31884-\$8	Philip Anderson (4) Surface Soil (0"-12")/	G PER (50)	2654 (Ice Only) (1)	R31884-S8	S: 1/12/2005	9:10 - Z3	
R31884-S8-X	Philip Andersor(4) Surface Soil (0"-12")/	G NIT_ARO (50)	2676 (Ice Only) (1)	R31884-S8-X	S: 1/12/2005	9:10 - Z4	
R31884-S9	Philip Anderson(1) Surface Soil (0"-12")/	G PER (50)	2655 (Ice Only) (1)	R31884-S9	S: 1/12/2005	10:10 - Z5	
R31884-S9-X	Philip Anderson	S NIT_ARO (50)	2677 (Ice Only) (1)	R31884-S9-X	S: 1/12/2005	10:10 - 26	
R31884-SS12	Philip Anderson	G PER (50)	2659 (Ice Only) (1)	R31884-SS12	S: 1/12/2005	11:30 - 27	
R31884-SS12	Philip Anderson (A) X Subsurface Soil Ma (>12")/	G NIT_ARO (50)	2680 (Ice Only) (1)	R31884-SS12-X	S: 1/12/2005	11:30 - Z8	
	Philip Anderson						
Shipment for Cas Complete?N	e Sample(s) to be us	ed for laboratory QC:	Additional Sampler Michig Would Philip Mould		Cooler Temp Upon Recelp	5	ody Seal Number:
Inalysis Key:	Concentration:	L = Low, M = Low/Medium,		ignate: Composite = C, Gr	rab ≃ G	Custody Seal	ntact? Shipment loed?

Sampler

(Date / Time)

1112 05

Signature:

Received By

TR Number: 3-592370820-011205-0001

LABORATORY COPY

© EPA	USEPA Coi Generic Ch		Laboratory F of Custody	Program			Reference Case Client No: SDG No:	33696 R32050
Date Shipped:	1/12/2005		Chain of Custody	y Record	Sampler Signature:		For Lab Use Only	الثان بأرطة مين الأحجيد في مثان بين أن الأنظام الأربية الأنظام الأربية العربية الأحجيز الأحجيز الأحج - التاريخ التاريخ التاريخ التاريخ التاريخ التاريخ التاريخ التاريخ التاريخ التاريخ التاريخ التاريخ التاريخ التا
Carrier Name: Alrbill:	Hand Delivery		Relinguished By	(Date / Time)	Received By	(Date / Time)	Lab Contract No:	
	ERRP011205 ASQAB		1	1/12/05 1700	(Haris 1.12.05	0345 PM	Unit Price:	
	USEPA Region III		2				Transfer To:	
	701 Mapes Road Fort Meade MD 207	55	3				Lab Contract No:	
	(410) 305-2667		4		<u> </u>		Unit Price:	
SAMPLE No.	MATRIX/ SAMPLER	CONC/ TYPE	ANALYSIS/ TURNAROUND	TAG No./ PRESERVATIVE/ Bottles	STATION LOCATION	SAMPLE COLL DATE/TIME	.ECT	FOR LAB USE ONLY Sample Condition On Receipt
R31884-SS4	Subsurface Soil	M/G	PER (50)	2662 (Ice Only) (1)	R31884-SS4	S: 1/12/2005	12:40 050112-	-29
R31884-SS4-X	(>12")/	M/G	NIT_ARO (50)	2684 (Ice Only) (1)	R31884-SS4-X	S: 1/12/2005	12:40 - 30	
R31884-SS5	Philip Anderson (Subsurface Soil (>12")/	M/G	PER (50)	2663 (Ice Only) (1)	R31884-SS5	S: 1/12/2005	11:15 - 3	
R31884-SS5->	(>12")/	M/G	NIT_ARO (50)	2685 (Ice Only) (1)	R31884-SS5-X	S: 1/12/2005	11:15 - 32	
R31884-SS8	Philip Anderson Subsurface Soil (>12")/	M/G	PER (50)	2666 (Ice Only) (1)	R31884-SS8	S: 1/12/2005	9:15 - 33	
R31884-SS8->	(>12")/	M/G	NIT_ARO (50)	2688 (Ice Only) (1)	R31884-SS8-X	S: 1/12/2005	9:15 - 34	
R31884-SS9	Philip Anderson (Subsurface Soil (>12")/	M/G	PER (50)	2667 (Ice Only) (1)	R31884-SS9	S: 1/12/2005	10:30 - 35	
R31884-SS9->	Philip Anderson	M/G	NIT_ARO (50)	2689 (Ice Only) (1)	R31884-SS9-X	S: 1/12/2005	10:30 - 36	

Shipment for Case Complete?N	Sample(s) to be used for laboratory QC:	Additional Sampler Signature(s):	Cooler Temperature Upon Receipt:	Chain of Custody Seal Number:
Analysis Key:	Concentration: L = Low, M = Low/Medium, H = High	Type/Designate: Composite = C, Grab = G		Custody Seal Intact? Shipment Iced?
NIT_ARO = Nitroaromatic	s, PER = Perchlorates	,		



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION III ENVIRONMENTAL SCIENCE CENTER 701 MAPES ROAD FORT MEADE, MARYLAND 20755-5350

DATE

February 14, 2005

SUBJECT:

Region III Data QA Review

FROM

Khin-Cho Thaung KCT

Region III ESAT RPO (3EA20)

TO

Lorie Baker

Regional Project Manager (3HS34)

Attached is the inorganic data validation report for the Elkton Farm site (Case #: 33696, SDG#: MC02G9, MC02H2) completed by the Region III Environmental Services Assistance Team (ESAT) contractor under the direction of Region III EAID.


If you have any questions regarding this review, please call me at (410) 305-2743.

Attachments

cc: Peggy Smith (MDE)

TO File #: 0015

TDF#: 0179



⁶Lockheed Martin Information Technology ESAT Region 3 US EPA Environmental Science Center 701 Mapes Road Ft. Meade, MD 20755-5350 Telephone 410-305-3037 Facsimile 410-305-3597

LOCKHEED MARTIN

We never forget who we're working for "

DATE:

February 7, 2005

SUBJECT:

Level IM2 Inorganic Data Validation for Case 33696

SDG: MC02G9, MC02H2 Site: Elkton Farm Firehole

FROM:

Shilpa Udani 40

Inorganic Data Reviewer

Through:

Mahboobeh Mecanic

Senior Oversight Chemist

TO:

Khin-Cho Thaung

ESAT Region 3 Project Officer

OVERVIEW

Case 33696, Sample Delivery Groups (SDGs) MC02G9 and MC02H2, consisted of twenty one (21) soil samples submitted to Liberty Analytical Corporation (LIBRTY) for total metals and cyanide (CN) analyses. The sample set include two (2) field duplicate pairs. Samples were analyzed in accordance with Contract Laboratory Program (CLP) Statement of Work (SOW) ILM05.3 through Routine Analytical Services (RAS) program.

SUMMARY

All samples were successfully analyzed for all Target Analyte List (TAL) parameters. Areas of concern with respect to data usability are listed below.

Data in this Case have been impacted by outliers in laboratory blanks as well as the matrix spike, laboratory duplicate, ICP serial dilution and ICP-AES interference check sample analyses. Details for these outliers are discussed under "Minor Problems", specific samples affected are outlined in "Table 1A" and qualified analytical results for all samples are summarized on Data Summary Forms (DSFs).

MINOR PROBLEMS

Preparation blank (PB) and/or Continuing Calibration (CCBs) blanks had reported results greater than the Method Detection Limits (MDL) for analytes listed below. Positive results reported in affected samples which are less than or equal to five times (≤5X) blank concentrations may be biased high and have been qualified "B" on DSFs.

SDG	<u>Blank</u>	Affected Aanlytes
MC02G9	PB	antimony (Sb), sodium (Na)
MC02H2	PB	Sb, calcium (Ca), Na, zinc (Zn)
•	CCB	bervllium (Be)

Following samples were reanalyzed at dilution factors listed below in order to bring the concentrations of following analytes within the established calibration range. Results for these analytes are reported from the diluted analyses and annotated with a "+" on the DSFs.

<u>SDG</u>	<u>Sample</u>	<u>Analyte</u>	Dilution Factor
MC02G9	MC02H6	Cu, zinc (Zn)	2 X
MC02H2	MC02J8	Fe, Zn	2 X
	MC02K2	Ba, Fe, Zn	2 X

Reported results for field duplicate pair MC02H4/MC02H9 in SDG MC02H2 were within 35% RPD, ±2XCRQL for all analytes except Ba, Cd, Cr, and Cu.

Reported results for field duplicate pair MC02J8/MC02K2 in SDG MC02H2 were within 35% RPD, ±2XCRQL for all analytes except Al, Ca, Cu and Ni.

Positive results which are less than the Contract Required Quantitiation Limit (CRQL) but greater than Method Detection Limit (MDL) have been qualified "J" on the DSFs unless superseded by "B".

Data for Case 33696, SDG MC02G9 and MC02H2, were reviewed in accordance with National Functional Guidelines for Evaluating Inorganic Analyses with Modification for use with Region III.

ATTACHMENTS

INFORMATION REGARDING REPORT CONTENT

Tables 1A are summary of qualifiers applied to the laboratory-generated results during data validation.

TABLES 1A SUMMARY OF QUALIFIERS ON DATA SUMMARY FORMS AFTER DATA VALIDATION

TABLE 1B CODES USED IN COMMENTS COLUMN OF TABLES 1A

APPENDIX A GLOSSARY OF DATA QUALIFIER CODES

APPENDIX B DATA SUMMARY FORM(S)

APPENDIX C CHAIN OF CUSTODY RECORD(S)

APPENDIX D LABORATORY CASE NARRATIVE(S)

DCN:33696.IM2

TABLE 1A SUMMARY OF QUALIFIERS ON DATA SUMMARY FORM AFTER DATA VALIDATION

Case 33696, SDG MC02H2

			NON		
•	SAMPLES	POSITIVE	DETECTE		
ANALYTE	AFFECTED	<u>VALUES</u>	<u>VALUES</u>		COMMENTS*
Sb	MC02H2, MC02H3,	В	* ;	High	PB (0.344 J mg/Kg)
	MC02J0, MC02J1,		•	•	MSL (44%)
	MC02J2, MC02J3,		-		•
	MC02J7, MC02K1,				,
	MC02K3, MC02K4,				
	MC02K5, MC02K6				
	• • • • • • • • • • • • • • • • • • • •		•		
	MC02H8, MC02J6	L	UL	Low	MSL(44%)
	MC02J8, MC02K2				•
	ACCOSTA ACCOSTIO	τ.			> MDL < CRQL
	MC02H4, MC02H9,	J			MSL(44%)
·					MSL(4470)
As ·	MC02K5	J.			> MDL < CRQL
115	111002110	_			DUP (94%)
-	•			•	PBN (-0.356 J mg/Kg)
		•			1321 (0.0000 1118/118)
,	All Samples Except	J	•		DUP (94%)
	MC02K5			•	
Ba	All Samples	J .	•		DUP (70%)
	3.4C00077.5	.		TT: ala	CCD (0.210 I/I)
Be	MC02K5	В		High	CCB (0.210 J ug/L)
					•
Cd	All Samples	J	UJ	•	DUP (75%)
	F				
Ca	MC02K5, MC02K6	В		High	PB (28.173 J mg/Kg)
	•			•	
Cr	All Samples	J			DUP (35%)
	A 11 Cameralan	T		Eart Lour	MCC (510/)
Cu	All Samples	. L		Ext. Low	MSE (-51%)
Fe	All Samples	J			DUP (120%)
Pb	All Samples	J			DUP (117%)
·					DIT (450 ()
Mn	All Samples	J .		•	DUP (47%)

^{*} See explanation of comments in Table 1B

TABLE 1A SUMMARY OF QUALIFIERS ON DATA SUMMARY FORM AFTER DATA VALIDATION

Case 33696, SDG MC02H2

		NON
DT FC	DOSTTIVE	DETE

SAMPLES POSITIVE DETECTED

ANALYTE AFFECTED VALUES BIAS COMMENTS*

CN MC02K1, MC02K5, UL Low CBN (-1.080 J ug/L)

MC02K6

^{*} See explanation of comments in Table 1B

APPENDIX A

Glossary of Qualifier Codes

APPENDIX B

Data Summary Forms

Case #: 33696

SDG: MC02G9

Number of Soil Samples: 3

Site : Lab. : ELKTON FARM FIRE HOLE LIBRTY

Number of Water Samples: 0

Sample Number :	ı	MC02G9	7	MC02H6	7	MC02H7	1				
Sampling Location :		S1	· i	S2	i	S3					
Field QC:											
Matrix :		Soil		Soil		Soil	· ·				
Units:		mg/Kg		mg/Kg		mg/Kg					
Date Sampled :		12/14/2004		12/14/2004		12/14/2004					
Time Sampled :		12:30		15:30		16:10					
%Solids :		85.8		76.7		79.0					
Dilution Factor :		1.0		1.0/2.0/2.0		1.0					
ANALYTE CF	QL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	20	10700		16500		12900					
ANTIMONY	6	1.9	В	9.4	L.	1.7	В⋅	·			
ARSENIC	1	5.5		9.5		4.5	٠			,	
BARIUM	20	:::::: 611	J	1960	J	570	J.			و کو د د ک	11. 184
BERYLLIUM	.5	0.46	J	0.65	J	0.80					,.
CADMIUM	.5	5.7		13.6		6.5					
CALCIUM 5	00	1130		5010		2630					
CHROMIUM	1	50.8	L.	289	L	30.6	L	53 L6		4	
COBALT	5	5.3	J,	14.3	J	7.1	J			., ,.,	g Ω.
COPPER	.5	- 407	1	10200 +	ا ل	319	J		٠.		
IRON	10	20200		57200		16000					
*LEAD	1.	- 726	j.	852	.J .	295_	J	1 1 E			
	00	1420	e, 44,	2440	,,,,,	1780		4* 1\$ 15. 11	ير حود	stylkroj, ili	چيدند وا
A	.5	730	<u></u>	1260	J	742	J.			mark de	F 2 44.
MERCURY).1	0.22	К	0.41	Κ	0.098	J	ಕ್ಕಾನಕ್ಕೆ	٠.		#4.5%)
NICKEL	4	13.4	<u>J</u>	30.2	J	12.6	. J				*47
1	00	504	J	1040		574	J			Lan Sirie	
to the control of the state of the control of the c	1.5	Barana a a a a a				<u> </u>			العشاعد	127	العاد
SILVER	1	0.43	J	2.2		0.45	J			may all all and the second	
be seemed a street on the section of	00	60.9	В	195	J	137	В.				
	2.5	4.5	. ,	15.6		3.2					مارستى د
VANADIUM	5	27.2		30.9		23.8		er.eg		<u> </u>	
ZINC	6	568		4560 +	٠,	736	١.	K 4752 F 15			V 32 -
CYANIDE	.5	0.21	J	0.95	J	0.42	J				

CRDL = Contract Required Quantitation Limit

To calculate sample quantitation limius: (CRDL * Dilution Factor) / (%Solids/ 100)

"+" = Results are reported from dilution analyses.

SEE NARRATIVE FOR CODE DEFINITIONS

Case #: 33696

SDG: MC02H2

ELKTON FARM FIRE HOLE

Number of Soil Samples: 18

Site : Lab. :

LIBRTY

Number of Water Samples: 0

Sample Number :		MC02H2	/	MC02H3	7	MC02H4	7	MC02H8		MC02H9	
Sampling Location :		S10		S11	•	S12		S4 JG	/	S5	
Field QC:						Dup. of MC	02H9	O ^s		Dup. of MC	02H4
Matrix:		Soil		Soil		Soil		Soil		Soil	
Units:	i	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg	
Date Sampled :		1/11/2005		1/11/2005		1/12/2005		1/12/2005		1/12/2005	
Time Sampled :		09:25		11:25		11:25		12:30		11:10	
%Solids :	ì	80.3		83.6		78.3		82.2		82.7	
Dilution Factor :		1.0	•	1.0		1.0		1.0		1.0	
ANALYTE	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	20	19800		18600		9540		12000		11800	
ANTIMONY	·· в ·	0.94	В	1.9	В	2.4	J	.	UL	2.9	J
ARSENIC	1	4.4	J	4.7	J	3.3	J	3.7	J	4.4	j
BARIUM	. 20	709	J	992	J ·	377	J	80.9	.J	717	J
BERYLLIUM	0.5	0.60	J	0.57	J	0.42	J	0.81		0.51	J
CADMIUM	0.5	0.36	J	0.27	J	2.8	Ŋ		IJ	5.0	J
CALCIUM	500	2040		1700		3290		922		3690	
CHROMIUM	• 1.	29.1	j	29.0	J -	73.9	J	17.4	J	155	ju i
COBALT	5	5.5	J	5.6	J	4.5	J	7.1		4.9	J
COPPER	2.5	120	L	60.2	L	223	L	, 9.2	Ŀ	137	ا الله
IRON	10	24400	J	24600	J	19700	J	13900	J .	20000	J
*LEAD	1	136	J_	. 122	.J	541.	J	13.4	J	459	J
MAGNESIUM	500	3050		2430		2690		1440		3220	
MANGANESE	1.5.	182	J	167	J	381	J	479	J	453	ij
MERCURY	0.1	0.12	J	0.029	J	0.12	J	0.028	J.	0.19	
NICKEL	. 4	14.0	ِل ِ	12.8	J.	13.3	J	9.7	٠. اليا	18.2	J
POTASSIUM	500	869	l	729		514	J	408	J	581	J
SELENIUM	3.5		UL	-31	UL .	0.38	٠, ٠,	14	UL		UL
SILVER	1	0.24	J	0.20	J	0.26	J _.	0.13	J	0.44	J
SODIUM	500	99.8	В	98.5	В	36.9	В	41.2	В	63.3	В
THALLIUM	2.5		UL		ŲL		UL		UL		UL
- VANADIUM	5.	41.6		37.8		24.2		23.4		29.5	
ZINC	6	144	,	1,10	l	552	l	33.2		657	
CYANIDE	2.5		UL		UL	0.85	J	NARRATIVE	UL	0.73	J

CRDL = Contract Required Quantitation Limit

To calculate sample quantitation limits: (CRDL * Dilution Factor) / (%Solids/ 100)

SEE NARRATIVE FOR CODE DEFINITIONS

DATA SUMMARY FORM: INORGANIC

Case #: 33696

SDG: MC02H2

Site:

ELKTON FARM FIRE HOLE

Lab. : LIBRTY

Sample Number :		MC02J0	d	MC02J1	7	MC02J2	7	MC02J3	7	MC02J6	
Sampling Location :		S6		S7 ·	j	S8		S9		SS10	
Field QC:											
Matrix :	ŀ	Soil		Soil		Soil		Soil		Soil	
Units:		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg	
Date Sampled :		1/11/2005		1/11/2005		1/12/2005	}	1/12/2005		1/11/2005	
Time Sampled :		13:10		15:15		09:10		10:10		10:00	
%Solids:		82.5		81.2		85.2		79.2		80.4	
Dilution Factor:		1.0		1.0		1.0		1.0	,	1.0	,
ANALYTE	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	20	12100		13100		11800		17800		17100	
ANTIMONY	- 6	0.25	В	1.3	В	0.44	·В	· 0.36	В.		UL
ARSENIC	. 1	3.0	J	3.5	J	3.4	J	5.0	J	3.7	J
BARIUM	20	97.2	Ĵ	576	J	26.4	J.	52.9	J	52.0	J
BERYLLIUM	0.5	0.76		0.79		0.34	J	0.59	J	0.73	
CADMIUM	0.5		IJ	2.4	J 📑		w		. UJ		UJ.
CALCIUM	500	536	J	1360		492	J	880	Å .	747	
CHROMIUM	1.	- 15.0	J	18.7	J	21.6	J	28.4	J	23.7	J
COBALT	5	6.3		5.7	J	2.7	J	4.1	J	7.1	
COPPER	2.5	6.2	. L	59.6	L	7.8	L	11.4	اندا	13.3	L
IRON	10	12000	J	13300	J	18300	J	24600	J	21900	J.
*LEAD	<u>.</u> 1	10.3	. J	105	J .	5,9	ij	11.2	J	8.0	J
MAGNESIUM	500	1660		2320	<u>.</u> .	1230		1620		3190	
MANGANESE	1.5	208	Ĩ.	337	َ`َلَ	50.4	j	A.,	J	166	J.
MERCURY	0.1	0.013	J	0.077	J	0.034	J	0.060	J J	0.021	J.
NICKEL	4.	8.8	J.	10.8	J	6:1	J	9.4	j. **-	13.1	ال
POTASSIUM	500	332	J	446	J	429	J.	583	J	. 1000	١.
SELENIUM	3.5		UL		UL		UL	1	UL	7 77 7	UL
SILVER	1		,	0.069	J	0.072	J	anggio e department	- 121	,	
SODIUM	500	47.2	В	34.0	В	50.0	В	52.2	В	98.4	В
THALLIUM	2.5		UL		UL		UL		UL		UL
VANADIUM	5	20.6		21.5	:2	29.2	`.	39.5	1357	41.0	
ZINC	6	30.2	l	1530	50	20.2		32.1		34.2	
CYÂNIDE	2.5	10 g	UL	2.1	J 🖑		UL	:	UL		UL.
CRDL = Contract Required Quantitation Lim	nit						SEE !	NARRATIVE	FOR C	ODE DEFINIT	TIONS

CRDL = Contract Required Quantitation Limit

To calculate sample quantitation limits: (CRDL * Dilution Factor) / (%Solids/ 100)

DATA SUMMARY FORM: INORGANIC

Case #: 33696

SDG: MC02H2

Site : Lab. : ELKTON FARM FIRE HOLE

LIBRTY

Sample Number :		MC02J7		MC02J8		MC02K1	/	MC02K2		MC02K3	,
Sampling Location :		SS11		SS12		SS4		SS5		SS6	
Field QC:				Dup. of MC	02K2			Dup. of MC	02J8		
Matrix:		Soil		Soil		Soil		Soil		Soil	
Units:		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg	
Date Sampled :		1/11/2005		1/12/2005		1/12/2005		1/12/2005		1/11/2005	
Time Sampled :		11:45		11:30		12:40		11:15		13:55	
%Solids :		80.6		75.3		85.9		79.0		84.3	
Dilution Factor :		1.0		1.0/2.0		1.0		1.0/2.0		1.0	
ANALYTE	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	20	15100		32000		3850		16300	ŀ	4400	
ANTIMONY	6	0.51	В	12.6	L	0.27	В	17.1	L .	0.30	В
ARSENIC	1	4.0	J	16.4	J	0.98	J	22.4	J	1.2	J
BARIUM	20	53.0	J	1970	J	12.7	J	2780 +	J	. 11.3	J.
BERYLLIUM	0.5	0.59	J	0.79		0.18	J	1.5		0.27	J
CADMIUM	0.5		. nn	49.3	J		IJ	64.6	J	ing provide sa	UJ
CALCIUM	500	, 616	j	7640		289	J	11500	! 4 ·	168	J
CHROMIUM	í .	25.1	J.	170	J	12.7	J	206	.J	12.1	J
COBALT	5	4.8	J	12.1	ļ	1.5	J	8.3		1.8	J
COPPER	2.5	11.9	L	871	, L	3.7	L	2810	L .	_ 5.4	L
IRON	10	23400	J	80800 +	J	6170	J	73400 +	J	9520	J
*LEAD	1.	7.9	_J	2620	J	3.8	J.		J	2.8	J
MAGNESIUM	500	2460		3920		573	J	5270		523	J
MANGANESE	1.5	107	J	1740	J	40.4	J	1720	J	54.4	J
MERCURY	0.1		UL.	0.33			UL	0.25			UL
NICKEL	- 4	10.8	J.	60.8	J	3.0	J	41.9	.J	3.0	J.
POTASSIUM	500	789		634	J	135	J	763		172	J
SELENIUM	3.5	المستسدان المستسد	UL .	2.2	j		UL	2.6	J.		UL
SILVER	. 1 بست د ترب	,र सुक्त <u>र</u> ूचा चुल्लाका	ক্জ	3.0				3.3 261	, J	7 22 _	
SODIUM	500	69.1	В	159	j	39.8	В	i e		35.5	В
THALLIUM	2.5		UL.	1.3	J		UL	1.7	J		UL
VANADIUM	_5_	39.0		26.9		10.8		28.5		14.6	C
ZINC	6	27.6		4050 +		10.0		4280 +		19.9	
CYANIDE	2.5		UL	0.73	J		UL	3.8	<u> </u>		UL

CRDL = Contract Required Quantitation Limit

To calculate sample quantitation limits: (CRDL * Dilution Factor) / (%Solids/ 100)

"+" = Results are reported from dilution analyses.

SEE NARRATIVE FOR CODE DEFINITIONS

Case #: 33696

SDG: MC02H2

Site:

ELKTON FARM FIRE HOLE

Lab.:

LIBRTY

Sample Number :		MC02K4	7	MC02K5	7	MC02K6	7			ſ	
Sampling Location :		SS7		\$88		SS9					
Field QC:	Í										
Matrix:	:	Soil	}	Soil		Soil					
Units:	ļ	mg/Kg		mg/Kg		mg/Kg					
Date Sampled :	ļ	1/11/2005		1/12/2005		1/12/2005					
Time Sampled :		15:25		09:15		10:30					
%Solids:		80.3		94.1		91.7					
Dilution Factor :		1.0		1.0		1.0			,		,
ANALYTE	CRQL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	20	17800		989		1050				er	
ANTIMONY	6	0.32	В	0.22	В	0.22	В	135		Figure 1	
ARSENIC	1	4.3	j	0.36	J	0.85	J.				
BARIUM	20	53.1	J	3.3	J	3.2	J	14 4°	i n		
BERYLLIUM	0.5	0.66		0.11	В	0.14	J				
CADMIUM	0.5		IJ		·UJ	Mark the self	W	3		313 33 1	
CALCIUM	500	544	J	65.9	В	61.9	В				
CHROMIUM	1	24.8	์ ไ	11.3	J	14.6	J ··	~··· · · ·			
COBALT	5	5.0	J	2.0	J	1.5	J				
COPPER	2.5	12.6	; L	3.3	Ė.	3.9	L		·		· · · · ·
IRON	10	21700	J	5170	J	7850	J	1			l
*LEAD	Q. 15/2	8.7	3 1.	1.3	J	_, 1.3	J 📜	连上。			22.0
MAGNESIUM	500	3050		90.4	J	107	J		L.,		
MANGANESE	1.5	132	J	65.9	J	54.4	J		£1,0%		
MERCURY	0.1		UL	0.031	J	0.10	J	59 A.T. 4 * * *	Cont. A	e en sayar jir.	,
NICKEL	4.	12.7	J	1.1.	J.	1.17 (1.17).	J.				<u>.</u> .
POTASSIUM	500	831		30.9	J	34.3	J.	124 Pa	1	, ,,	
SELENIUM	3.5-	en jakit sak	UL	entra sign	UL		UL		Ā Ā		<u> </u>
SILVER	1							r jan mangan			
SODIUM	500	- 74.8	В	24.2	В,	28.7	В		L. is.		
THALLIUM	2.5		UL		UL	77 THE 1985	UL	F.75 7 7 87	_L	1977/1978	
VANADIUM	5.	41.2		6.9		10.6				े भूगानमृहः उत्पन्नेत्व प्रदेश	
ZINC	6	36.1	77 JE	4.4	В.	5.2	В	, -, ··		ले दुःष्ट	
CYANIDE	2.5		UL	<u> </u>	UL		UL	-N		ODE DEEINI	<u> </u>

CRDL = Contract Required Quantitation Limit

To calculate sample quantitation limits. (CRDL * Dilution Factor) / (%Solids/ 100)

SEE NARRATIVE FOR CODE DEFINITIONS

APPENDIX C

Chain of Custody (COC) Records



SEPA USEPA Contract Laboratory Program Inorganic Traffic Report & Chain of Custody Record

Case No:

33696

DAS No:

R32050

Region:	3	Date Shipped:	12/14/2004	Chain of Custody	Record	Sampler Signature:	₹
Project Code:		Carrier Name:	FedEx	Relinquished By	(Date / Time)	Received By	(Date / Time)
Account Code:	2004T03W302DD2C037ZLA00	'Airbill:	843517786097	 			
CERCLIS ID:	MDD985407196	Shipped to:	Liberty Analytical	1			
Spill ID:			Corporation	2			
Site Name/State:	ELKTON FARM FIREHOLE FUDS/MD		501 Madison Avenue Cary NC 27513				
Project Leader:	Alex Cox		(919) 379-4100	3			
Action:	Expanded Site Investigation/RI			4	<u> </u>		
Sampling Co:	MDE-ERRP	i		4	 		

INORGANIC SAMPLE No.	MATRIX/ SAMPLER	CONC/ TYPE	ANALYSIS/ TURNAROUND	TAG No./ PRESERVATIVE/ Bottles	STATION LOCATION	SAMPLE COLLEC DATE/TIME	T ORGANIC SAMPLE No.	QC Type
MC02G9	Surface Soil (0"-12")/	L/G	TM + HG (21)	2612 (Ice Only), 2613 (Ice Only), 2614 (Ice Only) (3)	S1	S: 12/14/2004 12:30		Spike
MC02H6	Philip Anderson Surface Soil (0"-12")/	Ľ/G _.	TM + HG (21)	2698 (ice Only) (1)	S2	S: 12/14/2004 15:30) 	
MC02H7 .	Philip Anderson Surface Soil (0"-12")/ Philip Anderson	L/G	TM + HG (21)	2699 (Ice Only) (1)	S 3	S: 12/14/2004 16:10	·	-

Shipment for Case		Sample(s) to be used for laboratory QC:	Additional Sampler Signature(s):	Chain of Custody Seal Number:
١	Complete? N	Odilipio(s) to be deed to the end of the		
		MC02G9		
ı		O A A A A A A A A A A A A A A A A A A A	Type/Designate: Composite = C, Grab = G	Shipment Iced?
ı	Analysis Key:	Concentration: L = Low, M = Low/Medium, H = High	Typerotoignate: Composite = 0, order 0	<u></u>
1	TM + HG = CLP TM +HC	3		

TR Number:

MDE-ERRP

Site Name/State:

Project Leader:

Sampling Co:

Action:

USEPA Contract Laboratory Program
Inorganic Traffic Report & Chain of Custody Record

Case No: 33696 DAS No: R32050

						_
Region: Project Code:	3	Date Shipped: Carrier Name:	1/12/2005 FedEx	Chain of Custody	Record	Sampler Signatur
Account Code:	2004T03W302DD2C037ZLA00	Airbill:	850760667177	Relinquished By	(Date / Time)	Received
CERCLIS ID:	MDD985407196		Liberty Analytical	1		
Spill ID:			Corporation	2	······································	

501 Madison Avenue **ELKTON FARM FIREHOLE FUDS/MD** Cary NC 27513 Alex Cox (919) 379-4100 Expanded Site Investigation/RI

(Date / Time)

INORGANIC SAMPLE No.	MATRIX/ SAMPLER	CONC/ TYPE	ANA LYSIS/ TURNAROUND	TAG No./ PRESERVATIVE/ Bottles	STATION LOCATION	SAMPLE COLLEC DATE/TIME	ORGANIC SAMPLE No.	QC Type
MC02H4	Surface Soil (0"-12")/	M/G	TM + HG (21)	2696 (Ice Only) (1)	S12	S: 1/12/2005 11:25		Field Duplicate of Mc62H9
MC02H8	Philip Anderson Surface Soil (0"-12")/	ГG	TM + HG (21)	2700 (Ice Only) (1)	S4	S: 1/12/2005 12:30		_
MC02H9	Philip Anderson Surface Soil (0"-12")/	L∕G	TM + HG (21)	2701 (Ice Only) (1)	S 5	S: 1/12/2005 11:10		-
MC02J2	Philip Anderson Surface Soil (0"-12")/	L/G	TM + HG (21)	2704 (Ice Only) (1)	\$8	S: 1/12/2005 9:10	,	
MC02J3	Philip Anderson Surface Soil (0"-12")/	L/G	TM + HG (21)	2705 (ice Only) (1)	. 89	S: 1/12/2005 10:10		-
MC02J8	Philip Anderson Subsurface Soil (>12")/	L/G	TM + HG (21)	2725 (Ice Only) (1)	SS12	S: 1/12/2005 11:30	C02J8	Field Duplicate of M C62K2
MC02K1	Philip Anderson Subsurface Soil (>12")/	L/G	TM + HG (21)	2740 (ice Only) (1)	SS4	S: 1/12/2005 12:40	C02K1	-
MC02K2	Philip Anderson Subsurface Soil (>12")/	L/G	TM + HG (21)	2745 (ice Only) (1)	S S 5	S: 1/12/2005 11:15	C02K2	~
MC02K5	Philip Anderson Subsurface Soil	L/G	TM + HG (21)	2760 (Ice Only) (1)	SS8	S: 1/12/2005 9:15	C02K5	-
MC02K6	(>12")/ Philip Anderson Subsurface Soil (>12")/ Philip Anderson	L/G	TM + HG (21)	2765 (Ice Only) (1)	S S 9	S: 1/12/2005 10:30	C02K6	- ,

Shipment for Case Complete? Y	Sample(s) to be used for laboratory QC:	Additional Sampler Signature(s):	Chain of Custody Seal Number:	
	MC02H4, MC02J8			
Analysis Key:	Concentration: L ≈ Low, M = Low/Medium, H = High	Type/Designate: Composite = C, Grab = G	Shipment Iced?	
TM + HG = CLP TM +HC	<u> </u>			

TR Number: 3-592370820-011205-0003

APPENDIX D

Laboratory Case Narrative

EQUATIONS FOR SOLID SAMPLE CALCULATIONS:

Client sample MC02G9 used for illustration.

ICP Equation:

Equation for obtaining metals sample results in mg/Kg as presented on FORM I data sheets from ICP instrument acquired results in μ g/L (ppb).

C x V

Concentration (% solids) (mg/Kg) ----- X DF

W x S

Where

 $C = concentration (\mu g/L)$

DF = dilution factor

V = final volume in liters after sample preparation

W = weight in grams of wet sample

S = % solids/100

Example: calcium result µg/L to mg/Kg.

9671.186 μg/L x 0.1 L (V)

= 1127.2 mg/Kg reported as 1130 mg/Kg

1.0 g (W) x 0.858

Cyanide Equation:

Equation for obtaining cyanide sample results in mg/Kg as presented on FORM I data sheets from instrument acquired results in μ g/L (ppb).

A x D x F B x E Where

A = μ g/L CN B = wet weight of sample

D = dilution factor to bring sample into analysis range

E = % solids/100

F = final volume in liters (0 05 L)

Example: cyanide result µg/L to mg/Kg

 $3.623335 \mu g/L (A) \times 1 (D) \times 0.05 L (F)$

= 0.2112 mg/Kg reported as 0.21 mg/Kg

1.00g (B) x 0.858 (E)

Mercury Equation:

Equation for obtaining mercury sample results in mg/Kg as presented on FORM I data sheets from instrument acquired results in μ g/L (ppb).

A x D x F

B x E

Where

 $A = \mu g/L Hg$

B = wet weight of sample

D = dilution factor to bring sample into analysis range

E = % solids/100

F = final volume in liters (0.1 L)

Example: mercury result µg/L to mg/Kg

 $0.3771 \mu g/L (A) x 1 (D) x 0.1 (F)$

= 0.2198 mg/Kg reported as 0.22 mg/Kg

0.2 g (B) x 0.858 (E)

CompuChem

a Division of Liberty Analytical Corp.

501 Madison Avenue Cary, NC 27513

SDG NARRATIVE CASE # 33696 SDG # MC02H2 CONTRACT # 68W04011

The indicated Sample Delivery Group (SDG) consisting of eighteen (18) soil samples was received on January 12 and 14, 2004. The samples were intact and in good condition with Chain of Custody (COC) Records.

ISSUES:

No. 1- Case 33696 was received with two samples (MC02H4, MC02J8) indicated for QC. LIBRTY selected MC02H4 for QC.

No. 2- Case # 33696 and DAS # R32050 are present on the TR/COCs. LIBRTY notified SMO about the situation.

No. 3- For Case 33696, the Scheduling Notification Form has total metals, mercury, and cyanide. The TR/COC have TM+HG. Per Region 3, LIBRTY is to follow the Scheduling Notification Form.

SAMPLE IDs:

The following customer IDs are associated with this SDG:

MC02H2	MC02H3	MC02H4	MC02H8	MC02H9	MC02J0
MC02J1	MC02J2	MC02J3	MC02J6	MC02J7	MC02J8
MC02K1	MC02K2	MC02K3	MC02K4	MC02K5	MC02K6

The samples were analyzed, in accordance with EPA - CLP Statement of Work (SOW) document ILM05.3 for TAL ICP-AES total metals and mercury including cyanide.

The correlation coefficients for the mercury and cyanide analytical runs are confirmed to be ≥ 0.9950 .

The cooler temperature bottles were present with samples and sample temperatures were 3.1 and 1.9 degrees Celsius.

INSTRUMENTAL QUALITY CONTROL:

All calibration verification solutions (ICV, CCV, & CRI), blanks (ICB, & CCB), and interference check samples (ICSA & ICSAB) associated with this data were confirmed to be within EPA CLP allowable limits.

SAMPLE PREPARATION QUALITY CONTROL:

The sample preparation procedure verifications (LCSS & PBS) were found to be within acceptable ranges and all field samples were prepared and analyzed within the contract specified holding times.

MATRIX RELATED QUALITY CONTROL:

The ICP sample matrix spike, CCN = 57761 (MC02H4S) was found to be outside CLP control limits for antimony and copper. The reported concentrations are flagged with an "N" on all associated Form 1 and on Form 5a.

The mercury sample matrix spike, CCN = 57765 (MC02H4S) was found to be inside CLP control limits.

The cyanide sample matrix spike, CCN = 57666 (MC02H4S) was found to be inside CLP control limits.

The ICP sample matrix duplicate, CCN = 57760 (MC02H4D) was found to be outside CLP control limits for arsenic, barium, beryllium, cadmium, chromium, iron, lead, manganese, and nickel. The reported concentrations for these analytes are flagged with a "*" on all associated Form 1 and on Form 6.

The mercury sample matrix duplicate, CCN = 57764 (MC02H4D) was found to be inside CLP control limits.

The cyanide sample matrix duplicate, CCN = 57665 (MC02H4D) was found to be inside CLP control limits.

A five-fold serial dilution of sample, CCN = 549009 (MC02H4L) was performed in accordance with CLP requirements for ICP analysis.

The adjusted sample concentrations were inside CLP control limits for the requested analytes.

The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Thomas R. Cole Data Reviewer II January 31, 2005



Subsurface Geophysical Surveys

Results of Geophysical Investigation

Former Triumph Explosives Facility Zeitler Road Elkton, Maryland

Prepared for: ENSAT Corporation Jessup, Maryland .

Dates of Investigation: July 15-16, 2004

Introduction

Background

Survey Design

Methods

Results / Conclusions

Recommendations

Plate 1 Analytic signal from corrected total field magnetic intensity contour map

Plate 2 EM-31 Conductivity contour map

Plate 3 EM-31 Inphase contour map

MARYLAND

MAGNETICS TROMAGNETICS

SEISMICS RESISTIVITY ILITY LOCATION

XO DETECTION

BOREHOLE CAMERA

AFF SUPPORT

Benson Ave. Suite 104 **Baltimore** yland 21 227 0) 536-7600 10) 536-7602 Fax

EW YORK

Harrison Ave. Suite 11 Congers lew York 10920 5) 268-1800 268-1802 Fax

RGINIA

P.O. Box 7325 prlottesville 134) 978-3187 741 072 0701 Em



Results of Geophysical Investigation Former Triumph Explosives Facility Zeitler Road Elkton, Maryland



Introduction

On July 15-16, 2004, NAEVA Geophysics, Inc. conducted geophysical investigations on a portion of a former rocket testing station operated by the Triumph Explosives Company. The site was located on Zeitler Road in Elkton, Maryland. The purpose of this investigation was to determine the boundaries of suspected burial trenches and burn pits by expanding the target area mapped by NAEVA in July of 2002, in which the attempt was made to delineate any burial trenches, burn pits, or underground storage tanks (USTs) that may exist at the site.

Background

The area of investigation (Plates 1-3) encompassed approximately 12 acres of land currently used as farmland planted with soybeans. The area is bordered on the south side by forest and on the north side by Zeitler Road. The planted fields extend several thousand feet to the west (previously mapped) and several thousand feet to the east.

In July of 2002, NAEVA conducted a survey on approximately 30 acres of land to the west of the current investigation area. The majority of their survey grid was constructed of parallel lines spaced 25 feet apart. However, two mini-grids were also constructed of parallel lines spaced 10 feet apart. The results of the earlier survey suggest the presence of burial trenches containing metallic waste within the northern mini-grid. In addition, by using a TW-6 metal detector, they found four significant metallic anomalies that can be characterized as possible USTs.

Survey Design

NAEVA utilized GPS to establish limits of the old survey areas and the boundaries of the new area. Tape measures were used to extend the area of investigation to the edge of the woods on the south and west. Local coordinates were later converted to Maryland State Plane coordinates. The survey grid was constructed of parallel lines spaced 25 feet apart. Data was collected along all survey lines at 5-foot station intervals.

The grid for this investigation extends from the previous grid approximately 270 feet south (from 654000 North to 653730 North) and 500 feet east (from 1117570 East to 1118070 East) in an irregular pattern as dictated by the woods along the southern and western margins. The remainder of the grid is comprised of approximately 9 acres of land that stretches from 1117860 East to 1118060 East and from 654000 North to 656000 North.

Methods

The equipment selected for this investigation included an Ashtech Z-FX GPS system consisting of a base station and a mobile rover, a Compaq Aero 2150 Palm-size PC (utilized to run GPS software), a Scintrex Smart-Mag cesium vapor magnetometer (utilized for field data collection), a Scintrex Envi-Mag proton-precession magnetometer (utilized for monitoring diurnal drift), and a Geonics EM-31 DL terrain conductivity meter.

NAEVA utilized an Ashtech Z-FX Surveyor RTK (Real Time Kinematic) GPS system to collect positional data. The system employs a GPS base station (Ashtech Z-FX receiver), which can be set up on a known control point, or can compute its position autonomously. A roving GPS antenna connected to another Z-FX receiver is used to collect positional data for the desired points. Real time corrections are broadcast to the roving GPS unit via a radio link. This system provides positional updates at a rate of 1 Hz, which an accuracy of 3-cm horizontal, 5-cm vertical, when a minimum of 5 satellites are available.

For this area of investigation there was no known base point from which the boundaries of the grid area could be surveyed. Therefore, NAEVA set an autonomous base position and used a rover to establish the boundaries of the new survey area. Throughout the course of the day, more autonomous base positions were collected in order to establish confidence in the base position. The average of the collected base positions was used to re-survey the grid boundaries, yielding greater accuracy for the grid layout.

Magnetometers are useful in locating the buried ferrous materials typically found in disposal areas. The earth's magnetic field drifts over the course of a day. Therefore, a base station was employed to collect continuous readings at 6-second intervals documenting any diurnal drift. Corrections can then be made to the field magnetometer readings to correct for this drift. Total field intensity readings consisting of the earth's primary magnetic field as well as the response from any secondary fields generated by local ferromagnetic materials in the subsurface were collected over the survey area and stored in a portable data logger. These readings, measured in nanoTeslas

(nT), were downloaded to a personal computer, corrected for diurnal drift, and contoured using the calculated analytic signal.

The EM31 consists of boom-mounted coplanar electromagnetic transmitter and receiver coils that are mounted at a fixed distance of 12 feet. Data is collected and stored in a digital data recorder attached to the instrument. A current applied to the transmitter coil produces a time-varying magnetic field, which induces small secondary currents within the earth. These currents generate a secondary magnetic field, which is detected along with the primary field by the receiver coil. The EM31 was carried at a height of 3-feet and operated in the vertical dipole mode, where the greatest portion of the instrument response is affected by material in the 3 to 9-foot depth range. The maximum useful depth of exploration of the EM31, according to the manufacturer, is approximately 18 feet.

The EM31 provides an output of both the quadrature-phase (terrain conductivity) and in-phase (response to metal) components of an induced electromagnetic field. The quadrature-phase is a measurement of terrain conductivity in milliSiemens per meter (mS/m). Terrain conductivity is a function of porosity, degree of saturation, and the conductivity of subsurface materials. The absolute values of terrain conductivity are not usually diagnostic, but their spatial variations are important. The ability to identify lateral variations in the shallow subsurface makes quadrature-phase EM31 data very useful in the delineation of burial features.

The inphase component of the EM31 data is primarily used in searching for buried metal, and is measured in units of relative parts per thousand (ppt) of the magnetic field. A negative instrument response is typical over areas containing shallow buried metal (both ferrous and nonferrous). The data were collected in an integrated data logger located at the center of the EM31 instrument. Later, the data was downloaded to a computer, processed, and contoured. Final presentation quality maps of all digital geophysical data were produced using Geosoft's Oasis Montaj software.

Results / Conclusions

The results of the geophysical investigation reveal one major anomalous magnetic and in-phase EM response. Referring to the contoured analytic signal data (Plate 1), the center of the anomaly is located at approximately 1117900 East, 653970 North. The dimensions of this feature stretch 150 feet from East to West and 175 feet from Northeast to Southwest. This feature also shows up clearly on the contoured inphase data (Plate 3), suggesting a large metallic feature located beneath the surface.

Referring to the analytic signal data in Plate 1, there are several parameters of the buried anomaly, such as size, orientation, and magnetic characteristics that cause the deviation in the earth's magnetic field around the object. Therefore, although the location of the anomaly can be pinpointed with great accuracy, the exact structure and composition are difficult to infer. However, the object in our survey does not appear to represent a burial trench as found in the investigation carried out in July 2002. It is also not likely that the object is a burn pit based on the large dipole response evident on the contoured analytic signal data. This type of response is typically characteristic of an object with a more structured composition.

Referring to the conductivity data in Plate 2, the anomalous feature pointed out in plates 1 and 3 is represented by a small, but noticeable response coinciding with the locations on the other two maps. The remainder of the grid area is relatively free of any significant conductivity response. There are slightly elevated areas of conductivity located from 1117850 East to 1118050 East, and from 654120 North to 654330 North. These changes, as well as the variation in conductivity throughout the remainder of the grid, can most likely be attributed to natural geologic features in the subsurface. It should be noted that the soil moisture content was very high overall, and varied from being slightly moist at the surface to having substantial water standing on the surface due to supersaturated conditions caused by heavy rainfall.

Recommendations

For the one item of interest found, NAEVA recommends an intrusive investigation commencing at the center of the feature. Further examination should be directed outwards to fully characterize the anomaly.



September 3, 2002

Mr. Karl Kalbacher, Administrator
Environmental Restoration and Redevelopment Program
Maryland Department of the Environment
1800 Washington Blvd.. Suite 625
Baltimore, Maryland 21230-1719

Re: Triumph Explosives Site

Triumph Explosives St

Zeitler Road Elkton, Maryland

ENSAT Project No. C02-1580

Dear Mr. Kalbacher:

Environmental Service and Technology Corporation (ENSAT) is pleased to provide you with the following Geophysical Investigation Summary report for the above-referenced site. The report summarizes our investigation utilizing various technologies associated with geophysical surveying. An outline of services performed (complete with an explanation of the technology used), as well as conclusions and future recommendations are provided.

RECEIVED

SEP 1 7 2002

ERRP

INTRODUCTION

The Triumph Explosives (site) is located on Zeitler Road in Elkton, Maryland. The site is situated south of Zeitler Road and is currently used for agricultural purposes. Topography on the site is relatively flat with a wooded area bordering the property to the west and a dirt access road that bisects the site running north to south. A partially wooded area containing concrete and steel structures is located in the south-central portion of the site. A large diameter steel high-tension power-line tower is located in this area of the site, as well. The investigation included site clearing, survey flag placement, and geophysical surveying.

SITE PREPARATION

On July 10, 2002, ENSAT representatives mobilized on-site to perform necessary site clearing and to survey the location of the grids. Site clearing was performed with a rubber-tired backhoe in the areas surrounding the concrete structure and the wooded boundary line to the west of this structure. The survey grid encompasses an area of approximately 2,500 feet by 600 feet and runs perpendicular to Zeitler Road, in a north-south direction. This larger grid was completed with a 25 foot line spacing. A dirt road bisects the grid area meandering through the center of the grid on a north-south axis. Within the large grid, two (2) smaller and tighter grids were surveyed. The first of these two smaller grids is located in the northwestern portion of the larger grid and was completed with a 10 foot line spacing. The placement of this grid was based on the review of existing historical documentation and area topographic depressions located to the west of the dirt access road. The second of these smaller grids was located in the southernmost portion of the larger grid and was also completed with 10 foot line spacing. The placement of this grid was based on the review of existing historical documentation and distressed vegetation within this area located to the south of the dirt access road. All grids were surveyed in-place using a transit and tripod with corrections using a 100-foot tape measure and compass. At each reference point along the survey lines, a surveyor's flag was placed into the ground.

MARYLAND OFFICE

8840 WASHINGTON BOULEVARD SUITE D

TESSUP MARYLAND 20794

410.724.5085 BAITIMORE PHONE

PRINCIPLOSIS DC METRO PHONE

301.017.2019 148

> CORPORATE OFFICE

15510 MONTANUS DRIVE SUITE B

CULPEPER VIRGINIA 22701

540.825.9063 PHONE

540.825.9087 FAX The purpose of locating the grid areas was to provide NAEVA Geophysics, Inc. (NAEVA) of Charlottesville, Virginia, the geophysical subcontractor, the base datum upon which to measure and record their geophysical survey data at consistent 5-foot intervals.

TECHNOLOGY

NAEVA conducted geophysical surveys using four (4) separate technologies. The first utilized an Ashtech Z-FX GPS system to collect positional data points such as the location of the grid corners, all road features, buildings, and other significant cultural features. Second, a magnetometer was utilized for the purpose of locating buried ferrous materials. Third, a Geonics EM-31, electromagnetic frequency domain unit was used to measure terrain conductivity. Additionally, an in-phase component of the EM-31 was used to search primarily for buried metal. The last was the TW-6 split-box electromagnetic metal detector used for the purpose of further clarifying near-surface ferrous metal objects. This last technology was used only in the vicinity of the concrete structure and gantry area. All technologies used are further explained, in detail, in the attached NAEVA geophysical report.

CONCLUSIONS

Based on historical information, aerial photographs, site reconnaissance, and an extensive geophysical survey; ENSAT has concluded that there are three (3) areas of potential concern that warrant further investigation. All historical information indicates there were burnpits used by Triumph Explosives during 1940s to burn-off thinly spread layers of propellants and fuels. These burnpits were presumed to be located in the northwestern portion of the site and in the southern portion of the site. Indeed two (2) anomalies were located in the northwestern portion of the site, just west of the dirt road, within the 10-foot spaced grid. No significant anomalies were located in the southern 10-foot spaced grid.

Another "trench-like" anomaly, as indicated by the EM-31 Inphase (Plate 3) of the attached NAEVA report, is located between coordinates 655600 and 655400 oriented in a north to south direction, approximately 150 feet in length by approximately 25 feet in width. This particular anomaly lays partially within the northern 10-foot spaced grid and partially within the larger 25-foot spaced grid, just to the east of the dirt road.

There also exists a third anomaly, located in the northwestern portion of the site that travels in an east to westerly direction and is approximately 100 feet in length. This anomaly mimics a potential subsurface utility and verification of this presumption is recommended.

Several (four) subsurface metallic anomalies were detected by the TW-6 metal detector method in the vicinity of the concrete structure and gantry (see CADD). Based on their extensive experience in the industry, NAEVA believes these anomalies are consistent with underground storage tanks (USTs) or similar objects of concern. The location of these anomalies is indicated in NAEVA's report.

RECOMMENDATIONS

Based on our review of the initial geophysical investigation, ENSAT proposes the following measures in the attempts to further qualify existing data and to provide additional interpretive field data upon which to recommend our next course of action.

1. Utilize electromagnetic utility locators in the vicinity of the northwestern-most anomaly to determine whether the initial readings indicated an underground utility.

- 2. Further investigation of the eastern "trench-like" anomaly is recommended to include establishing a grid with 10-foot line spacing to completely define the extent of this anomaly. This particular anomaly extends in a north to south direction (east of the dirt access road) and is situated partially in the 10-foot grid and extends into the 25-foot grid.
- 3. Obtain ground penetrating radar (GPR) profiles over each of the four (4) TW-6 metal detector anomalies. The concern here is the possible presence of USTs.

ENSAT appreciates the opportunity to provide these services to the Department and looks forward to our continued partnership. Should you have any questions or comments, please contact either Mr. Kevin Howard or myself at (410) 724-5085, ext. 109.

Sincerely,

ENSAT CORPORATION

Troy A. Carrington Project Manager

Kevin W. Howard Program Manager

Cc: Mark Cox, MDE Project Manager

Art O'Connell, MDE State Superfund Division Manager

Attachment: NAEVA Geophysical Report

Subsurface Geophysical Surveys

GPR MAGNETICS ELECTROMAGNETICS SEISMICS RESISTIVITY UTILITY LOCATION **UXO DETECTION BOREHOLE CAMERA** STAFF SUPPORT

Results of Geophysical Investigation

Former Triumph Explosives Facility Zeitler Road Elkton, Maryland

Prepared for:

ENSAT Corporation

Jessup, Maryland

Dates of Investigation:

July 16-19 & 23, 2002

Prepared by:

Robert W. Gimpel Geologist - Project Manager NAEVA Geophysics, Inc. 4707 Benson Avenue, Suite 104 Baltimore, MD 21227

Introduction

Background

Survey Design

Methods

Results / Conclusions

Recommendations

NEW YORK

MARYLAND

4707 Benson Ave. Suite 104

Baltimore

Maryland 21227 (410) 536-7600

(410) 536-7602 Fax

Analytic signal from corrected total field magnetic intensity contour map

Plate 1 Plate 2

EM-31 Conductivity (Quadrature Phase) contour map

Plate 3

EM-31 Inphase contour map

50 N. Harrison Ave. Suite 11 Congers New York 10920 (845) 268-1800 (845) 268-1802 Fax

VIRGINIA

P.O. Box 7325 Charlottesville Virginia 22906 (434) 978-3187 ///2// 072 0701 C

Results of Geophysical Investigation Former Triumph Explosives Facility Zeitler Road Elkton, Maryland

Introduction

On July 16 through 19 and July 23, 2002, NAEVA Geophysics, Inc. conducted geophysical investigations on a portion of a former rocket testing station operated by the Triumph Explosives Company. The site was located on Zeitler Road in Elkton, Maryland. The purpose of the investigation was to attempt to delineate any burial trenches, burn pits, or underground storage tanks (USTs) that may exist at the site.

Background

The area of investigation (Plates 1-3) encompassed approximately 30 acres of land currently used as farmland planted with soybeans. The area is bordered on the west side by forest and on the north side by Zeitler Road. The planted fields extend from the grid several hundred feet to the south, and several thousand feet to the east. In the center of the investigation area is an abandoned building, several foundations, a metal gantry, and numerous scrap piles. These cultural features were reported to be the remains of the abandoned rocket testing facility. The possibility exists that this facility may have maintained USTs. Aerial photo evidence supplied by ENSAT suggests that there might have been burn pits or disposal trenches at locations north and south of the facility.

Survey Design

A survey grid was established by ENSAT from a designated control point (0 East, 2000 North) located in the extreme northwestern corner of the survey area. Local coordinates were later converted to Maryland State Plane coordinates, with the grid extending from 1117275 East to 1117825 East and from 654000 North to 656000 North. The majority of the survey grid was constructed of lines spaced 25 feet apart. Two mini-grids of lines spaced 10-feet apart were established in areas suspected to contain burn pits. One mini-grid was located at the north end of the survey area from 1117325 to 1117725 East, and 655500 to 656000 North. The second mini-grid was located at the southern end from 1117650 to 1117800 East

and 654000 to 654500 North. Data were collected along all survey lines at 5-foot station intervals.

Methods

The equipment selected for this investigation included an Ashtech Z-FX GPS system, a Scintrex Smart-Mag cesium vapor magnetometer (utilized for field data collection), a Scintrex Envi-Mag proton-precession magnetometer (utilized for monitoring diurnal drift), a Geonics EM-31 DL terrain conductivity meter, and a Fisher TW-6 split-box metal detector.

NAEVA utilized an Ashtech Z-FX Surveyor RTK (Real Time Kinematic) GPS system to collect positional data. The system employs a GPS base station (Ashtech Z-FX receiver), which can be set up on a known control point, or can compute its position autonomously. A roving GPS antenna connected to another Z-FX receiver is used to collect positional data for the desired points. Real time corrections are broadcast to the roving GPS unit via a radio link. This system provides positional updates at a rate of 1 Hz, with an accuracy of 3-cm horizontal, 5-cm vertical, when a minimum of 5 satellites are available. The GPS system was used to record the locations of grid corners, roads, buildings, and other significant cultural features.

Magnetometers are useful in locating the buried ferrous materials typically found in disposal areas. Because the earth's magnetic field drifts over the course of a day, a base station was employed to collect continuous readings at five-second intervals documenting any diurnal drift so that corrections to survey data could be made. Total field intensity readings, the sum of the earth's primary magnetic field plus the response from any secondary fields generated by local ferromagnetic materials in the subsurface, were collected over the survey area and stored in a portable data logger. These readings, measured in nanoTeslas (nT), were downloaded to a personal computer, corrected for diurnal drift, and contoured.

The Geonics EM-31 is an electromagnetic (EM) frequency domain instrument primarily used to measure terrain conductivity. The EM-31 provides an output of both the quadrature-phase (terrain conductivity) and in-phase (response to metal) components of an induced electromagnetic field. The quadrature-phase is a measurement of terrain conductivity in milliSiemens per meter (mS/m). Terrain conductivity is a function of porosity, degree of saturation, and the conductivity of subsurface materials. The absolute values of terrain conductivity are not usually diagnostic, but their spatial variations are important. The ability to identify lateral

variations in the shallow subsurface makes quadrature-phase EM-31 data very useful in the delineation of burial features.

The inphase component of the EM-31 data is primarily used in searching for buried metal, and is measured in units of relative parts per thousand (ppt) of the magnetic field. A negative instrument response is typical over areas containing shallow buried metal (both ferrous and nonferrous). The data were temporarily stored in a palm-top data logger and then downloaded to a laptop computer, processed, and contoured. Final presentation quality maps of all digital geophysical data were produced using Geosoft's Oasis Montaj software.

The TW-6 is a split-box electromagnetic metal detector that is very sensitive to near surface ferrous metal objects. The TW-6 responds with an audible tone and is useful for accurately tracing the surface expression of buried ferrous objects such as UST's. Negative influence from buildings, scrap metal piles, and large brush piles made the area of the abandoned building and gantry unsuitable for investigation using the EM-31 or magnetometer. Therefore, the TW-6 was used in this area in a reconnaissance investigation for evidence of buried metallic objects that could represent underground storage tanks (USTs) or other subsurface features. The instrument was carried along bi-directional traverses spaced approximately three feet apart across this area. The locations of identified anomalies were painted on the ground using pink spray paint. The findings of the TW-6 survey were mapped in the field and are presented on Plates 1, 2, and 3.

Results / Conclusions

Anomalous magnetic and in-phase EM responses indicate the presence of metallic materials in the subsurface at several locations within the grid. Referring to the contoured analytic signal data (Plate 1), two parallel north—south trending anomalies are evident within the northern mini-grid and centered near coordinates 1117550 East and 655775 North. NAEVA suspects these anomalies may represent burial trenches containing metallic waste. Interestingly, the contoured conductivity and inphase data (Plates 2 and 3, respectively) suggest this area of anomalous response may indeed represent a total of four parallel trench-like features. The imphase data also contains a north-south trending anomaly located near 1117615 East, from 655400 to 655550 North. Although this feature appears to be less significant than those further north, its character is nonetheless suggestive of a burial trench containing metallic material.

Other anomalous inphase and magnetic responses are evident that in NAEVA's opinion can be attributed to cultural features. One large anomaly was identified in all three sets of contoured data, centered near 1117560 East, 654760 North. This corresponds with the presence of a large high voltage electrical tower. A second anomaly that is evident in both magnetic and conductivity data, trends east-west and is located in the upper northwest corner of the area of investigation. This anomaly extends from 1117275 to 1117350 East, along 655940 North. It is unclear whether this feature may represent a burial trench or possibly an underground utility line. The fact that it was not detected in the inphase data suggests that it may be a narrow feature such as a utility.

Referring to the terrain conductivity data in Plate 2, a large area of elevated conductivity extends north from the abandoned building to the suspected burial trenches in the northern mini-grid. There are no magnetic anomalies that correspond with this feature. However a weak response can be seen in the inphase data. While the possibility exists that this response could be due to a broad environmental condition such as a subsurface contaminant plume, there is no supporting evidence that such a problem may exist. More likely, this anomaly is due to a naturally occurring geologic feature such as a water table which becomes increasingly shallow to the southwest. Supporting this possibility is the presence of a streambed that was observed approximately 40 feet west of the area of investigation. Another geologic possibility is that the subtle peaks and valleys in the contoured data may correspond to topography and thus variations in soil development across the site.

The TW-6 metal detector survey in the area of the building and gantry resulted in a total of four significant metallic anomalies that are not explained by above ground cultural features. Each anomaly can be considered a possible UST. These anomaly locations are presented on all of the accompanying plates and are described individually below:

A six-foot by 20-foot rectangular anomaly was identified inside a stand of trees at approximately 1117660 East, 654565 North. A concrete pad was found beneath the leaves at this location. While the response may be due to reinforcement within the pad, it is also possible that a UST is present beneath the pad.

A "T"-shaped anomaly was identified extending from the southwest side of the abandoned building. This narrow anomaly extends approximately 30 feet southwest, where it merges with a rectangular anomaly approximately 10 feet by 20 feet. The

rectangular portion of this anomaly is oriented parallel to the building.

A third metal detector anomaly was identified north of the building near 1117575 East, 654640 North. This anomaly is roughly rectangular and shape, approximately six feet by 30 feet, and oriented northwest-southeast.

The fourth anomaly is located at 1117550 East, 654710 North. This anomaly is roughly circular in shape and eight feet in diameter. A liquid-filled depression was observed in the center of this anomaly.

Recommendations

In order to better characterize the nature of several of the identified anomalies, NAEVA makes the following recommendations:

To further resolve the north-south inphase anomaly centered near 1117615 East, from 655400 to 655550 North, NAEVA recommends establishing a 150 by 100-foot mini-grid over this area consisting of lines spaced 10 feet apart.

NAEVA recommends the use of electromagnetic utility locators to establish whether the linear anomaly observed in the northwestern corner of the grid is indeed a utility or a possible burial trench.

NAEVA recommends the collection of ground penetrating radar (GPR) profiles over each of the four TW-6 metal detector anomalies. The GPR profiles would be inspected for reflections characteristic of UST's.

Finally, NAEVA recommends that additional soil and groundwater samples be taken in and around the area of elevated conductivity. Further information regarding soil types and compaction, and groundwater elevation and contamination may help to determine a possible cause for the anomalously high conductivity over this area.

